

**MILKHOUSE BRAND OXY DIP- hydrogen peroxide liquid**  
**Stearns Packaging Corporation**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Oxy Dip**

NOTE: **Oxy Dip** is not intended to cure or help the healing of chapped or irritated teats. In case of teat irritation or chapping, have the condition examined.

**Directions for teat dipping or spraying**

**For Pre-Dip:**

1. Wash each individual teat with a sanitizing udder wash.
- NOTE: For best results, keep hair around teat base clipped.
2. Hand strip teats to initiate let down.
  3. Pre-dip entire teat with **Oxy Dip** on all four quarters. Repeat process on next 4 or 5 cows or until first cow prepped has at least 1 minute contact time.
  4. Wipe each individual teat with a clean paper towel. Utilize a "pulling down" motion which removes **Oxy Dip** solution, germs, and sediment from teat skin. Very important!
  5. Place machine on cow and repeat wiping process on remaining cows that have been pre-dipped.

**For Post-Dip:**

1. Dip entire teat with undiluted **Oxy Dip** solution.
  2. Allow to air dry and remain on teats for prolonged contact time.
  3. Clean, sanitize and thoroughly dry each teat prior to next milking.
  4. Replace dip solution when visibly cloudy or dirty.
- Do not mix **Oxy Dip** with any other teat spray or dip or other products.

PROTECT FROM FREEZING

IF FROZEN, SHAKE VIGOROUSLY AFTER THAWING

**WARNING: CONTAINS HYDROGEN**

**PEROXIDE** Not for internal use. Avoid contamination of foods. Avoid contact with eyes. Not for human use.

**TAKE TIME**

**OBSERVE**

**LABEL DIRECTIONS**

**KEEP OUT OF REACH OF CHILDREN**

**FIRST AID:**

**INTERNAL: If swallowed, drink large quantities of water. DO NOT induce vomiting. See physician immediately.**

**EYES: Immediately flush eyes with plenty of cool running water for at least 15 minutes. If irritated, obtain medical guidance.**

**GET MEDICAL ATTENTION  
IMMEDIATELY**

**FOR ASSISTANCE WITH MEDICAL  
EMERGENCY CONTACT:  
CHEM-TEL, 1-800-255-3924**

**MILKHOUSE BRAND**

**Oxy Dip**

**Hydrogen Peroxide Teat Dip**

**A Pre and Post Dip**

Active Ingredients:.....1.00% Active Hydrogen Peroxide

Contains: 10% Glycerin, anionic surfactants and  
1.60% Sodium Lactate  
pH - minimum: 4.75

**CAUTION**

**KEEP OUT OF THE REACH OF CHILDREN**  
**See side panel for Precautions and First-Aid Statements.**

**NET CONTENTS: 1 U.S. FL. GALLON (3.78 LITERS)**

Sold by:

**STEARNS PACKAGING CORPORATION**

4200 Sycamore Avenue - Madison, Wisconsin 53714

**Directions for teat dipping or spraying**

**For Pre-Dip:**

1. Wash each individual teat with a sanitizing udder wash.  
NOTE: For best results, keep hair around teat base clipped.
2. Hand strip teats to initiate let down.
3. Pre-dip entire teat with **Oxy Dip** on all four quarters. Repeat process on next 4 to 6 cows or until first cow prepped has at least 1 minute contact time.
4. Wipe each individual teat with a clean paper towel. Utilize a "pulling down" motion which removes **Oxy Dip** solution, germs, and sediment from teat skin. Very important!
5. Place machine on cow and repeat wiping process on remaining cows that have been pre-dipped.

**For Post-Dip:**

1. Dip entire teat with undiluted **Oxy Dip** solution.
2. Allow to air dry and remain on teats for prolonged contact time.
3. Clean, sanitize and thoroughly dry each teat prior to next milking.
4. Replacate dip solution when visibly cloudy or dirty.

Do not mix **Oxy Dip** with any other teat spray or dip or other products.

NOTE: **Oxy Dip** is not intended to cure or help the healing of chapped or irritated teats. In case of teat irritation or chapping, have the condition examined.

PROTECT FROM FREEZING  
IF FROZEN, SHAKE VIGOROUSLY AFTER THAWING

**MILKHOUSE BRAND**  
**Oxy Dip**  
**Hydrogen Peroxide Teat Dip**  
**A Pre & Post Dip**

Active Ingredient: ..... 1.00% Active Hydrogen Peroxide  
Contains: 10% Glycerin, anionic surfactants and  
1.60% Sodium Lactate  
pH - minimum 4.75

**CAUTION**  
**KEEP OUT OF THE REACH OF CHILDREN**  
See side panel for Precautions and First-Aid Statements.

NET CONTENTS: 1 U.S. FL. GALLON (3.78 LITERS)

**WARNING: CONTAINS HYDROGEN PEROXIDE**  
Not for internal use. Avoid contamination of foods. Avoid contact with eyes. Not for human use.

**KEEP OUT OF REACH OF CHILDREN**

**FIRST-AID**  
INTERNAL: If swallowed, drink large quantities of water. DO NOT induce vomiting. See physician immediately.

**EYES:** Immediately flush eyes with plenty of cool running water for at least 15 minutes. If irritated, obtain medical guidance.

**GET MEDICAL ATTENTION IMMEDIATELY**

**FOR ASSISTANCE WITH MEDICAL EMERGENCY CONTACT:**  
CHEM-TEL, 1-800-255-3924

#1202307 (ST-230)  
REORDER NUMBER

LOT NO:  
EXP. DATE:

**MILKHOUSE BRAND**  
**Oxy Dip**  
**Hydrogen Peroxide Teat Dip**  
**A Pre & Post Dip**

Active Ingredient: ..... 1.00% Active Hydrogen Peroxide  
Contains: 10% Glycerin, anionic surfactants and  
1.60% Sodium Lactate  
pH - minimum 4.75

**CAUTION**  
**KEEP OUT OF THE REACH OF CHILDREN**  
See side panel for Precautions and First-Aid Statements.

NET CONTENTS: 1 U.S. FL. GALLON (3.78 LITERS)

Sold by: **STEARNS PACKAGING CORPORATION**  
4200 Sycamore Avenue • Madison, Wisconsin 53714

**MILKHOUSE BRAND OXY DIP**

hydrogen peroxide liquid

**Product Information**

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:60282-1230
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	10 g in 1 L

**Inactive Ingredients**

Ingredient Name	Strength

GLYCERIN (UNII: PDC6A3C0OX)	100 g in 1 L
SODIUM LACTATE (UNII: TU7HW0W0QT)	16 g in 1 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60282-1230-1	3.78 L in 1 BOTTLE, PLASTIC		
2	NDC:60282-1230-2	18.93 L in 1 PAIL		
3	NDC:60282-1230-3	56.78 L in 1 DRUM		
4	NDC:60282-1230-4	208.2 L in 1 DRUM		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/26/2012	

**Labeler** - Stearns Packaging Corporation (006069256)

**Registrant** - Preserve International (808154199)

### Establishment

Name	Address	ID/FEI	Business Operations
Preserve International		808154199	api manufacture

Revised: 1/2021

Stearns Packaging Corporation