NITROGEN- nitrogen gas American Welding & Gas

Nitrogen

AMERICAN WELDING & GAS, INC. AWG 5353 WEST SOUTHERN AVE. INDIANAPOLIS, IN 46241 317-248-0651 NITROGEN, COMPRESSED UN1066 DO NOT REMOVE THIS PRODUCT LABEL. NON-FLAMMABLE GAS 2 NITROGEN, NF Rx only. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure.

Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

CAS: 7727-37-9 TO BE REFILLED BY AN AWG AUTHORIZED FACILITY ONLY. RETURN WITH 25 PSIG.

Pressure: 2216 PSIG at 70 degrees Fahrenheit Size: K Contents: 6453 liters



NITROGEN, REFRIGERATED LIQUID NF UN1077 NON-FLAMMABLE GAS 2 Rx ONLY.

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. WARNING: CONTAINS REFRIGERATED GAS: MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. DO NOT change or force fit connections. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet

(SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 7727-37-9 DO NOT REMOVE THIS PRODUCT LABEL

5353 WEST SOUTHERN AVE. INDIANAPOLIS, IN 46241 317-248-0651



FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Thaw frosted parts with lukewarm water. Do

tion.

CAS: 7727-37-9 DO NOT REMOVE THIS PRODUCT LABEL.



| NITROGEN | | | | | | |
|--|---|--|----------|----------------------------------|--------|-----------------|
| nitrogen gas | | | | | | |
| Product Informa | ion | | | | | |
| | .1011 | PRESCRIPTION ANIMA | | Item Code (Sour |) | NDC:44076-016 |
| Product T ype | | PRESCRIPTION ANIMA | IL DRUG | nem Code (Sour | rce) | NDC.44076-016 |
| Route of Administra | tion | RESPIRATORY (INHAL | ATION) | | | |
| A | /A -/* B.F* | · • | | | | |
| Active Ingredien | | lety lient Name | | Basis of St | renøth | Strength |
| Nitrogen (UNII: N7629 | - | | | Basis of Strength Nitrogen | | 990 mL in 1 L |
| | | | | | | |
| Packaging | | | | | | |
| | Pac | kage Description | Marketin | ıg Start Date | Mar | keting End Date |
| # Item Code | | kage Description 1 CYLINDER | Marketin | ig Start Date | Mar | keting End Date |
| # Item Code 1 NDC:44076-016-15 | 255 L in | | Marketin | ng Start Date | Mar | keting End Date |
| Item Code 1 NDC:44076-016-15 2 NDC:44076-016-16 | 255 L in 3640 L in | 1 CYLINDER | Marketin | ıg Start Date | Mar | keting End Date |
| # Item Code 1 NDC:44076-016-15 2 NDC:44076-016-16 3 NDC:44076-016-17 | 255 L in 3640 L ii 4551 L in | 1 CYLINDER n 1 DEWAR | Marketin | ig Start Date | Mar | keting End Date |
| # Item Code 1 NDC:44076-016-15 2 NDC:44076-016-16 3 NDC:44076-016-17 4 NDC:44076-016-18 | 255 L in 3640 L in 4551 L in 3588 L in | 1 CYLINDER n 1 DEWAR n 1 DEWAR | Marketin | ıg Start Date | Mar | keting End Date |
| # Item Code 1 NDC:44076-016-15 2 NDC:44076-016-16 3 NDC:44076-016-17 4 NDC:44076-016-18 5 NDC:44076-016-19 | 255 L in 3640 L in 4551 L in 3588 L in 5658 L in | 1 CYLINDER n 1 DEWAR n 1 DEWAR n 1 DEWAR | Marketin | ng Start Date | Mar | keting End Date |
| # Item Code 1 NDC:44076-016-15 2 NDC:44076-016-16 3 NDC:44076-016-17 4 NDC:44076-016-18 5 NDC:44076-016-20 6 NDC:44076-016-20 | 255 L in 3640 L in 4551 L in 3588 L in 5658 L in 3685 L in | 1 CYLINDER n 1 DEWAR n 1 DEWAR n 1 DEWAR n 1 DEWAR | | ıg Start Date | Mar | keting End Date |
| NDC:44076-016-15 NDC:44076-016-16 NDC:44076-016-17 NDC:44076-016-18 NDC:44076-016-19 | 255 L in 3640 L in 4551 L in 3588 L in 5658 L in 3685 L in | 1 CYLINDER 1 DEWAR 1 DEWAR 1 DEWAR 1 DEWAR 1 DEWAR 1 DEWAR | Marketin | ng Start Date | Mar | keting End Date |
| # Item Code 1 NDC:44076-016-15 2 NDC:44076-016-16 3 NDC:44076-016-17 4 NDC:44076-016-18 5 NDC:44076-016-20 6 NDC:44076-016-20 | 255 L in 3640 L in 4551 L in 3588 L in 5658 L in 3685 L in | 1 CYLINDER 1 DEWAR 1 DEWAR 1 DEWAR 1 DEWAR 1 DEWAR 1 DEWAR | Marketin | ıg Start Date | Mar | keting End Date |
| # Item Code 1 NDC:44076-016-15 2 NDC:44076-016-16 3 NDC:44076-016-17 4 NDC:44076-016-18 5 NDC:44076-016-20 6 NDC:44076-016-20 | 255 L in 3640 L in 4551 L in 3588 L in 5658 L in 3685 L in 4099 L i | 1 CYLINDER 1 DEWAR 1 DEWAR 1 DEWAR 1 DEWAR 1 DEWAR 1 DEWAR | Marketin | ıg Start Date | Mar | keting End Date |
| # Item Code 1 NDC:44076-016-15 2 NDC:44076-016-16 3 NDC:44076-016-17 4 NDC:44076-016-18 5 NDC:44076-016-20 6 NDC:44076-016-21 | 255 L in 3640 L in 4551 L in 3588 L in 5658 L in 3685 L in 4099 L i | 1 CYLINDER 1 DEWAR 1 DEWAR 1 DEWAR 1 DEWAR 1 DEWAR 1 DEWAR | | ng Start Date Marketing Start | | keting End Date |

Labeler - American Welding & Gas (068181965)

| Establishment | | | | |
|------------------------------|---------|-----------|----------------------------|--|
| Name | Address | ID/FEI | Business Operation | |
| American Welding & Gas, Inc. | | 832328061 | manufacture | |
| Establishment | | | | |
| Name | Address | ID/FEI | Business Operations | |
| American Welding & Gas | | 068181965 | manufacture | |
| Establishment | Address | ID/FEI | Business Operation | |
| Name | Address | ID/FEI | Business Operation | |
| American Welding & Gas, Inc. | | 806534954 | manufacture | |
| Establishment | | | | |
| Name | Address | ID/FEI | Business Operations | |
| American Welding & Gas, Inc. | | 151002222 | manufacture | |
| Establishment | | | | |
| Name | Address | ID/FEI | Business Operation | |
| American Welding & Gas, Inc. | | 036535665 | manufacture | |

Revised: 12/2015

American Welding & Gas