## ANTISEPTIC SKIN CLEANSER- chlorhexidine gluconate 4% liquid Kinray Inc.

\_\_\_\_\_

#### **Drug Facts**

#### **Active Ingredients**

Chlorhexidine Gluconate 4% Solution

#### Purpose

Antiseptic

### Uses

Healthcare Professional handwash: helps reduce bacteria that potentially can cause disease..

**Patient preoperative skin preparation:** for the preparation of the patient's skin prior to surgery

## Skin wound and genral skin cleaning

### Warnings

for external use only

### Do not use

- if you are alleric to chlorhexidine gluconate or any ohter ingredient
- in contact with meninges
- in genital area
- as a preoperative skin preparation of the head or face

When using this product

- keep out of eyes, ears, an mouth. Maycause seriously and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when installed in the middle ear thru perforated eardurms.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when the underlying condition makes it necessary to reduce the bacterial population of skin

### Stop use and ask doctor if

• irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

### Keep out of reach of children

If swallowed, get medical help or contact a Poison Control center right away

#### Warning

This product contains a chemical known to the State of California to cause Cancer.

## Directions

use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

### Healthcare personnel handwash:

- wet hands with water
- dispense about 5ml of product into cupped hands and wahs in vigorous manner for about 15 seconds
- rinse and dry thoroughly

## Patient preoperative skin preparation:

- apply product librally to surgical site and swab for at least 2 minutes and dry with a sterile towel
- repeat procedure for an additional 2 minutes and dry with a sterile towel

Skin wound and normal skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

## Other information

- store at 20°-25° C (68°-77° F)
- avoid excessive heat above 40° C (104° F)

## Inactive ingredients


cocamide DEA, fragrance, glucono-delta-lactone, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

## Questions of comments?

call 1-800-587-3721 Monday through Friday 8 AM to 4:30 PM CST

# Package label and principal display panel

Preferred Plus Pharmacy NDC 61715-072-08 Antiseptic Skin Cleanser (Chlorhexidine Gluconate 4% solution) Antiseptic/Antimicrobial Skin Cleanser for external use only 8FL OZ. (237 mL) Do no use if seal is broken or missing



152-35 10th Avenue, Whitestone, NY 11357

All Preferred Plus Pharmacy products are satisfaction guaranteed or your money back from retailer where purchased.

(c) 2013 Kinray Inc., All Rights Reserved, PREFERRED PLUS, PREFERRED PLUS ++++ and the PREFERRED PLUS logo are trademarks and/or registered trademarks of Kinray Inc. All other marks are property of their respective owners.



Product Informati	on							
Product T ype		HUMAN OTC DRUG	Ite m C	m Code (Source) NDC:61715-072			715-072	
Route of Administrati	ion	TOPICAL						
Active Ingredient/	Active Moi	etv						
Ingredient Name Basis of Strengt						rength	Strength	
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4K00DY52L) CHLORHEXIDINE - GLUCONATE						4 mg in 100 mL		
Inactive Ingredien	nts							
Ingredient Name								
COCO DIETHANOLAMIDE (UNII: 92005F972D)								
PEG-75 LANOLIN (UNI	II: 091790X7TH	3)						
		0 CPS AT 1%) (UNII: S38J6	RZN16)					
ISOPROPYL ALCOHO	L (UNII: ND2M	0 CPS AT 1%) (UNII: S38J6	RZN16)					
ISOPROPYL ALCOHO WATER (UNII: 059QF0F	L (UNII: ND2M KO0R)	<b>0 CPS AT 1%)</b> (UNII: S38J6 416302)	RZN16)					
ISOPROPYL ALCOHO WATER (UNII: 059QF0F TRIDECYL ALCOHOL	L (UNII: ND2M KO0R) (UNII: 8194281	<b>0 CPS AT 1%)</b> (UNII: S38J61 416302) 1868)	RZN16)					
ISOPROPYL ALCOHO WATER (UNII: 059QF0F TRIDECYL ALCOHOL	L (UNII: ND2M KO0R) (UNII: 8194281	<b>0 CPS AT 1%)</b> (UNII: S38J61 416302) 1868)	RZN16)					
ISOPROPYL ALCOHO WATER (UNII: 059QF0F TRIDECYL ALCOHOL GLUCONOLACTONE (	L (UNII: ND2M KO0R) (UNII: 8194281	<b>0 CPS AT 1%)</b> (UNII: S38J61 416302) 1868)	RZN16)					
ISOPROPYL ALCOHO WATER (UNII: 059QF0F TRIDECYL ALCOHOL GLUCONOLACTONE ( Packaging	L (UNII: ND2M KO0R) (UNII: 819428H (UNII: WQ29KC	<b>0 CPS AT 1%)</b> (UNII: S38J61 416302) 1868)		ting Sta	ırt Date	Marketin	g End Date	
ISOPROPYL ALCOHO WATER (UNII: 059QF0F TRIDECYL ALCOHOL GLUCONOLACTONE ( Packaging # Item Code	L (UNII: ND2M KOOR) (UNII: 819428F (UNII: WQ29KC	0 CPS AT 1%) (UNII: S38J6 416302) 1868) 29POT)		ting Sta	urt Date	Marketin	g End Date	
ISOPROPYL ALCOHO WATER (UNII: 059QF0F TRIDECYL ALCOHOL GLUCONOLACTONE ( Packaging # Item Code 1 NDC:61715-072-08	L (UNII: ND2M KOOR) (UNII: 819428F (UNII: WQ29KC 237 mL in 1	0 CPS AT 1%) (UNII: S38J6 416302) 1868) 29POT) 28kage Description		ting Sta	nrt Date	Marketin	g End Date	
ISOPROPYL ALCOHO WATER (UNII: 059QF0F TRIDECYL ALCOHOL GLUCONOLACTONE (	L (UNII: ND2M KOOR) (UNII: 819428 F (UNII: WQ29 KC 237 mL in 3 Prmation	0 CPS AT 1%) (UNII: S38J6 416302) 1868) 29POT) 28kage Description	Marke		rrt Date		g End Date ting End Data	

Labeler - Kinray Inc. (012574513)

Registrant - Xttrium Laboratories, Inc. (007470579)

Establishment								
Name	Address	ID/FEI	<b>Business Operations</b>					
Xttrium Laboratories, Inc.		007470579	manufacture(61715-072)					