

**ELTAMD UV SPORT SPF50- zinc oxide, octinoxate and octisalate sunscreen lotion**  
**EltaMD, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**EltaMD UV Sport SPF50**

**Warnings**

For external use only Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove. Stop use and ask physician if rash occurs Keep out of reach of children. If product is swallowed contact a Poison Control Center right away.

**Active ingredients**

Zinc Oxide 9.0% Sunscreen  
Octinoxate 7.5% Sunscreen  
Octisalate 5.0% Sunscreen

**Uses**

Helps prevent sunburn If used as directed with other sun protection measures (See Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

**Directions**

Apply liberally 15 minutes before sun exposure Reapply after 80 minutes of swimming or sweating immediately after towel drying at least every 2 hours Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10a.m.-2p.m. wear long-sleeve shirts, pants, hats and sunglasses Children under 6 months: Ask a physician

**Inactive ingredients**

Beeswax, Butylene Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/ 1 Dimethicone, Disodium EDTA, Hexyl Laurate, Hydrogenated Castor Oil, Iodopropynyl Butylcarbamate, Isopropyl Palmitate, Octyldoceyl Neopentaoate, Polyglyceryl-4 Isostearate, Purified Water, Sodium Chloride, Tocopheryl Acetate, Triethoxycaprylylsilane

**UVSPORTUC**

<b>American Carton Company</b> 607 South Wisteria St. Marshall, Texas 79063 Phone: 817.477.1993 Fax: 817.479.5883	<input type="checkbox"/> ACC DIE	<input type="checkbox"/> 7542	<input type="checkbox"/> 201	<input type="checkbox"/> Black
Customer: Swiss American	<input type="checkbox"/> UPC			
Description: UVSport7ozBox080510D.pdf 1 11/1/16 8:19 AM	<input type="checkbox"/> PIC			
CAD #: 080510D				
ACC Item #: SA0332	Revision Number			
Date: 11-08-2016	0			
Proof Output Date				
Please check all components of print (i.e. color, positioning, etc.), fill out proper information below, and return to American Carton Company. This form and any form of proof (i.e. mylar, blanks, rainbow, color key, etc.) must be returned to ACC before job will proceed any further.				
<b>DEPARTING RETURN OF PROOFS MAY DELAY DELIVERY OF YOUR JOB.</b>				
<input checked="" type="checkbox"/> <b>OK AS IS</b> No responsibility for error is assumed by ACC when work is printed per customer's approval.				
<input type="checkbox"/> <b>SHOW REVISED PROOF</b> If revised proofs are required, request must be made when this proof is returned.				
I hereby authorize American Carton Company to proceed as indicated by my choice above.				
			Carol Chapin Bocell	
			Signature	Date



**Drug Facts**

Active Ingredients	Purpose
Zinc Oxide 9.0%	Sunscreen
Octinoxate 7.5%	
Octisalate 5.0%	

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a physician if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - before use on children under 6 months: Ask a physician


**Inactive ingredients**  
 Bees Wax, Butylene Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Disodium EDTA, Hexyl Laurate, Hydrogenated Castor Oil, Isododecyl Butylcarbamate, Isopropyl Palmitate, Octyldodecyl Neopentanoate, Polyglyceryl-4 Isostearate, Purified Water, Sodium Chloride, Tocopheryl Acetate, Triethoxycaprylylsilane

**Other information**

- Protect this product from excessive heat and direct sun


**Questions or comments?**  
 Call toll free 1-800-633-8872


Item # 02288      846200 Rev. 11/14



SKINCARE  
A Swiss-American Company

**UV SPORT**  
**BROAD-SPECTRUM**  
**SPF 50 SUNSCREEN**





SKINCARE

A Swiss-American Company

**UV SPORT**  
**BROAD-SPECTRUM**  
**SPF 50**


ACTIVE LIFESTYLE  
TRANSPARENT ZINC OXIDE  
UVA/UVB PROTECTION

WATER-RESISTANT  
(80 MINUTES)


**FULL-BODY SUNSCREEN**

*All Skin Types*

OIL-FREE  
net wt 7 oz / 198 g





The Skin Cancer Foundation recommends this product as an effective broad-spectrum sunscreen.



3 90205 02288 5

SA0332





A Swiss-American Company

zinc oxide, octinoxate and octisalate sunscreen lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72043-2287
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	90 g in 1000 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 g in 1000 g
octisalate (UNII: 4X49 Y0596W) (OCTISALATE - UNII:4X49 Y0596W)	octisalate	50 g in 1000 g

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
CETYL DIMETHICONE 150 (UNII: 5L694Y0T22)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
HYDROGENATED CASTOR OIL (UNII: ZF94AP8MEY)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 1.5) (UNII: V2W71V8T0X)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72043-2287-3	84 g in 1 TUBE; Type 0: Not a Combination Product	01/10/2018	
2	NDC:72043-2287-8	198 g in 1 BOTTLE; Type 0: Not a Combination Product	01/10/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/10/2018	

**Labeler** - EltaMD, Inc. (611921669)

**Registrant** - Swiss-American CDMO, LLC (080170933)

**Establishment**

Name	Address	ID/FEI	Business Operations
Swiss-American CDMO, LLC		080170933	manufacture(72043-2287)

Revised: 10/2018

EltaMD, Inc.