LORATADINE- loratadine tablet

Kinray

Drug Facts

ACTIVE INGREDIENT (IN EACH TABLET)

Loratadine USP, 10 mg

PURPOSE

Antihistamine

USES

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

WARNINGS

Do not use

If you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

Liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

Do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

An allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS

adults and children 6 years and over
children under 6 years of age
consumers with liver or kidney disease ask a doctor1 tablet daily; not more than 1 tablet in 24 hours
ask a doctor

OTHER INFORMATION

- store between 20 and 25° C (68 and 77° F)
- protect from excessive moisture
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.

INACTIVE INGREDIENTS

Corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

QUESTIONS? Call 1-800-406-7984

PRINCIPAL DISPLAY PANEL Preferred Plus Pharmacy[™] [†]Compare to the active ingredient of Claritin[®] Non-Drowsy* **Allergy Relief** Loratadine Tablets, USP 10 mg Antihis tamine **INDOOR & OUTDOOR ALLERGIES** 24 Hour Allergy Relief **Relief of: Sneezing; Runny Nose;** Itchy, Watery Eyes & Itchy Throat or Nose 100 Tablets ^{*}When taken as directed. See Drug Facts Panel. Distributed By: Kinray, Inc. 5098336/Rev 8/12





INSIDE TOP LABEL

Drug F	acts (continued)
Warning Do not use	75 if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doct different do	tor before use if you have liver or kidney disease. Your doctor should determine if you need a se.
When usin	g this product do not take more than directed. Taking more than directed may cause drowsiness.
Stop use a	Ind ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
	t or breast-feeding, ask a health professional before use. Keep out of reach of children. werdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

BASE LABEL

Directions	adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours	
	children under 6 years of age	ask a doctor	
	consumers with liver or kidney disease	ask a doctor	
store between TAMPER EVII	20° to 25° C (68° to 77° F) ■ protect ENT: DO NOT USE IF IMPRINTED SEAL	from excessive moisture LIS BROKEN OR MISSING FROM BOTTLE.	
	20° to 25° C (68° to 77° F) ■ protect ENT: DO NOT USE IF IMPRINTED SEAL	from excessive moisture L IS BROKEN OR MISSING FROM BOTTLE. Irate, magnesium stearate, pregelatinized starch	
store between TAMPER EVII	20° to 25° C (68° to 77° F) ■ protect DENT: DO NOT USE IF IMPRINTED SEAL redients corn starch, lactose monohydr	rate, magnesium stearate, pregelatinized starch	
■ store between ■ TAMPER EVII Inactive ing Questions?	20° to 25° C (68° to 77° F) ■ protect DENT: DO NOT USE IF IMPRINTED SEAL redients corn starch, lactose monohydr	rate, magnesium stearate, pregelatinized starch d Plus Pharmacy products are satisfaction guaranteed ney back from retailer where purchased.	

oratadine tal	olet								
Product Ir	formation								
Product Typ		HUMAN OTC DRUG Item Code (Source)						NDC:61715-017	
Route of Adu			ORAL	I.C.III				15 0 17	
Active Ing	redient/Ac	tive Moie	ty						
Ingredient Name Basis of St						rength	Strength		
LORATADIN	ORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN) LORATADINE					10 mg			
			Ingredient Nam	e			St	trength	
Inactive In	gredients								
STARCH, CO	RN (UNII) O8	222NV3S1)	Ingreutent Nam	e			31	irengtn	
LACTOSE M			Q57Q8I5X)						
MAGNESIUM	STEARATE	(UNII: 70097	M6I30)						
Product C	haracteris	tics							
Color	whit	white (White to Off-White)			Score		no s	no score	
Shape	ROU	ROUND					6 m n	6 mm	
Flavor				Imprint Code		RX5	RX526		
Contains									
Packaging									
# Item	Code	Pack	age Description	Marketi	ng Start Dat	te Ma	arketing	End Date	

Marketing Info	rmation					
Marketing Information						
2	30 in 1 BLISTER PACK					
2 NDC:61715-017-30	1 in 1 CARTON					

Labeler - Kinray (012574513)

Registrant - Ranbaxy Pharmaceuticals Inc. (937890044)

Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		051565745	manufacture(61715-017)

Revised: 2/2013

Kinray