

**SULWHASOO UV DAILY CREAM- avobenzone, homosalate, octisalate, octocrylene cream cream**  
**Amorepacific Corporation**

-----  
**Sulwhasoo UV Daily Cream**

**DRUG FACTS**

**ACTIVE INGREDIENTS**

Avobenzone 2.5%

Homosalate 9.0%

Octisalate 4.5%

Octocrylene 9.0%

**PURPOSE**

Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only**

**Do not use on damaged or broken skin.**

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Direction**

- Apply liberally 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures

including: Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

### ***Other information***

- Protect the product in this container from excessive heat and direct sun.
- Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

### ***Inactive ingredients***

Water, Butylene Glycol, C12-15 Alkyl Benzoate, Cyclopentasiloxane, Phenyl Trimethicone, Cyclohexasiloxane, Glycyrrhiza Uralensis (Licorice) Root Extract, 1,2-hexanediol, Camellia Sinensis Leaf Extract, Glyceryl Stearate, Panax Ginseng Root Extract, PEG-100 Stearate, Methoxy PEG-114/polyepsilon Caprolactone, Cetearyl Alcohol, Cetyl Alcohol, Aluminum Stearate, Polyhydroxystearic Acid, PEG-40 Stearate, Alumina, Phenoxyethanol, Fragrance, Hydroxyethyl Acrylate/sodium Acryloyldimethyl Taurate Copolymer, Polyacrylate-13, Polygonatum Officinale Rhizome/root Extract, Rehmannia Glutinosa Root Extract, Lilium Tigrinum Flower/leaf/stem Extract, Paeonia Albiflora Root Extract, Nelumbo Nucifera Seed Extract, Stearic Acid, Chrysanthemum Morifolium Flower Extract, Citrus Unshiu Peel Extract, Xanthan Gum, Polyisobutene, Coix Lacryma-jobi Ma-yuen Seed Extract, Adenophora Stricta Root Extract, Glycerin, Ophiopogon Japonicus Root Extract, Honey, Carbomer, Polymethyl Methacrylate, Machilus Thunbergii Bark Extract, Ethylhexylglycerin, Paeonia Suffruticosa Root Extract, Lycium Chinense Root Extract, Propanediol, Angelica Tenuissima Root Extract, Disodium EDTA, Polysorbate 20, Silica, Natto Gum, Dimethicone, Beta-glucan, Triethoxycaprylylsilane, Myristic Acid, Stearyl Behenate, Polyglyceryl-3 Methylglucose Distearate, Hydroxypropyl Bispalmitamide MEA, Inulin Lauryl Carbamate

### ***Questions?***

support@us.amorepacific.com

## **Sulwhasoo UV Daily Cream - Carton**

### **Sulwhasoo**

SNOWISE

UV DAILY CREAM

Broad Spectrum 40 Sunscreen

40 ml / 1.35 fl. oz.

UV DAILY CREAM  
Broad spectrum SPF 40 Sunscreen

UV데일리크림

**Drug Facts**

Active ingredients	Purpose
Avobenzone 2.5%	Sunscreen
Homosalate 9.0%	Sunscreen
Octisalate 4.5%	Sunscreen
Octocrylene 9.0%	Sunscreen

**Uses**

■ Helps prevent sunburn. ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

*For external use only*

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ Apply liberally 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours. ■ Use a water-resistant sunscreen if swimming or sweating. ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ Limit time in the sun, especially from 10 a.m. - 2 p.m. ■ Wearing broad-brimmed hats, pants, hats, and sunglasses.

**Other information**

■ Protect the product in this container from excessive heat and direct sun. ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

**Inactive ingredients**

Water / Aque / Eau, Butylene Glycol, Butylcetyl Salicylate, Glycerin, Diphenylsilyl Phenyl Trimellitate, Dimethicone, Trioxane, Silica, Cyclopentasiloxane, Trimethylsilyloxyalkoxysilane, VP/Eicosene Copolymer, 1,2-Hexanediol, Behenyl Alcohol, Glyceryl Stearate, PEG-100 Stearate, C14-22 Alcohol, Polyacrylate-13, Cetyl Alcohol, Potassium Cetyl Phosphate, Fragrance / Parfum, Polyisobutene, C12-20 Alkyl Glucoside, Disodium EDTA, Ethylhexylglycerin, Polyisobutene 20, Sorbitan laurate, Honey / Miel / Miel, Nelumbo Nucifera Flower Extract, Polygonatum Officinale Rhizome/Root Extract, Rehmannia Glutinosus Root Extract, Paeonia Albiflora Root Extract, Lilium Candidum Bulb Extract, Panax Ginseng Root Extract, Glucose, Methoxy PEG-114/Polypipalton Capro lactone, Hydrolyzed Ginseng Saponins (Hydrolyzed White Ginseng Saponins), Phenoxyethanol, Glycyrrhiza Uralensis (Licorice) Root Extract, Tocopheryl

**Questions?**

support@us.amorepacific.com



雪花秀

Sulwhasoo

UV DAILY CREAM  
Broad spectrum SPF 40 Sunscreen

UV데일리크림

40 ml / 1.35 fl. oz.

Sulwhasoo

UV DAILY CREAM  
Broad spectrum SPF 40 Sunscreen

40 ml / 1.35 fl. oz.

Distributed by  
Amorepacific US Inc.  
New York, NY 10018  
MADE IN KOREA (0431)



on the label directly  
[1] and EXP will be printed  
(1) A B C D E F G H I J K L M N O P Q R S T U V W X Y Z  
0123456789



**SULWHASOO UV DAILY CREAM**

avobenzone, homosalate, octisalate, octocrylene cream cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43419-085
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	3.6 g in 40 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	1.8 g in 40 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1 g in 40 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	3.6 g in 40 mL

Inactive Ingredients	
Ingredient Name	Strength
<b>VINYLPYRROLIDONE/EICOSENE COPOLYMER</b> (UNII: 035MV9S1C3)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>PAEONIA LACTIFLORA ROOT</b> (UNII: 3Z3866YW6P)	
<b>ANHYDROUS DEXTROSE</b> (UNII: 5SL0G7R0OK)	
<b>POLYGONATUM ODORATUM ROOT</b> (UNII: KPF03O64AZ)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>C14-22 ALCOHOLS</b> (UNII: B1K89384R)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>HONEY</b> (UNII: Y9H1V576FH)	
<b>NELUMBO NUCIFERA FLOWER</b> (UNII: 61W322NLDV)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>GLYCYRRHIZA URALENSIS ROOT</b> (UNII: 42B5YD8F0K)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>C12-20 ALKYL GLUCOSIDE</b> (UNII: K67N5Z1RUA)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>TRISILOXANE</b> (UNII: 9G1ZW13R0G)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0)</b> (UNII: 25LXE464L2)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>POLYISOBUTYLENE (45000 MW)</b> (UNII: YR8AQ94O31)	
<b>REHMANNIA GLUTINOSA ROOT</b> (UNII: 1BEM3U6LQQ)	
<b>LILIUM CANDIDUM BULB</b> (UNII: AHG15J8AM0)	

Packaging				
#	Item Code	Package Description	Marketing Start	Marketing End

#	Item Code	Package Description	Date	Date
1	NDC:43419-085-19	1 in 1 CARTON	05/31/2022	
1		40 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/31/2022	

**Labeler** - Amorepacific Corporation (631035289)

Revised: 10/2024

Amorepacific Corporation