

**FOCUS- adenosinum cyclophosphoricum, adrenalinum, aethusa cynapium, alpha-ketoglutaricum acidum, ambra grisea, baryta carbonica, candida albicans, carboneum sulphuratum, cerebrum suis, ginkgo biloba, helleborus niger, hypothalamus suis, hyoscyamus niger, iodium, phosphorus, saccharum officinale, sarcolacticum acid, silicea, tarentula hispana, veratrum album liquid**

**Deseret Biologicals, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **DRUG FACTS:**

### **ACTIVE INGREDIENTS:**

Adenosinum Cyclophosphoricum 8X, Adrenalinum 8X, 12X, 30X, 200X, Aethusa Cynapium 12X, Alpha-Ketoglutaricum Acidum 6X, Ambra Grisea 9X, Baryta Carbonica 12X, Candida Albicans 12X, 30X, Carboneum Sulphuratum 9X, Cerebrum Suis 8X, Ginkgo Biloba 3X, Helleborus Niger 12X, Hypothalamus (Suis) 8X, Hyoscyamus Niger 12X, 30X, Iodium 6X, Phosphorus 6X, Saccharum Officinale 6X, 12X, 30X, Sarcolacticum Acid 6X, Silicea 8X, 12X, 30X, Tarentula Hispana 16X, 24X, 30X, Veratrum Album 12X.

### **PURPOSE:**

Adenosinum Cyclophosphoricum - Poor Attention, Adrenalinum - Excessive Movement, Aethusa Cynapium - Difficulty Concentrating, Alpha-Ketoglutaricum Acidum - Quick Temper, Ambra Grisea - Restlessness, Baryta Carbonica - Temper Tantrums, Candida Albicans - Quick Temper, Carboneum Sulphuratum - Sensitivity to Noise, Cerebrum Suis - Forgetfulness, Ginkgo Biloba - Easy Boredom, Helleborus Niger - Mood Changes, Hypothalamus Suis - Impulsivity, Hyoscyamus Niger - Poor Attention, Iodium - Excessive Movement, Phosphorus - Difficulty Concentrating, Saccharum Officinale - Temper Tantrums, Sarcolacticum Acid - Restlessness, Silicea - Quick Temper, Tarentula Hispana - Easy Boredom, Veratrum Album - Forgetfulness

### **USES:**

- For the temporary relief of symptoms including:
- poor attention • excessive movement • difficult concentrating
- quick temper • restlessness • sensitivity to noise • forgetfulness
- easy boredom • mood changes • impulsivity • temper tantrums

These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

**WARNINGS:**

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, contact a physician or Poison Control Center right away.

**Tamper Evident:** Sealed for your protection. Do not use if seal is broken or missing.

**KEEP OUT OF REACH OF CHILDREN:**

In case of overdose, contact a physician or Poison Control Center right away.

**DIRECTIONS:**

1-10 drops under the tongue, 3 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

**INACTIVE INGREDIENTS:**

Demineralized water, 25% ethanol

**QUESTIONS:**

Dist. By: Deseret Biologicals, Inc.  
469 W. Parkland Drive  
Sandy, UT 84070

www.desbio.com

800-827-8204

**PACKAGE LABEL DISPLAY:**

**DesBio**

**Focus**

**Homeopathic**

**NDC 43742-2220-1**

**1 FL OZ (30 ml)**

 DesBio®  
**Focus**  
 Homeopathic  
 NDC 43742-2220-1

  
 8 10151 88005 1

**Tamper Evident:** Sealed for your protection. Do not use if seal is broken or missing.

**Indications Purpose**  
 phosphoricum 8X.....  
 .....Poor Attention  
 X 30X 200X.....  
 .....Excessive Movement  
 Continued on next side

DesBio Biologicals, Inc.  
 www.desbio.com  
 REV. 070824

No text

1)

ing, ask a use.

ren. In case of an or Poison

je, 3 times a th sician for use of age.

d upon ey have not l and Drug

; ethanol

ents?

Deadener, No text

**Drug Facts** (continued)

**Uses**

- For the temporary relief of symptoms including:
  - poor attention
  - excessive movement
  - difficulty concentrating
  - quick temper
  - restlessness
  - sensitivity to noise
  - forgetfulness
  - easy boredom
  - mood changes
  - impulsivity
  - temper tantrums

*Continued on next side*

Deadener, No text

**Drug Facts** (continued)

**Active Ingredients Purpose**

- Aethusa cynapium 12X.....
- .....Difficulty Concentrating
- alpha-Ketoglutaricum acidum 6X.....
- .....Quick Temper
- Ambra grisea 9X.....Restlessness
- Baryta carbonica 12X.....Temper Tantrums
- Candida albicans 12X 30X....Quick Temper
- Carboneum sulphuratum 9X.....
- .....Sensitivity to Noise
- Cerebrum suis 8X.....Forgetfulness
- Ginkgo biloba 3X.....Easy Boredom
- Helleborus niger 12X.....Mood Changes
- Hypothalamus (suis) 8X.....Impulsivity
- Hyoscyamus niger 12X 30X.....
- .....Poor Attention
- Iodium 6X.....Excessive Movement
- Phosphorus 6X.....Difficulty Concentrating
- Saccharum officinale 6X 12X 30X.....
- .....Temper Tantrums
- Sarcosylacticum acidum 6X.....Restlessness
- Silicea 8X 12X 30X.....Quick Temper
- Tarentula hispana 16X 24X 30X.....
- .....Easy Boredom
- Veratrum album 12X.....Forgetfulness

*Continued on next side*

Deadener, No text

1 FL OZ (30 ml)

INACTIVE INGREDIENTS:  
DEMINERALIZED WATER,  
25% ETHANOL



**Drug Facts**

**Active Ingredi**

- Adenosinum cyclo
- .....
- Adrenalinum 8X 12
- .....

Dist. By: Deseret Bic  
469 W. Parkland Dri  
Sandy, UT 84070 w  
800-827-8204

PEEL HERE

# Deadener, N

## Drug Facts (continued)

### Warnings

**If pregnant or breastfeed**  
health professional before

**Keep out of reach of child**  
overdose, contact a physici  
Control Center right away.

### Directions

1-10 drops under the tongu  
day or as directed by a heal  
professional. Consult a phy  
in children under 12 years c

### Other Information

These statements are basec  
homeopathic principles. Th  
been reviewed by the Food  
Administration.

### Inactive Ingredients

Demineralized water, 25% t

### Questions or Comm

800-827-8204

## FOCUS

adenosinum cyclophosphoricum, adrenalinum, aethusa cynapium, alpha-ketoglutaricum acidum, ambra grisea, baryta carbonica, candida albicans, carboneum sulphuratum, cerebrum suis, ginkgo biloba, helleborus niger, hypothalamus suis, hyoscyamus niger, iodium, phosphorus, saccharum officinale, sarcolacticum acid, silicea, tarentula hispana, veratrum album liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43742-2220
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ADENOSINE CYCLIC PHOSPHATE</b> (UNII: E0399OZ59N) (ADENOSINE CYCLIC PHOSPHATE - UNII:E0399OZ59N)	ADENOSINE CYCLIC PHOSPHATE	8 [hp_X] in 1 mL
<b>EPINEPHRINE</b> (UNII: YKH834O4BH) (EPINEPHRINE - UNII:YKH834O4BH)	EPINEPHRINE	8 [hp_X] in 1 mL
<b>AETHUSA CYNAPIUM WHOLE</b> (UNII: M6936L953C) (AETHUSA CYNAPIUM - UNII:M6936L953C)	AETHUSA CYNAPIUM WHOLE	12 [hp_X] in 1 mL
<b>OXOGLURIC ACID</b> (UNII: 8ID597Z82X) (.ALPHA.-KETOGLUTARIC ACID - UNII:8ID597Z82X)	OXOGLURIC ACID	6 [hp_X] in 1 mL
<b>AMBERGRIS</b> (UNII: XTC0D02P6C) (AMBERGRIS - UNII:XTC0D02P6C)	AMBERGRIS	9 [hp_X] in 1 mL
<b>BARIUM CARBONATE</b> (UNII: 6P669D8HQ8) (BARIUM CATION - UNII:V645272HLN)	BARIUM CARBONATE	12 [hp_X] in 1 mL
<b>CANDIDA ALBICANS</b> (UNII: 4D7G21HDBC) (CANDIDA ALBICANS - UNII:4D7G21HDBC)	CANDIDA ALBICANS	12 [hp_X] in 1 mL
<b>CARBON DISULFIDE</b> (UNII: S54S8B99E8) (CARBON DISULFIDE - UNII:S54S8B99E8)	CARBON DISULFIDE	9 [hp_X] in 1 mL
<b>SUS SCROFA CEREBRUM</b> (UNII: 4GB5DQR532) (SUS SCROFA CEREBRUM - UNII:4GB5DQR532)	SUS SCROFA CEREBRUM	8 [hp_X] in 1 mL
<b>GINKGO</b> (UNII: 19FUJ2C58T) (GINKGO - UNII:19FUJ2C58T)	GINKGO	3 [hp_X] in 1 mL
<b>HELLEBORUS NIGER ROOT</b> (UNII: 608DGJ6815) (HELLEBORUS NIGER ROOT - UNII:608DGJ6815)	HELLEBORUS NIGER ROOT	12 [hp_X] in 1 mL
<b>SUS SCROFA HYPOTHALAMUS</b> (UNII: N6R0856Z79) (SUS SCROFA HYPOTHALAMUS - UNII:N6R0856Z79)	SUS SCROFA HYPOTHALAMUS	8 [hp_X] in 1 mL
<b>HYOSCYAMUS NIGER</b> (UNII: 4WRK2153H3) (HYOSCYAMUS NIGER - UNII:4WRK2153H3)	HYOSCYAMUS NIGER	12 [hp_X] in 1 mL
<b>IODINE</b> (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	6 [hp_X] in 1 mL

<b>PHOSPHORUS</b> (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	6 [hp_X] in 1 mL
<b>SUCROSE</b> (UNII: C151H8M554) (SUCROSE - UNII:C151H8M554)	SUCROSE	6 [hp_X] in 1 mL
<b>LACTIC ACID, L-</b> (UNII: F9S9FFU82N) (LACTIC ACID, L- - UNII:F9S9FFU82N)	LACTIC ACID, L-	6 [hp_X] in 1 mL
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4) (SAND - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	8 [hp_X] in 1 mL
<b>LYCOSA TARANTULA</b> (UNII: 86M454L2TT) (LYCOSA TARANTULA - UNII:86M454L2TT)	LYCOSA TARANTULA	16 [hp_X] in 1 mL
<b>VERATRUM ALBUM ROOT</b> (UNII: QNS6W5US1Z) (VERATRUM ALBUM ROOT - UNII:QNS6W5US1Z)	VERATRUM ALBUM ROOT	12 [hp_X] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43742-2220-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	11/13/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		11/13/2024	

**Labeler** - Deseret Biologicals, Inc. (940741853)

**Registrant** - Apotheca Company (844330915)

### Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43742-2220) , api manufacture(43742-2220) , label(43742-2220) , pack(43742-2220)

Revised: 11/2024

Deseret Biologicals, Inc.