PEPTO-BISMOL- bismuth subsalicylate tablet A-S Medication Solutions

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Pepto-Bismol™

Drug Facts

Active ingredient (in each tablet)

Bismuth subsalicylate 262 mg

Purposes

Upset stomach reliever and antidiarrheal

Uses

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
 - heartburn
 - indigestion
 - nausea
 - gas
 - belching
 - fullness

Warnings

Reye's syndrome

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert

Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- an ulcer
- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for

- anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

When using this product a temporary, but harmless, darkening of the stool and/or tongue may occur

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- chew or dissolve in mouth
- adults and children 12 years and over:
- 2 tablets (1 dose) every ¹/₂ hour or 4 tablets (2 doses) every hour as needed for diarrhea
- 2 tablets (1 dose) every ½ hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
- do not exceed 8 doses (16 tablets) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

- each tablet contains: calcium 140 mg, magnesium 9 mg
- salicylate 101 mg
- low sodium
- avoid excessive heat (over 104°F or 40°C)

Inactive ingredients

calcium carbonate, D&C Red No. 27 aluminum lake, flavor, magnesium stearate,

mannitol, povidone, saccharin sodium, talc

Questions?

1-800-717-3786

Dist. by Procter & Gamble, Cincinnati OH 45202

HOW SUPPLIED

Product: 50090-0553

NDC: 50090-0553-0 6 TABLET in a CELLO PACK / 5 in a CARTON

Bismuth subsalicylate



PEPTO-BISMOL bismuth subsalicylate tablet									
Product Information									
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50090-0553(NDC:3	7000-477)					
Route of Administration	ORAL								
Active Ingredient/Active Moiety									
Ingr	Basis of Strength	Strength							
BISMUTH SUBSALICYLATE (UNII: UNII:0414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg							
Inactive Ingredients									

	Ingredient Name							
CA								
MA								
MA								
РО								
D٥								
SA								
ТΑ	LC (UNII: 7SEV7J4	R1U)						
Pr	oduct Chara	cteristic	S					
Color		pink		Score	no scor		re	
Shape		ROUND		Size			16mm	
Flavor		WNTER	GREEN	Imprint Cod	le	Pepto;Bismol		
				• • • • •	p			
Co	ntains							
	ntains ackaging							
Pa		F	Package Desc	cription	Marketing Sta Date	art	Marketing End Date	
Pa #	Item Code	F 5 in 1 CART(-	cription		art	-	
Pa #	Item Code NDC:50090- 0553-0	5 in 1 CART	ON	cription Not a Combination	Date	art	-	
P a #	Item Code NDC:50090- 0553-0	5 in 1 CART	ON		Date	art	-	
Pa # 1	ackaging Item Code NDC:50090- 0553-0	5 in 1 CART(6 in 1 CELLC Product	ON D PACK; Type 0: I		Date	art	-	
Pa # 1	Item Code NDC:50090- 0553-0	5 in 1 CART(6 in 1 CELLC Product	ON D PACK; Type 0: I		Date	art	-	
Pa # 1	ackaging Item Code NDC:50090- 0553-0	5 in 1 CARTO 6 in 1 CELLO Product nforma	ON D PACK; Type 0: I Ation	Not a Combination	Date		-	

Labeler - A-S Medication Solutions (830016429)

Establishment								
Name	Address	ID/FEI	Business Operations					
A-S Medication Solutions		830016429	RELABEL(50090-0553)					

Revised: 2/2023

A-S Medication Solutions