

**ENTERIC COATED FERROUS SULFATE- ferrous sulfate tablet, coated**  
**Ulai Health LLC**

-----  
**Enteric Coated Ferrous Sulfate Tablet**

<b>Supplement Facts</b>	
<b>Serving Size: 1 Tablet</b>	
<b>Amount Per Serving</b>	<b>% Daily Value</b>
Iron (as ferrous sulfate) 65 mg	362%

**Other ingredients:** carmine, croscarmellose sodium, dicalcium phosphate, hypromellose, isomalt, magnesium stearate, methacrylic acid copolymer, microcrystalline cellulose, riboflavin, rice starch, silicon dioxide, sodium lauryl sulfate, sodium starch glycolate, stearic acid, talc, triacetin, triglycerides

**Directions:** Adults and children 12 years of age and over: Take one tablet daily, preferably after a meal, or as directed by a physician. Children under 12 years of age: Consult a physician. Do not chew or crush tablet.

Tablets are enteric-coated to help protect your stomach.

**Warning: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately (800-222-1222).**

**Warnings:** Do not take within 2 hours of taking oral tetracycline antibiotics, since oral iron products tend to interfere with absorption of tetracycline. May cause gastrointestinal discomfort, nausea, constipation or diarrhea. If you are pregnant or nursing a baby, seek advice of a health professional before using this product. U.S. Consumer Product Safety Commission requires that iron-containing medicine and vitamins with iron be packaged in child-resistant closures. Parents should always use properly re-secure safety closures.

**Storage:** Store at 20° - 25°C (68° - 77°F) (see USP Controlled Room Temperature)

**Questions or Comments?** (866)562-2756 (Mon-Fri 8 AM to 4 PM EST)

†This product is manufactured in a facility which shares manufacturing equipment used for manufacturing other product containing titanium dioxide.

**TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

Distributed by:  
**ULAI HEALTH LLC.**, Alexandria, VA 22312

Org. 1024

**More Supplement Facts**

PHARBEST

Manufactured in the USA

73057-411-08

Enteric Coated

IRON

Elemental Iron 65 mg

Titanium Dioxide Free†

Supports Red Blood Cell Production††

100 Tablets

**PHARBEST**  **Manufactured in the USA**  
73057-411-08

**Enteric Coated**  
**IRON**  
Elemental Iron 65 mg

† Titanium Dioxide Free\*  
†† Supports Red Blood Cell Production\*\*

**100 Tablets**

**TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**Supplement Facts**  
Serving size 1 Tablet

Amount Per Serving	% Daily Value
Iron (as ferrous sulfate)	65 mg 362%

**Other ingredients:** microcrystalline cellulose, dicalcium phosphate, croscarmellose sodium, taic, magnesium stearate, sodium starch glycolate, stearic acid, methacrylic acid copolymer, silicon dioxide, sodium lauryl sulfate, hypromellose, triacetin, isomalt, riboflavin, rice starch, carmine, triglycerides

**Directions:** Adults and children 12 years of age and over: Take one tablet daily, preferably after a meal, or as directed by a physician. Children under 12 years of age: Consult a physician. Do not chew or crush tablet.  
Tablets are enteric-coated to help protect your stomach.

**Warning: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of the reach of children. In case of accidental overdose, call a doctor or poison control center (immediately (800-222-1222)).**

Distributed by:  
ULAI HEALTH LLC, Alexandria, VA 22312

**More Supplement Facts**  
Org. 10/24



3 7305741108 3

Unvarnished Area for Lot # & Exp. Dt

**Supplement Facts (continued)**  
**Warnings:** Do not take within 2 hours of taking oral tetracycline antibiotics, since oral iron products tend to interfere with absorption of tetracycline. May cause gastrointestinal discomfort, nausea, constipation or diarrhea. If you are pregnant or nursing a baby, seek the advice of a health professional before using this product. U.S. Consumer Product Safety Commission requires that iron-containing medicines and vitamins with iron be packaged in child-resistant closures. Parents should always properly reseal safety closures.

**Storage:** Store at 20° to 25°C (68° to 77°F) (See USP Controlled Room Temperature)  
**Questions or Comments?** (866)562-2756 (Mon-Fri 8 AM to 4 PM EST)

\*This product is manufactured in a facility which shares manufacturing equipment used for manufacturing other products containing titanium dioxide.  
\*\*This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

**STOP PEELING**

<b>ENTERIC COATED FERROUS SULFATE</b>			
ferrous sulfate tablet, coated			
<b>Product Information</b>			
<b>Product Type</b>	DIETARY SUPPLEMENT	<b>Item Code (Source)</b>	NHRIC:73057-411
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			

Ingredient Name	Basis of Strength	Strength		
<b>FERROUS SULFATE</b> (UNII: 39R4TAN1VT) (FERROUS CATION - UNII:GW89581OWR)	FERROUS CATION	65 mg		
<b>Inactive Ingredients</b>				
Ingredient Name	Strength			
<b>PIGMENT RED 5</b> (UNII: 91OZU993LX)				
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)				
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)				
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)				
<b>ISOMALT</b> (UNII: S870P55O2W)				
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)				
<b>METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1)</b> (UNII: 74G4R6TH13)				
<b>MICROCRYSTALLINE CELLULOSE 102</b> (UNII: PNR0YF693Y)				
<b>RIBOFLAVIN</b> (UNII: TLM2976OFR)				
<b>STARCH, RICE</b> (UNII: 4DGK8B7I3S)				
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)				
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)				
<b>SODIUM STARCH GLYCOLATE TYPE A</b> (UNII: H8AV0SQX4D)				
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)				
<b>TALC</b> (UNII: 7SEV7J4R1U)				
<b>TRIACETIN</b> (UNII: XHX3C3X673)				
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:73057-411-08	100 in 1 BOTTLE, PLASTIC		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
DIETARY SUPPLEMENT		10/16/2024		

<b>Supplement Facts</b>		
Serving Size :	Serving per Container :	
	Amount Per Serving	% Daily Value
color		
scoring	1	
shape		
size (solid drugs)	10 mm	

**Labeler** - Ulai Health LLC (081181535)

