

ACETAMINOPHEN PM- acetaminophen, diphenhydramine hcl tablet, coated
COSTCO WHOLESALE CORPORATION

Kirkland 44-556-Acetaminophen PM

Active ingredients (in each gelcap)

Acetaminophen 500 mg
Diphenhydramine HCl 25 mg

Purpose

Pain reliever
Nighttime sleep-aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- in children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product

- drowsiness will occur
- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- any new symptoms appear
- redness or swelling is present
- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 2 gelcaps at bedtime
 - do not take more than 2 gelcaps of this product in 24 hours
- children under 12 years: do not use

Other information

- use by expiration date on package
- avoid high humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

ammonium hydroxide, colloidal silicon dioxide, croscarmellose sodium, FD&C blue #1, FD&C red #3, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, simethicone, stearic acid, titanium dioxide

Questions or comments?

1-800-426-9391

Principal display panel

KIRKLAND

Signature

**COMPARE TO EXTRA
STRENGTH TYLENOL® PM**

*active ingredients**

NDC 63981-056-54

ITM. / ART. 596759

**EXTRA STRENGTH
ACETAMINOPHEN PM
GELCAPS**

Acetaminophen 500 mg

Diphenhydramine HCl 25 mg

Pain Reliever • Nighttime Sleep Aid

Non-Habit Forming

Temporarily Relieves:

- Headache*
- Minor Aches and Pains Accompanied by Sleeplessness*

*Actual
Size*

375

Gelcaps

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark

Extra Strength Tylenol® PM.

50844 REV0324N55654

Manufactured by: LNK INTERNATIONAL, INC.

60 Arkay Drive, Hauppauge, NY 11788 USA

Distributed by: Costco Wholesale Corporation

999 Lake Drive, Issaquah, WA 98027 USA

www.costco.com

22V13037a

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers or taking the blood thinning drug warfarin

When using this product: drowsiness will occur; avoid alcoholic beverages; do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if: sleeplessness persists continuously for more than 2 weeks; pain gets worse or lasts more than 10 days; fever gets worse or lasts more than 3 days; redness or swelling is present; any new symptoms appear

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions do not take more than directed; adults and children 12 years and over; take 2 gelscaps at bedtime; do not take more than 2 gelscaps of this product in 24 hours; children under 12 years: do not use

Other information use by expiration date on package; avoid high humidity; store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients ammonium hydroxide, colloidal silicon dioxide, croscarmellose sodium, FD&C blue #1, FD&C red #3, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, simethicone, stearic acid, titanium dioxide

Questions or comments? 1-800-426-9391

*This product is not manufactured or distributed by Kenova Inc., owner of the registered trademark Extra Strength Tylenol PM. 50844 REV0324NS5654

KIRKLAND Signature

COMPARE TO EXTRA STRENGTH TYLENOL® PM active ingredients*

NDC 63981-056-54
ITM. / ART. 596759

EXTRA STRENGTH ACETAMINOPHEN GELCAPS PM

Acetaminophen 500 mg
Diphenhydramine HCl 25 mg

Pain Reliever • Nighttime Sleep Aid

Non-Habit Forming
Temporarily Relieves:
Headache
Minor Aches and Pains Accompanied by Sleeplessness

Actual Size
375 Gelscaps

Drug Facts

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Active ingredients (in each gelscap)	Purpose
Acetaminophen 500 mg	Pain reliever
Diphenhydramine HCl 25 mg	Nighttime sleep-aid

Uses temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours; with other drugs containing acetaminophen; 3 or more alcoholic drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening; blisters; rash
If a skin reaction occurs, stop use and seek medical help right away.

Do not use
with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
with any other product containing diphenhydramine, even one used on skin
in children under 12 years of age

Ask a doctor before use if you have liver disease; glaucoma; a breathing problem such as emphysema or chronic bronchitis; difficulty in urination due to enlargement of the prostate gland

Manufactured by: LNK INTERNATIONAL, INC.
60 Arkey Drive, Haysopage, NY 11788 USA
Distributed by: Costco Wholesale Corporation
999 Lake Drive, Issaquah, WA 98027 USA
www.costco.com 22V13037a

Kirkland 44-556

ACETAMINOPHEN PM

acetaminophen, diphenhydramine hcl tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63981-056
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
AMMONIA (UNII: 5138Q19F1X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3S)	

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

SHELLAC (UNII: 46N107B71O)

STEARIC ACID (UNII: 4ELV7Z65AP)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics

Color	blue (dark blue) , blue (light blue)	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	L;6
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63981-056-54	375 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/04/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/04/2022	

Labeler - COSTCO WHOLESALE CORPORATION (103391843)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(63981-056) , pack(63981-056)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(63981-056)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(63981-056)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(63981-056)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(63981-056)

Revised: 9/2025

COSTCO WHOLESALE CORPORATION