

**GIORGIO ARMANI MAESTRO LIQUIDSUMMER BROAD SPECTRUM SPF 15
SUNSCREEN- octinoxate liquid
SICOS ET CIE**

Drug Facts

Active ingredient

Octinoxate 3%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable until dry.

Do not use near fire, flame or heat.

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

dimethicone, cyclohexasiloxane, isododecane, alcohol denat., vinyl dimethicone/methicone silsesquioxane crosspolymer, phenyl trimethicone, acrylates/polytrimethylsiloxymethacrylate copolymer, PEG-10 dimethicone, disteardimonium hectorite, fragrance, silica, nelumbium speciosum flower extract, limonene, benzyl salicylate, linalool, benzyl alcohol, propylene carbonate, caprylic/capric triglyceride, disodium stearyl glutamate, water, citrus aurantium amara (bitter orange) flower oil, butylphenyl methylpropional, aluminum hydroxide, hexyl cinnamal; mayt contain: mica, iron oxides, titanium dioxide

Drug Facts (continued)

measures including:
 • limit time in the sun, especially from 10 a.m. - 2 p.m.
 • wear long-sleeved shirts, pants, hats and sunglasses
 • children under 6 months of age: Ask a doctor

Other information

• protect the product in this container from excessive heat and direct sun

Inactive ingredients

dimethicone, cyclohexylsiloxane, isodecane, alcohol denat., vinyl dimethicone methacrylate, crosspolymer, phenyl trimethicone, acrylates, polytrimethylsilyloxymethacrylate copolymer, PEG-10 dimethicone, disteardimonium hectorite, fragrance, silica, niacin, niacinamide, panthenol, allantoin, niacinamide, panthenol, propylene carbonate, caprylic capric triglyceride, disodium stearyl glutamate, water, citrus aurantium amara (bitter orange) flower oil, butylphenyl methylpropional, aluminum hydroxide, hexyl cinnamal, may contain mica, iron oxides, titanium dioxide



Maestro
 liquid summer
 Octinoxate Sunscreen
 Broad Spectrum SPF 15
 [00]

Drug Facts

Active ingredient	Purpose
Octinoxate 3%	Sunscreen

Uses

• helps prevent sunburn
 • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only
 Flammable until dry. Do not use near fire, flame or heat.
 Do not use on damaged or broken skin.
 When using this product keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if rash occurs.
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

GS62373 - FILE BIG4003_3

DERMATOLOGICALLY TESTED. NON-COMEDOGENIC.
 THIS PRODUCT IS RESOLD ONLY BY APPROVED DISTRIBUTORS.
 GIORGIO ARMANI PARFUMS, 36 PLACE VENDÔME, 75001 PARIS,
 FRANCE. PRODUCED BY L'ORÉAL PARIS, 2 RUE D'ALGER, 75002 PARIS,
 FRANCE. IMPORTED BY L'ORÉAL USA, INC., 300 EAST 47TH STREET,
 NEW YORK, NY 10017. IMPORTED BY L'ORÉAL USA, INC., 300 EAST 47TH STREET,
 NEW YORK, NY 10017. MADE IN FRANCE.
 QUESTIONS OR COMMENTS:
 CONTACT GIORGIO ARMANI PARFUMS,
 L'ORÉAL PARIS, 36 PLACE VENDÔME, 75001 PARIS, FRANCE.
 CONTACT L'ORÉAL USA, INC., 300 EAST 47TH STREET,
 NEW YORK, NY 10017.
 VISIT US AT WWW.GIORGIOARMANI.COM



GIORGIO ARMANI

30 ml / 1 FL. OZ.

Drug Facts (continued)

Directions

For sunscreen use:
 • shake well before use
 • apply liberally 15 minutes before sun exposure
 • reapply at least every 2 hours
 • use a water-resistant sunscreen if swimming or sweating
 • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection.

Drug Facts (continued)

measures including:
 • limit time in the sun, especially from 10 a.m. - 2 p.m.
 • wear long-sleeved shirts, pants, hats and sunglasses
 • children under 6 months of age: Ask a doctor

Other information

• protect the product in this container from excessive heat and direct sun

Inactive ingredients

dimethicone, cyclohexylsiloxane, isodecane, alcohol denat., vinyl dimethicone methacrylate, polysiloxane crosspolymer, phenyl trimethicone, acrylates, polytrimethylsilyloxymethacrylate copolymer, PEG-10 dimethicone, disteardimonium hectorite, fragrance, silica, niacin, niacinamide, panthenol, propyl alcohol, limonene, linalyl silicate, limonol, linalyl acetate, propylene carbonate, caprylic capric triglyceride, disodium stearyl glutamate, water, citrus aurantium amara (bitter orange) flower oil, butylphenyl methylpropional, aluminum hydroxide, hexyl cinnamal, may contain mica, iron oxides, titanium dioxide



Maestro
 liquid summer
 Octinoxate Sunscreen
 Broad Spectrum SPF 15
 [00]

Drug Facts

Active ingredient	Purpose
Octinoxate 3%	Sunscreen

Uses

• helps prevent sunburn
 • if used as directed with other sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only
 Flammable until dry. Do not use near fire, flame or heat.
 Do not use on damaged or broken skin.
 When using this product keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if rash occurs.
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

GS62373 - FILE BIG4003_3

DERMATOLOGICALLY TESTED. NON-COMEDOGENIC.
 THIS PRODUCT IS RESOLD ONLY BY APPROVED DISTRIBUTORS.
 GIORGIO ARMANI PARFUMS, 36 PLACE VENDÔME, 75001 PARIS,
 FRANCE. PRODUCED BY L'ORÉAL PARIS, 2 RUE DE LA PAIX, 75001 PARIS,
 FRANCE. IMPORTED BY L'ORÉAL USA, 300 EAST 41ST STREET, NEW YORK,
 NY 10017. IMPORTED BY L'ORÉAL CANADA, 1000 AVENUE
 DES ÉTOILES, TORONTO, ONTARIO, CANADA. MADE IN FRANCE.
 QUESTIONS OR COMMENTS:
 CONTACT GIORGIO ARMANI PARFUMS,
 L'ORÉAL PARIS, 36 PLACE VENDÔME, 75001 PARIS, FRANCE.
 CONTACT L'ORÉAL USA, 300 EAST 41ST STREET, NEW YORK, NY 10017.
 CONTACT L'ORÉAL CANADA, 1000 AVENUE DES ÉTOILES, TORONTO,
 ONTARIO, CANADA.



GIORGIO ARMANI

30 ml / 1 FL. OZ.

Drug Facts (continued)

Directions

For sunscreen use:
 • shake well before use
 • apply liberally 15 minutes before sun exposure
 • reapply at least every 2 hours
 • use a water-resistant sunscreen if swimming or sweating
 • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection.

ISODODECANE (UNII: A8289P68Y2)
ALCOHOL (UNII: 3K9958V90M)
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
BENZYL SALICYLATE (UNII: WAO5MKN9TU)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
BENZYL ALCOHOL (UNII: LKG8494WBH)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
WATER (UNII: 059QF0KO0R)
CITRUS AURANTIUM FLOWER OIL (UNII: D4BGE91OXH)
BUTYLPHENYL METHYLPROPIONAL (UNII: T7540GJV69)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
MICA (UNII: V8A1AW0880)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51150-931-01	1 in 1 CARTON	01/01/2015	03/15/2026
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:51150-931-02	1 in 1 CARTON	01/01/2015	11/30/2017
2		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2015	03/15/2026

Labeler - SICOS ET CIE (276993581)

Establishment

Name	Address	ID/FEI	Business Operations
SICOS ET CIE		276993581	manufacture(51150-931)

Establishment

Name	Address	ID/FEI	Business Operations
BPS 60		272259304	pack(51150-931)

Revised: 6/2024

SICOS ET CIE