

FRITZ AQUATICS MARDEL MARACYN- erythromycin powder

Fritz Industries

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.


FRITZ - Maracyn

ACTIVE INGREDIENT: Each packet contains 200 mg erythromycin activity.


POP EYE
GILL DISEASE
BODY FUNGUS
TREATMENT

FRESHWATER & SALTWATER
+


For expert advice on the use of this product scan the QR code




Common symptoms of Aeromonas, Flavobacterium, Haemophilus and Cytophaga infection.




Columnaris "Body Fungus" - Greyish-white fuzzy material covering most of the body, white or grey patches.



Fin & Tail Rot - Soft, ragged and deteriorating fin end / or tail.



Pop eye - Protruding eyes, may be cloudy or hazy.



Gill Disease - Swollen, discolored gills, gasping for air and decreased activity.

INDICATIONS: Use of a hospital tank is recommended. No water changes, pH or temperature adjustments necessary if readings are in ideal range (Freshwater pH 6.4 - 7.6 / Saltwater 8.0 - 8.4, temperature 68° to 86° F). Remove all chemical filtration (carbon, ion exchange resins) before and during use. Aeration and water flow should be maintained. In marine aquariums turn off protein skimmer during treatment; resume use after completion of treatment. Do not perform water changes during treatment if possible. Antibiotics can negatively affect beneficial bacteria which remove ammonia and nitrite from water. Testing for ammonia and nitrite is recommended. Chemical ammonia removers such as Fritz Aquatics A.C.C.R. may be used during treatment to prevent ammonia poisoning of the fish.

Note: Maracyn can cause water to appear cloudy and/or will have floating particles.

DIRECTIONS: One complete course of treatment will take 5 days. Treat for the full course of treatment even if visible signs of infection or illness disappear.

Day One through Day Five: Each day add contents of one packet per 10 gallons of water to be treated.


Day Six: Perform a 25% water change. If necessary, a second full course of treatment may be performed starting on Day Seven.

For treatment directions in unfiltered small aquariums, beta bowls and containers of less than 10 gallons please visit www.fritzaquatics.com and read instructions under FAQs for Maracyn.

ACTIVE INGREDIENT: Each packet contains 200 mg of Erythromycin activity.


FRITZ

Item# 46001



0 80531 46001 6

FRITZ AQUATICS
 Distributed by: Fritz Industries, Inc.
 Mesquite, TX 75149
 MADE IN USA
www.fritzaquatics.com
 Questions or Comments?
 Email: info@fritzaquatics.com



FRITZ

FRITZ

Maracyn®



FRITZ

PROVIDES RELIEF FROM BACTERIAL INFECTIONS

For the treatment and control of columnaris "body fungus," fin and tail rot, pop eye and gill disease in freshwater and saltwater fish caused by *Flavobacterium columnare*, *Haemophilus piscium*, *Aeromonas punctata*, *Aeromonas hydrophila* and *Cytophaga equatilis* bacteria.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. For aquarium use only. WARNING: THIS PRODUCT IS INTENDED FOR THE EXCLUSIVE USE WITH ORNAMENTAL OR AQUARIUM FISH AND IS NOT INTENDED FOR USE WITH HUMANS OR FOR HUMAN CONSUMPTION.

Fast Dissolving Powder Form

10

PACK

Net Contents: 10 - 0.035 oz (1 g) Powder Packets

FRESHWATER & SALTWATER

TREATMENT

For expert advice on the use of this product scan the QR code.

Common symptoms of Aeromonas, Flavobacterium, Haemophilus and Cytophaga infection.

Columnaris "Body Fungus": Greyish-white stringy material covering (most of the body, white or grey patches).

Fin & Tail Rot: Soft, ragged and deteriorating fin and/or tail.

Popeye: Protruding eyes, may be cloudy or hazy.

Gill Disease: Swollen, discolored gills, gasping for air and decreased activity.

INDICATIONS: Use of a hospital tank is recommended. No water changes, pH or temperature adjustments necessary if readings are in ideal range (Freshwater pH 6.4 - 7.6 / Saltwater 8.0 - 8.4, temperature 68° to 86° F). Remove all chemical filtration (carbon, ion exchange resins) before and during use. Aeration and water flow should be maintained. In marine aquariums turn off protein skimmer during treatment; resume use after completion of treatment. Do not perform water changes during treatment if possible. Maracyn can negatively affect beneficial bacteria which remove ammonia and nitrite from water. Testing for ammonia and nitrite is recommended. Chemical ammonia removers such as Fritz Aquatics A.C.C.R. may be used during treatment to prevent ammonia poisoning of the fish.
 Note: Maracyn can cause water to appear cloudy and/or will have floating particles.

DIRECTIONS: One complete course of treatment will take 5 days.
 Treat for the full course of treatment even if visible signs of infection or illness disappear.
Day One through Day Five: Each day add contents of one packet per 10 gallons of water to be treated.
Day Six: Perform a 25% water change. If necessary, a second full course of treatment may be performed starting on Day Seven.

For treatment directions in unfiltered small aquariums, beta bowls and containers of less than 10 gallons please visit www.fritzaquatics.com and read instructions under FAQs for Maracyn.
ACTIVE INGREDIENT: Each packet contains 200 mg of erythromycin activity.

FRITZ AQUATICS
 Distributed by: Fritz Industries, Inc.
 Mesquite, TX 75149
 MADE IN USA
www.fritzaquatics.com
 Questions or Comments?
 Email: info@fritzaquatics.com

Item# 46002
 0 80531 46002 3

FRITZ AQUATICS MARDEL MARACYN

erythromycin powder

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:53745-011
Route of Administration	EXTRACORPOREAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ERYTHROMYCIN PHOSPHATE (UNII: I8T8KU14X7) (ERYTHROMYCIN - UNII:63937KV33D)	ERYTHROMYCIN	200 mg in 0.6 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53745-011-08	8 in 1 CARTON		
1		0.6 g in 1 PACKET		
2	NDC:53745-011-24	24 in 1 CARTON		
2		0.6 g in 1 PACKET		
3	NDC:53745-011-10	10 in 1 CARTON		
3		0.6 g in 1 PACKET		

4	NDC:53745-011-20	20 in 1 CARTON		
4		0.6 g in 1 PACKET		
5	NDC:53745-011-06	60 g in 1 BOTTLE		
6	NDC:53745-011-28	280 g in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/01/2014	

Labeler - Fritz Industries (131030991)

Registrant - Fritz Industries (131030991)

Establishment

Name	Address	ID/FEI	Business Operations
Anuh Pharma Limited		915041156	api manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Sulzbach Enterprises, Inc.		616846528	manufacture

Revised: 1/2024

Fritz Industries