

ACETAMINOPHEN - acetaminophen tablet, extended release
Aurohealth LLC

Drug Facts

Active ingredient (in each extended-release tablet)

Acetaminophen USP 650 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - premenstrual and menstrual cramps
 - the common cold
 - headache
 - toothache
 - temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 tablets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash.

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days

- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning).**

Adults:

- take 2 tablets every 8 hours with water
- swallow whole; do not crush, chew, split or dissolve
- do not take more than 6 tablets in 24 hours
- do not use for more than 10 days unless directed by a doctor.

Under 18 years of age:

- ask a doctor

Other information

- store at 20° to 25°C (68° to 77°F). Avoid excessive heat 40°C (104°F).
- **do not use if carton is opened or foil inner seal is broken**
- USP Dissolution test is pending

Inactive ingredients

colloidal silicon dioxide, hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch (maize), sodium starch glycolate, titanium dioxide, triacetin

Questions or comments?

call 1-855-274-4122

Distributed by:

AUROHEALTH LLC

2572 Brunswick Pike

Lawrenceville, NJ 08648

Made in India

Code: TS/DRUGS/22/2009

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 650 mg (100 Tablet Bottle)

HealthyLiving

TO OPEN: 1. PUSH DOWN NDC 58602-848-21

2. TURN CAP

DO NOT USE WITH OTHER MEDICINES
CONTAINING ACETAMINOPHEN


8 HOUR ARTHRITIS PAIN

Acetaminophen
Extended-Release
Tablets USP

650 mg

Pain Reliever/Fever Reducer
For the Temporary Relief of
Minor Arthritis Pain

100 Extended-release tablets

 NDC 58602-848-21 TO OPEN: 1. PUSH DOWN 2. TURN CAP 8 Hour Arthritis Pain Acetaminophen Extended-Release Tablets USP 650 mg Pain Reliever/Fever Reducer For the Temporary Relief of Minor Arthritis Pain 100 Extended-release tablets	<p>Do not use if foil inner seal is broken.</p> <p>Drug Facts</p> <p>Active ingredient (in each extended-release tablet) Acetaminophen USP 650 mg</p> <p>Uses ■ temporarily relieves minor aches and pains due to: ■ minor pain of arthritis ■ muscular aches ■ backache ■ premenstrual and menstrual cramps ■ the common cold ■ headache ■ toothache ■ temporarily reduces fever</p> <p>Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 6 tablets in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product. Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away. Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product. Ask a doctor before use if you are taking the blood thinning drug warfarin. Stop use and ask a doctor if ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present. These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning: in case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)</p> <p>Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms. Directions: ■ do not take more than directed (see overdose warning). Adults: ■ take 2 tablets every 8 hours with water ■ swallow whole. Do not crush, chew, split or dissolve ■ do not take more than 6 tablets in 24 hours ■ do not use for more than 10 days unless directed by a doctor. Under 18 years of age: ■ ask a doctor Other information ■ Store at 20° to 25° C (68° to 77°). Avoid excessive heat, 40° C (104° F). ■ USP Dissolution test is pending. Inactive ingredients colloidal silicon dioxide, hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polydioxane, pregelatinized starch (maize), sodium starch glycolate, titanium dioxide, triacetin</p> <p>Questions or comments? call 1-855-274-4122</p> <p>Distributed by: AURORAHEALTH LLC 2572 Brunswick Pike, Lawrenceville, NJ 08648</p> <p>Made in India Code: TS/DRO/GS/22/2009</p>
	<p>LM-4170</p> <p>P 1 4 2 6 3 0 4</p> <p>*</p>

* Lot: XXXXXXXXX

Exp.: MM/YYYY

Prefix & Variables of Lot, EXP shall be printed online during packing.

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 650 mg (100 Tablets Container Carton)

HealthyLiving

NDC 58602-848-21

* Compare to the Active

Ingredient in Tylenol®

8 HR Arthritis Pain

DO NOT USE WITH OTHER MEDICINES
CONTAINING ACETAMINOPHEN

8 HOUR ARTHRITIS PAIN

Acetaminophen
Extended-Release

Tablets USP

650 mg

Pain Reliever/Fever Reducer
For the Temporary Relief of
Minor Arthritis Pain

100 Extended-release tablets



ACETAMINOPHEN

acetaminophen tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58602-848
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYDROXYETHYL CELLULOSE (140 MPAS AT 5%) (UNII: 8136Y38GY5)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6B30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE B POTATO (UNII: 27NA468985)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	WHITE (White to Off-White)	Score	no score
Shape	CAPSULE (Caplet)	Size	19mm
Flavor		Imprint Code	I;06
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58602-848-21	1 in 1 CARTON	05/16/2020	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA207229	05/16/2020	

Labeler - Aurohealth LLC (078728447)

Establishment

Name	Address	ID/FEI	Business Operations
Aurobindo Pharma Limited		650381903	ANALYSIS(58602-848) , MANUFACTURE(58602-848)

Revised: 5/2020

Aurohealth LLC