

BLI HOLDING MIAMI BEACH KIDS SPF 50- avobenzene, homosalate, octisalate, octocrylene and oxybenzone aerosol, spray

Prime Packaging, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active ingredients

Avobenzene 3 %, Homosalate 10 %, Octisalate 5 %, Octocrylene 2.75 %, and Oxybenzone 2 %

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (**see Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking.

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. •Keep away from face to avoid breathing it. •Contents under pressure-do not puncture or incinerate. Do not store at temperatures above 120°F

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- reapply: •after 80 minutes of swimming or sweating •immediately after towel drying •at least every 2 hours •hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions •use in a well-ventilated area
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Aloe Barbadensis Leaf Juice, Aminomethyl Propanol, Butylphthalimide, Caprylic/Capric Triglyceride, Crambe Maritima Extract, Disodium EDTA, Ethylhexylglycerin, Isopropylphthalimide, Phenoxyethanol, Potassium Cetyl Phosphate, Propylene Glycol, Pseudopterogorgia Elisabethae Plant Extract, Sorbitol, Styrene/ Acrylates Copolymer, Tocophenyl Acetate, Water

Other Information

•protect this product from excessive heat and direct sun •may stain fabrics.

Questions or comments?

Call 305.471.7989

PRINCIPAL DISPLAY PANEL - 148 mL Can Label



Drug Facts	
Active Ingredients Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 2.75%, Oxybenzone 2%	Purpose Sunscreen
Uses - helps prevent sunburn - if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun.	
Warnings	
For external use only	
Flammable: Do not use near heat, flame, or while smoking.	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
- Keep away from face to avoid breathing it - Contents under pressure - do not puncture or incinerate. Do not store at temperatures above 120°F.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
- spray liberally and spread evenly by hand 15 minutes before sun exposure	
- reapply - after 80 minutes of swimming or sweating - immediately after towel drying - at least every 2 hours - hold container 4 to 6 inches from the skin to apply	
- do not spray directly into face. Spray on hands then apply to face.	
- do not apply in windy conditions - use in a well-ventilated area	
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:	
- limit time in the sun, especially from 10 a.m. - 2 p.m.	
- wear long-sleeve shirts, pants, hats, and sunglasses	
- children under 6 months: Ask a doctor	
Inactive ingredients Acrylates/C10-30 Alkyl Acrylate Copolymer, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Aloe Barbadensis Leaf Juice, Aminomethyl Propanol, Butylphenylmethacrylate, Caprylic/Capric Triglyceride, Crambe Maritima Extract, Dodecyl EDTA, Ethylhexylglycerin, Bispropylacrylate, Phenoxethanol, Potassium Cetyl Phosphate, Propylene Glycol, Pseudopterigenin Ilsaethae Plant Extract, Sorbitol, Styrene/Acrylates Copolymer, Isocyclohexyl Acetate, Water	
Other information - protect this product from excessive heat and direct sun. - may stain fabrics.	
Questions or comments? Call 305.471.7989	
Made in USA	
Distributed by: Destination Brands International 8600 NW 41 Street, Miami, Florida 33166	
www.MiamiBeachSun.com	
Keep our beaches beautiful Beach Cleanup Sponsorship	



OFFICIAL SUNCARE
 MB
 MIAMIBEACH
 MB LIFEGUARDS
 KIDS
 CONTINUOUS SPRAY
 SUNSCREEN LOTION
 BROAD SPECTRUM SPF 50

UVA/UVB Protection

Water Resistant (80 Minutes)

Dye-Free, Fragrance-Free

Hypoallergenic for Sensitive Skin

Made with Blend of Natural Marine Extracts

5 FL OZ (148mL)

BLI HOLDING MIAMI BEACH KIDS SPF 50

avobenzone, homosalate, octisalate, octocrylene and oxybenzone aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13630-0074
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30.33 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10.1.1 mg in 1 mL
OCTISALATE (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)	OCTISALATE	50.55 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	27.8025 mg in 1 mL
OXYBENZONE (UNII: 95OOS7VE0 Y) (OXYBENZONE - UNII:95OOS7VE0 Y)	OXYBENZONE	20.22 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
(C10-C30)ALKYL METHACRYLATE ESTER (UNII: XH2FQZ38D8)	
BUTYL ACRYLATE/C16-C20 ALKYL METHACRYLATE/METHACRYLIC ACID/METHYL METHACRYLATE COPOLYMER (UNII: 7K68DGG29P)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
N-BUTYLPHTHALIMIDE (UNII: 5TH1DKT35E)	
ISOPROPYLPHTHALIMIDE (UNII: 1J1MM83329)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
PSEUDOPTEROGORGIA ELISABETHAE (UNII: UDY3H10UX5)	
CAPRYLIC/CAPRIC ACID (UNII: DI775RT244)	
CRAMBE MARITIMA LEAF (UNII: NO0DI2V62B)	
SORBITOL (UNII: 506T60A25R)	
STYRENE/ACRYLAMIDE COPOLYMER (MW 500000) (UNII: 5Z4DPO246A)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Product Characteristics			
Color	yellow	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13630-0074-4	148 mL in 1 CAN; Type 0: Not a Combination Product	03/01/2015	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	03/01/2015	

Labeler - Prime Packaging, Inc. (805987059)

Registrant - Prime Packaging, Inc. (805987059)

Establishment			
Name	Address	ID/FEI	Business Operations
Prime Enterprises, Inc.		101946028	manufacture(13630-0074) , analysis(13630-0074)

Establishment			
Name	Address	ID/FEI	Business Operations
Prime Packaging, Inc.		805987059	label(13630-0074) , pack(13630-0074)

Revised: 1/2020

Prime Packaging, Inc.