

**GOOD NEIGHBOR PHARMACY CLEARLAX- polyethylene glycol 3350 powder,
for solution**

Amerisource Bergen

Amerisource Bergen ClearLax[®] Drug Facts

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

Purpose

Osmotic Laxative

Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use

if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are

taking a prescription drug

When using this product

you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- **do not take more than directed unless advised by your doctor**
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
- use once a day
- fill to top of white section in cap which is marked to indicate the correct dose (17 g)
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- do not combine with starch-based thickeners used for difficulty swallowing
- ensure that the powder is fully dissolved before drinking
- do not drink if there are any clumps
- do not use more than 7 days
- children 16 years of age or under: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- tamper -evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients

natural and artificial orange flavor, sucralose

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

GOOD NEIGHBOR PHARMACY®

Compare to MiraLAX® active ingredient

ClearLax®

polyethylene glycol 3350

powder for solution

Osmotic Laxative

- Relieves Occasional Constipation/Irregularity
- Softens Stool
- Grit-Free Powder
- Sugar-Free & Dye-Free

Orange Flavor

net wt. 8.3 oz. (238 g)

14 once-daily doses



**GOOD
NEIGHBOR
PHARMACY®**

**Compare to MiraLAX®
active ingredient***

NDC 46122-805-29

ClearLax®

polyethylene glycol 3350
powder for solution

Osmotic Laxative

- Relieves Occasional Constipation/
Irregularity • Softens Stool
- Grit-Free Powder
- Sugar-Free & Dye-Free

Orange
Flavor

net wt.

8.3 oz. (238 g)

14 once-daily doses



: 7U9E1 29 F1

←Peel Here

Polyethylene Glycol 3350 increases frequency of bowel movements and softens the stool.
Dissolves in Any Beverage

Drug Facts

Active ingredient (in each dose) **Purpose**

Polyethylene Glycol 3350,
17 g (cap filled to line).....Osmotic Laxative

Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- Irritable bowel syndrome

Ask a doctor or pharmacist before use if you are taking a prescription drug

When using this product you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- ◀ ■ you need to use a laxative for longer than 1 week



GLUTEN FREE

3
46122180529
2

ABCF#: 10294950 Rev: 12/24



: 7U9E1 29 B1

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
 - use once a day
 - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- do not combine with starch-based thickeners used for difficulty swallowing
- ensure that the powder is fully dissolved before drinking
- do not drink if there are any clumps
- do not use more than 7 days
- children 16 years of age or under: ask a doctor

Other information ■ store at 20°-25°C (68°-77°F)

- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients natural and artificial orange flavor, sucralose

Questions or comments? 1-800-719-9260

*Good Neighbor Pharmacy®
ClearLax® is not manufactured or distributed by Bayer HealthCare LLC, distributor of MiraLAX®.
Pat. No. 11,793,876

Distributed By
AmerisourceBergen
1 West First Avenue
Conshohocken, PA 19428
Questions or Concerns?
www.mygnp.com

ADHESIVE AREA • NO COPY

GOOD NEIGHBOR PHARMACY CLEARLAX

polyethylene glycol 3350 powder, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-805
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

Inactive Ingredients

Ingredient Name	Strength
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	Score
Shape	Size
Flavor	Imprint Code
WHITE	
ORANGE	

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-805-29	238 g in 1 BOTTLE; Type 0: Not a Combination Product	03/21/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090685	03/21/2025	

Labeler - Amerisource Bergen (007914906)

Revised: 4/2025

Amerisource Bergen