

KREBS STIMULATOR PLUS- tabebuia impetiginosa, hypothalamus (suis), pituitaria glandula (suis), glandula suprarenalis suis, nadidum, lacticum acidum, sarcolacticum acidum, coenzyme a, coenzyme q-10, germanium sesquioxide, adenosinum triphosphoricum dinatrum liquid Synergy Formulas, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

Tabebuia Impetiginosa 3X, Hypothalamus (Suis) 6X, Pituitaria Glandula (Suis) 6X, 8X, 10X, 12X, 14X, 60X, 100X, 200X, Glandula Suprarenalis Suis 6X, 8X, 10X, 12X, 24X, 60X, Nadidum 6X, 12X, Lacticum Acidum 6X, 12X, 30X, Sarcolacticum Acidum 6X, 12X, 30X, Coenzyme A 6X, 30X, Coenzyme Q-10 6X, 200X, Germanium Sesquioxide 8X, Adenosinum Triphosphoricum Dinatrum 8X, 12X, 30X.

INDICATIONS:

May enhance electron transport systems and absorption of oxygen into the cell. Indicated in any condition involving the damaging effect of oxidation, which also increases free radical damage. Should be used with detoxosodes for maximum benefit. Symptoms of a Krebs cycle deficiency may include fatigue, muscle weakness and pain.

WARNINGS:

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.

Do not use if tamper evident seal is broken or missing.

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

10 drops orally, 3 times a day. Consult a physician for use in children under 12 years of age.

INDICATIONS:

May enhance electron transport systems and absorption of oxygen into the cell. Indicated in any condition involving the damaging effect of oxidation, which also increases free radical damage. Should be used with detoxosodes for maximum benefit. Symptoms of a Krebs cycle deficiency may include fatigue, muscle weakness and pain.

INACTIVE INGREDIENTS:

Demineralized Water, 25% Ethanol

QUESTIONS:

Distributed by:

SYNERGY FORMULAS, INC.

251 West Road

Campobello, SC 29322

PACKAGE LABEL DISPLAY:

Synergy Formulas

Krebs Stimulator

Plus

HOMEOPATHIC

2 FL OZ (60 ml)

DIRECTIONS:

10 drops orally, 3 times a day.
Consult a physician for use in children under 12 years of age.

WARNINGS:

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. If pregnant or breast-feeding, ask a health professional before use. Do not use if tamper evident seal is broken or missing.

LOT: XXXXXX

Distributed by:

SYNERGY FORMULAS, INC.

251 West Road

Campobello, SC 29322



Krebs Stimulator Plus

HOMEOPATHIC

INACTIVE INGREDIENTS:

Demineralized Water,
25% Ethanol
2 FL OZ (60 ml)

ACTIVE INGREDIENTS:

Tabebuia Impetiginosa 3X,
Hypothalamus 6X,
Pituitaria Glandula 6X, 8X, 10X, 12X,
14X, 60X, 100X, 200X,
Glandula Suprarenalis Suis 6X, 8X,
10X, 12X, 24X, 60X,
Nadidum 6X, 12X,
Lacticum Acidum 6X, 12X, 30X,
Sarcocollum Acidum 6X, 12X, 30X,
Coenzyme A 6X, 30X,
Co-Enzyme Q-10 6X, 200X,
Germanium Sesquioxide 8X,
Adenosinum Triphosphoricum
Dinatum 8X, 12X, 30X.

INDICATIONS:

May enhance electron transport systems and absorption of oxygen into the cell. Indicated in any condition involving the damaging effect of oxidation, which also increases free radical damage. Should be used with detoxosodes for maximum benefit. Symptoms of a Krebs cycle deficiency may include fatigue, muscle weakness and pain.

KREBS STIMULATOR PLUS

tabebuia impetiginosa, hypothalamus (suis), pituitaria glandula (suis), glandula suprarenalis suis, nadidum, lacticum acidum, sarcocollum acidum, coenzyme a, coenzyme q-10, germanium sesquioxide, adenosinum triphosphoricum dinatum liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43772-0048
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

TABEBUIA IMPETIGINOSA BARK (UNII: 6GLA1946WX) (TABEBUIA IMPETIGINOSA BARK - UNII:6GLA1946WX)	TABEBUIA IMPETIGINOSA BARK	3 [hp_X] in 1 mL
SUS SCROFA HYPOTHALAMUS (UNII: N6R0856Z79) (SUS SCROFA HYPOTHALAMUS - UNII:N6R0856Z79)	SUS SCROFA HYPOTHALAMUS	6 [hp_X] in 1 mL
SUS SCROFA PITUITARY GLAND (UNII: E8S870660T) (SUS SCROFA PITUITARY GLAND - UNII:E8S870660T)	SUS SCROFA PITUITARY GLAND	6 [hp_X] in 1 mL
SUS SCROFA ADRENAL GLAND (UNII: 398IYQ16YV) (SUS SCROFA ADRENAL GLAND - UNII:398IYQ16YV)	SUS SCROFA ADRENAL GLAND	6 [hp_X] in 1 mL
NADIDE (UNII: 0U46U6E8UK) (NADIDE - UNII:0U46U6E8UK)	NADIDE	6 [hp_X] in 1 mL
LACTIC ACID, DL- (UNII: 3B8D35Y7S4) (LACTIC ACID, DL- - UNII:3B8D35Y7S4)	LACTIC ACID, DL-	6 [hp_X] in 1 mL
LACTIC ACID, L- (UNII: F9S9FFU82N) (LACTIC ACID, L- - UNII:F9S9FFU82N)	LACTIC ACID, L-	6 [hp_X] in 1 mL
COENZYME A (UNII: SAA04E81UX) (COENZYME A - UNII:SAA04E81UX)	COENZYME A	6 [hp_X] in 1 mL
UBIDECARENONE (UNII: EJ27X76M46) (UBIDECARENONE - UNII:EJ27X76M46)	UBIDECARENONE	6 [hp_X] in 1 mL
GERMANIUM SESQUIOXIDE (UNII: 96WE91N25T) (GERMANIUM SESQUIOXIDE - UNII:96WE91N25T)	GERMANIUM SESQUIOXIDE	8 [hp_X] in 1 mL
ADENOSINE TRIPHOSPHATE DISODIUM (UNII: 5L51B4DR1G) (ADENOSINE TRIPHOSPHATE - UNII:8L70Q75FXE)	ADENOSINE TRIPHOSPHATE DISODIUM	8 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43772-0048-1	60 mL in 1 BOTTLE, DROPPER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/20/2015	

Labeler - Synergy Formulas, Inc. (069579220)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43772-0048) , api manufacture(43772-0048) , label(43772-0048) , pack(43772-0048)