

**MCKESSON SINUS PAIN AND PRESSURE RELIEF- acetaminophen,
phenylephrine hcl tablet
McKesson Medical-Surgical**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

McKesson Sinus Pain and Pressure Relief

Drug Facts

Active ingredients (in each tablet)

Acetaminophen 500mg

Phenylephrine HCl 5mg

Purpose

Pain reliever/fever reducer

Nasal decongestant

Uses

temporarily relieves these common cold/flu symptoms:

- nasal congestion
- headache
- minor aches and pains
- stuffy nose
- sinus congestion and pressure

temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

■ skin reddening

■ blisters

■ rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- for more than 10 days unless directed by a doctor

Ask a doctor before use if you have

- liver disease
- thyroid disease
- diabetes
- high blood pressure
- heart disease
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

When using this product do not exceed recommended dosage.

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms appear

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Over dose warning:

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not use more than directed**

Adults and children: (12 years and over) Take 2 tablets every 6 hours. Do not take more than 8 tablets in 24 hours.

Children under 12 years: Ask a doctor

Other information

- store at room temperature 59°-86°F (15°-30°C)
- tamper evident sealed packets
- do not use any opened or torn packets

- avoid excessive heat and humidity

Inactive ingredients

corn starch, crospovidone, hypromellose, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, stearic acid.

Questions or comments? Call 1-800-777-4908

McKesson

Sinus Pain and Pressure Relief

Acetaminophen 500 mg | Phenylephrine HCl 5 mg

NDC 68599-4751-3

This Package is for Households without Young Children.

Non-aspirin pain relief and pseudoephedrine-free sinus decongestant.

Drug Facts

Active ingredient (in each tablet)
 Acetaminophen 500 mg
 Phenylephrine HCl 5 mg

Purpose
 Pain relief and nasal decongestant

Uses
 Temporarily relieves these common cold/flu symptoms:
 • nasal congestion • headache • minor aches and pains
 • stuffy nose • sinus congestion and pressure
 • temporary relief

Warnings
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:
 • more than 4,000 mg of acetaminophen in 24 hours
 • with other drugs containing acetaminophen
 • if you take alcohol every day while using this product
 • if you take 2,000 mg of acetaminophen in 24 hours
 • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (such as drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or if 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
 • for more than 10 days unless directed by a doctor

Do not use
 • with any other drug containing acetaminophen (prescription or nonprescription) if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have
 • liver disease • heart disease
 • high blood pressure • heart disease
 • kidney disease • thyroid disease
 • diabetes • prostate gland
 • if you are taking any other medicine
 • Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Other information
 • Contains 2 tablets per pack.
 • Keep out of reach of children.
 • Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-527-1025). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.
 • Directions: Adults and children: Take 2 tablets every 6 hours. Do not take more than 10 tablets in 24 hours.
 • Children under 12 years: Ask a doctor.

Other information
 • Contains 2 tablets per pack.
 • Keep out of reach of children.
 • Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-527-1025). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.
 • Directions: Adults and children: Take 2 tablets every 6 hours. Do not take more than 10 tablets in 24 hours.
 • Children under 12 years: Ask a doctor.

Inactive ingredients
 corn starch, crospovidone, hypromellose, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, stearic acid.

Questions or comments? Call 1-800-777-4908

Retain carton for complete product information

THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.

MCKESSON
 Sinus Pain and Pressure Relief
 ACETAMINOPHEN 500 mg | PHENYLEPHRINE HCl 5 mg
 Non-aspirin pain relief and pseudoephedrine-free sinus decongestant.

MCKESSON
 Sinus Pain and Pressure Relief
 ACETAMINOPHEN 500 mg | PHENYLEPHRINE HCl 5 mg
 Non-aspirin pain relief and pseudoephedrine-free sinus decongestant.

MCKESSON
 Sinus Pain and Pressure Relief
 ACETAMINOPHEN 500 mg | PHENYLEPHRINE HCl 5 mg
 Non-aspirin pain relief and pseudoephedrine-free sinus decongestant.

MFR # 82475
 PER PACK 2 PACKS PER BOX 250 MFR # 82475

MFR # 82475
 PER PACK 2 PACKS PER BOX 250 MFR # 82475

MFR # 82475
 PER PACK 2 PACKS PER BOX 250 MFR # 82475

Distributed by McKesson Medical-Surgical Inc.
 Richmond, VA 23233
 PWN A1021
 Made in USA

MCKESSON SINUS PAIN AND PRESSURE RELIEF

acetaminophen, phenylephrine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68599-4751
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
---	---------------	--------

Inactive Ingredients

Ingredient Name	Strength
POVIDONE (UNII: FZ989GH94E)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSPVIDONE (UNII: 2S7830E561)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	AZ;261
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68599-4751-3	250 in 1 BOX	09/01/2022	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	09/01/2022	

Labeler - McKesson Medical-Surgical (023904428)

Registrant - Unifirst First Aid Corporation (832947092)

Revised: 6/2022

McKesson Medical-Surgical