

BRNCOMAR DM- dextromethorphan hbr, guaifenesin liquid

Gadal Laboratories Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active ingredients : (in each 5ml)	Purpose
Dextromethorphan HBr 10 mg	Cough Suppressant
Guaifenesin 100 mg	Expectorant

Purpose

Cough Suppressant

Expectorant

Uses

- Help loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make cough more productive.
- Temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold

Warnings

Do not exceed recommended dosage

Do not use

- If you are now taking a prescription monoamine oxidase inhibitor (MAOI)(certain drugs for depression , psychiatric conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug.
- if you do not know if your prescription drug contains on MAOI ask your doctor or pharmacist before taking this product
- if you have a chronic pulmonary disease or shortness of breath unless directed by a doctor
- avoid alcoholic beverages while you are taking this product

Ask the doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask the doctor if

- Nervousness, dizziness or sleeplessness occurs.
- Cough persists for more than 1 week, tends to recur, or accompanied by fever, rash or persistent headache. A persistent cough may be sign of a serious condition

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Do not take more than 6 doses in any 24-hour period
- Shake well before use

Age

Dose

☐Adults and children 12 years and over 10 mL (2 tsps) every 4 hours

Children 6 to under 12 years of age. 5 mL (1 tsps) every 4 hours

☐**Children under 6 years of age** **Do not use**

☐**Inactive ingredients**

☐Blue cohosh, citric acid, echinacea, eucalyptus oil, ginkgo biloba, gold seal root, honey, honey flavor, horehound herb, licorice root, menthol, mullein, myrrh, potassium sorbate, slippery elm bark, sodium benzoate, propylene glycol, water, sodium chloride, sucralose, wild cherry bark and zinc sulfate.

Relieve Cough
&
Chest congestion
Mucus

DM

Broncomar[®]
Cough Suppressant
&
Expectorant

New Formula

Broncomar[®]
Cough Suppressant
&
Expectorant

DM

Relieves Cough
&
Chest congestion
&
Mucus



Dextromethorphan & Guaifenesin
plus an exceptional Herbal Blend.

PARABEN FREE.

Alcohol
Free

SYRUP

Net Wt. 6 fl. Oz. (177 ml)

Drug Facts

Active Ingredients: (in each 5ml) . Purpose
Dextromethorphan HBr USP 10mg.....Cough Suppressant
Guaifenesin USP 100mg.....Expectorant

Uses

- Help loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make cough more productive.
- Temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold.

Warnings

Do not exceed recommended dosage.

Do not use

- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug.
- If you do not know if your prescription drug contains an MAOI, ask your doctor or pharmacist before taking this product.
- If you have a chronic pulmonary disease or shortness of breath unless directed by a doctor.
- Avoid alcoholic beverages while you taking this product.

Ask the doctor before use if you have

- Cough that occurs with too much phlegm (mucus)
- Cough that last or is a chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema.

Stop use and ask the doctor if

- Nervousness, dizziness or sleeplessness occurs.
- Cough persists for more than 1 week, tends to recur, or accompanied by fever, rash or persistent headache. A persistent cough may be sign serious condition

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Avoid alcoholic beverages while you taking this product.

Directions:

- Do not take more than 6 doses in any 24-hour period.
- Shake well before use.

Age	Dose
Adults and Children 12 years and over	10ml (2 tsps) every 4 hours
Children 6 to under 12 years of age	5ml (1 tsps) every 4 hours
Children under 6 years of age	Do not use

Other Information

- Each 5 ml contains: sodium 8 mg
- Store Between 15-30° C (59-86° F)
- Tamper Evident Feature Do not use if seal under cap is torn, broken or missing

Inactive Ingredients

Blue Cohosh, Citric Acid, Echinacea, Eucalyptus Oil, Ginkgo Biloba, Golden Seal Root, Honey Pure, Honey flavor, Horehound Herb, Licorice Root, Menthol, Mullein, Myrrh, Potassium Sorbate, Slippery Elm Bark, Sodium Benzoate, Propylene Glycol, Purified Water, Sodium Chloride, Sucralose, Wild Cherry bark and Zinc Sulfate.

Questions or Comments?

Call Weekdays from 9:30 AM to 5 PM EST at Tel 305 2618762

Distributed by essential Products Miami, FL, 33126
Made In U.S.A.

Nueva Formula

Broncomar[®]
Antitussivo
&
Expectorante

DM

Alivia la Tos
&
Congestión de Pecho
&
Mucosidad



Dextrometorfan & Guaifenesina
Además de un Excepcional
Compuesto Herbario.

LIBRE DE PARABENOS

Sin
Alcohol

JARABE

Peso Neto. 6 fl. Oz. (177 ml)

Información General

Ingredientes Activos:(En cada 5 ml) . Propósito
Dextrometorfan HBr USP 10 mg..... Antitussivo
Guaifenesina USP 100mg.....Expectorante

Usos

- Ayuda a aliviar la flema(mucosidad) y las secreciones bronquiales para drenar los tubos bronquiales, haciendo la tos mas productiva
- Alivia temporalmente la tos debida a la irritación leve de la garganta o de los bronquios que suele ocurrir con un resfriado

Advertencias

No exceda la dosis recomendada.

No use este producto

- Si usted está tomando un inhibidor de monoaminooxidasa (MAO) (por Ej. Algunos medicamentos para la depresión, trastornos psiquiátricos o emocionales o para la enfermedad de Parkinson) espere 2 semanas después de suspender el MAO antes de comenzar a tomarlo.
- Si usted no sabe si su medicamento con receta medica contiene un MAO, consulte a su medico o farmacéutico antes de tomar este producto.
- Si tiene una enfermedad crónica pulmonar o dificultad para respirar a menos que lo indique su doctor.

Pregúntale a su medico antes de usar este producto si usted tiene

- Tos con mucha flema o (mucosidad)
- Tos persistente o crónica, como ocurre en casos de personas que fuman y/o asma, bronquitis crónica o enfisema.

Descontinúe el uso de este producto y consulte a su medico si

- Se produce nerviosismo, mareos o falta de sueño.
- La tos persiste por más de 1 semana, tiende a repetirse, o acompañada de fiebre, erupción o tos persistente, este puede ser un signo de enfermedad grave

Si esta embarazada o en periodo de lactancia.

Consulte con un profesional de la salud antes de usar este producto.

Mantenga fuera del alcance de los niños, en caso de sobredosis obtenga ayuda medica o póngase en contacto con un centro de envenenamiento inmediatamente.

Evite las bebidas alcohólicas mientras tome este producto.

Instrucciones :

- No tome mas de 6 dosis en un periodo de 24 horas.
- Agítese antes de usar.

Edad	Dosis
Adultos y niños mayores de 12 años	10ml (2 cucharaditas) cada 4 horas
Niños de 6 años hasta 12 años	5ml (1 cucharadita) cada 4 horas
Niños menores de 6 años de edad	No Utilice este producto

Información adicional

- Cada 5 ml contiene : 8 mg de sodio
- Conservar a una temperatura de entre 15-30° C (59-86°F)
- No Acepte: si el sello de seguridad de la tapa esta roto a falta

Ingredientes inactivos

Acéite de Eucalipto, Acido Cítrico, Agua Purificada, Barbasco, Cloruro de Sodio, Coihosh Azul, Corteza de Cereza Silvestre, Corteza de Slippery Elm, Echinacea, Ginkgo Biloba, Manrubrium Vulgare, Mentol, Miel pura de Abeja, Mirra, Propilen Glicol, Raiz de Regaliz, Raiz de Sello De Oro, Sabor a Miel , Sodio Benzoato, Sorbato de Potasio , Sucralosa y Sulfato de Zinc.

Preguntas o Comentarios? Llamar de 9:30 AM a 5 PM tiempo este , en días laborables TEL 305 32618762.

www.jjistributors.com
Made In U.S.A.



8 52691 00217 3

NDC 53113-217-06

BRONCOMAR DM

dextromethorphan hbr, guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53113-217
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
CAULOPHYLLUM THALICTROIDES ROOT (UNII: JTJ6HH6YEH)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
ECHINACEA, UNSPECIFIED (UNII: 4N9P6CC1DX)	
EUCALYPTUS CAMALDULENSIS LEAF OIL (UNII: SN6D1J15I6)	
GINKGO BILOBA WHOLE (UNII: 660486U6OI)	
GOLDENSEAL (UNII: ZW3Z11D0JV)	
HONEY (UNII: Y9H1V576FH)	
HOREHOUND (UNII: K08036XEJV)	
LICORICE (UNII: 61ZBX54883)	
MENTHOL (UNII: L7T10EIP3A)	
MULLEIN LEAF (UNII: 9936O846LI)	
MYRRH (UNII: JC71GJ1F3L)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
ULMUS RUBRA BARK (UNII: 91QY4PXU8Q)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
PRUNUS SEROTINA BARK (UNII: 5D48E975HA)	
ZINC SULFATE (UNII: 89DS0H96TB)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53113-217-06	1 in 1 CARTON		
1		177 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/01/2014	

