# CARDINAL HEALTH INFANTS GAS RELIEF- simethicone suspension/ drops CARDINAL HEALTH

-----

#### Cardinal Infants' Gas Relief Simethicone Drops

#### Active ingredient (in each 0.3 mL)

Simethicone 20 mg

### **Purpose**

**Antigas** 

#### Uses

relieves the discomfort of infant gas frequently caused by air swallowing or certain formulas or foods

#### Warnings

# Keep out of reach of children.

Overdose warning: In case of overdose get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any signs or symptoms.

#### **Directions**

- shake well before using
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- Only use the enclosed syringe. Do not use other syringe, dropper, spoon or dosing device when giving this medicine to your child.
- Remove cap and insert syringe into the bottle.
- Pull syringe up until filled to the prescribed level, simply push syringe back until you have reached the described level. Slowly dispense the liquid into your child's mouth (towards inner cheek).
- all dosages may be repeated as needed, after meals and at bedtime or as directed by a physician.
- do not exceed 12 doses per day.
- dosage can also be mixed with 1 oz. cool water, infant formula or other suitable liquids.
- Replace cap tightly to maintain child resistance
- mL = milliliter

Age (yr)	Weight (lb)	Dose (mL)
infants under 2	under 24	0.3

children over 2	over 24	0.6
Ciliai Cil O V Ci Z	OVCI Z I	0.0

#### Other information

- tamper evident: do not use if printed seal under cap is broken or missing
- Store at room temperature
- do not freeze
- see bottom panel for lot number and expiration date

#### **Inactive ingredients**

carboxymethylcellulose sodium, citric acid, flavor, microcrystalline cellulose, polysorbate 60, potassium sorbate, purified water, sodium benzoate, sorbitan monostearate, sorbitol, xanthan gum

#### Questions or comments?

1-866-467-2748

# **Principal Display Panel**

\*Compare to the active ingredient in Infants' Mylicon® Drops

NDC 70000-0051-1

Infants'

# Gas Relief Drops

Simethicone/Antigas

Dye-free

Non-staining formula

- No Alcohol/No Saccharin
- No Artificial Color
- No Artificial Flavor

# 1 FL OZ (30 mL) 100 DOSES

# Distributed by:

IMPORTANT: Keep this carton for future reference on full labeling.

\*This product is not manufactured or distributed by Infirst Healthcare Inc., the distributor of Infants' Mylicon<sup>®</sup> Drops.



# **CARDINAL HEALTH INFANTS GAS RELIEF**

simethicone suspension/ drops

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0051	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
DIMETHICONE, UNSPECIFIED (UNII: 92RU3N3Y10) (DIMETHICONE, UNSPECIFIED - UNII:92RU3N3Y10)	DIMETHICONE, UNS PECIFIED	20 mg in 0.3 mL		

#### **Inactive Ingredients**

Ingredient Name	Strength
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K6790BS311)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITAN MONOSTEARATE (UNII: NVZ 4I0H58X)	
SORBITOL (UNII: 506T60A25R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics			
Color	PINK	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
	NDC:70000- 0051-1	1 in 1 CARTON	09/02/2020			
1		30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M002	09/02/2020		

# Labeler - CARDINAL HEALTH (063997360)

Revised: 11/2024 CARDINAL HEALTH