

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - CLASSIC IVORY 10-titanium dioxide cream
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - BUFF 30- titanium dioxide cream
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - NATURAL BEIGE 60-titanium dioxide cream
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - HONEY 85- titanium dioxide cream
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - NATURAL IVORY 20-titanium dioxide cream
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - SOFT BEIGE 50-titanium dioxide cream
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - NUDE 40- titanium dioxide cream
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - FRESH BEIGE 70-titanium dioxide cream
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - MEDIUM BEIGE 80-titanium dioxide cream
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - WARM BEIGE 90-titanium dioxide cream
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - NATURAL TAN 100-titanium dioxide cream
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - CARAMEL 105-titanium dioxide cream
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - COCOA 115- titanium dioxide cream
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - CHESTNUT 135-titanium dioxide cream
Kenvue Brands LLC

Neutrogena Healthy Skin Liquid Makeup SPF 20

Drug Facts

Active ingredient

Titanium Dioxide 3.6%

Purpose

Sunscreen

Use

- helps prevent sunburn
 - if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

- Do not use on damaged or broken skin

When using this product

- When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Water, Cyclopentasiloxane, Ethylhexyl Palmitate, Cyclohexasiloxane, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Talc, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Glycine Soja (Soybean) Seed Extract, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Tocopherol, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Chrysanthemum Parthenium (Feverfew) Flower Extract, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Dimethicone, Fragrance, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

Questions or Comments?

Visit www.neutrogena.com or call toll-free **800-480-4812** or **215-273-8755** (collect)

Dist. by: **JOHNSON & JOHNSON
CONSUMER INC.** , Skillman,
NJ 08558

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Classic Ivory 10

Neutrogena

healthy skin®

liquid makeup

with

titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30mL)



Classic Ivory 10

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look

Drug Facts

Active ingredient	Purpose
Titanium Dioxide 3.6%.....	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • **For external use only** • **Do not use** on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and** ▶

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.**, Skillman, NJ 08558 © J&JCI 2021 30047886

PEEL HERE ▶

Drug Facts (continued)

ask a doctor if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ▪ limit time in the sun, especially from 10 a.m. – 2 p.m. ▪ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Ethylhexyl Palmitate, Cyclohexasiloxane, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Talc, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Glycine Soja (Soybean) Seed Extract, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Tocopherol, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Chrysanthemum Parthenium (Feverfew) Flower Extract, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Dimethicone, Fragrance, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

Questions or comments? Visit www.neutrogena.com or call toll-free **800-480-4812** or **215-273-8755** (collect)

HINGE AREA

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Natural Ivory 20

Neutrogena
 healthy skin®
 liquid makeup
 with

titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30mL)



Natural Ivory 20

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look



Drug Facts

Active ingredient	Purpose
Titanium Dioxide 3.6%.....	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.**, Skillman, NJ 08558 © J&JCI 2021 30047887

Drug Facts (continued)

ask a doctor if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ▪ limit time in the sun, especially from 10 a.m. – 2 p.m. ▪ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Ethylhexyl Palmitate, Cyclohexasiloxane, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Talc, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Glycine Soja (Soybean) Seed Extract, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Tocopherol, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Chrysanthemum Parthenium (Feverfew) Flower Extract, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Dimethicone, Fragrance, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

Questions or comments? Visit www.neutrogena.com or call toll-free **800-480-4812** or **215-273-8755** (collect)

HINGE AREA

Neutrogena

healthy skin®

liquid makeup

with

titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30mL)



Buff 30

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look

Drug Facts

Active ingredient	Purpose
Titanium Dioxide 3.6%.....	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.**, Skillman, NJ 08558 © J&JCI 2021

30047897

PEEL HERE ▶

0 86800 67003 2

Drug Facts (continued)

ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Ethylhexyl Palmitate, Cyclohexasiloxane, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Talc, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Glycine Soja (Soybean) Seed Extract, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Tocopherol, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-i-butyl Hydroxyhydrocinnamate, Chrysanthemum Parthenium (Feverfew) Flower Extract, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Dimethicone, Fragrance, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Nude 40

Neutrogena
 healthy skin®
 liquid makeup
 with
 titanium dioxide sunscreen

broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30mL)



Nude 40

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look



Drug Facts

Active ingredient	Purpose
Titanium Dioxide 3.6%.....	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.**, Skillman, NJ 08558 © J&JCI 2021 30047898

PEEL HERE ▶



9 86800 67004 0

Drug Facts (continued)

ask a doctor if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Ethylhexyl Palmitate, Cyclohexasiloxane, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Talc, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Glycine Soja (Soybean) Seed Extract, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Tocopherol, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Chrysanthemum Parthenium (Feverfew) Flower Extract, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Dimethicone, Fragrance, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

Neutrogena

healthy skin®

liquid makeup

with

titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30mL)



Soft Beige 50

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look



Drug Facts

Active ingredient	Purpose
Titanium Dioxide 3.6%.....	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.**, Skillman, NJ 08558. © J&JCI 2021 30047899



PEEL HERE ▶

Drug Facts (continued)

ask a doctor if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ▪ limit time in the sun, especially from 10 a.m. – 2 p.m. ▪ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Ethylhexyl Palmitate, Cyclohexasiloxane, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Talc, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Glycine Soja (Soybean) Seed Extract, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Tocopherol, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Chrysanthemum Parthenium (Feverfew) Flower Extract, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Dimethicone, Fragrance, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Natural Beige 60

Neutrogena
 healthy skin®
 liquid makeup
 with

titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30mL)



Natural Beige 60 PEEL HERE ▶

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look



0 86800 67006 3

Drug Facts	
Active ingredient	Purpose
Titanium Dioxide 3.6%.....	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶	

Dist. by: 30047900
JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08558 © J&J 2021

Drug Facts (continued)

ask a doctor if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Ethylhexyl Palmitate, Cyclohexasiloxane, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Talc, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Glycine Soja (Soybean) Seed Extract, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Tocopherol, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Chrysanthemum Parthenium (Feverfew) Flower Extract, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Dimethicone, Fragrance, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Fresh Beige 70

Neutrogena

healthy skin®

liquid makeup

with

titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30mL)



Fresh Beige 70 PEEL HERE ▶

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look

Drug Facts

Active ingredient	Purpose
Titanium Dioxide 3.6%.....	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30047901
JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08558. © J&JCI 2021




0 86800 67007 0

Drug Facts (continued)

ask a doctor if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ▪ limit time in the sun, especially from 10 a.m. – 2 p.m. ▪ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Ethylhexyl Palmitate, Cyclohexasiloxane, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Talc, Boron Nitride, HDI/Trimethylol Hexylactone Crosspolymer, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Glycine Soja (Soybean) Seed Extract, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Tocopherol, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Chrysanthemum Parthenium (Feverfew) Flower Extract, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Dimethicone, Fragrance, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Medium Beige 80

Neutrogena
 healthy skin®
 liquid makeup
 with
 titanium dioxide sunscreen

broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30mL)



Medium Beige **80** PEEL HERE ▶

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look

Drug Facts

Active ingredient	Purpose
Titanium Dioxide 3.6%.....	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶




0 86800 67008 7

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.**, Skillman, NJ 08558 © J&J 2021 30047902

Drug Facts (continued)

ask a doctor if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Ethylhexyl Palmitate, Cyclohexasiloxane, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Talc, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Glycine Soja (Soybean) Seed Extract, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Tocopherol, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Chrysanthemum Parthenium (Feverfew) Flower Extract, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Dimethicone, Fragrance, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

Questions or comments? Visit www.neutrogena.com or call toll-free **800-480-4812** or **215-273-8755** (collect)

HINGE AREA

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Warm Beige 90

Neutrogena

healthy skin®

liquid makeup

with

titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30mL)



Warm Beige 90 PEEL HERE ▶

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look




Drug Facts	
Active ingredient	Purpose
Titanium Dioxide 3.6%.....	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶	

Dist. by: JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08558 © J&JCI 2021 30047903

HINGE AREA

Drug Facts (continued)
ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor
Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Drug Facts (continued)
Inactive ingredients Water, Cyclopentasiloxane, Ethylhexyl Palmitate, Cyclohexasiloxane, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Talc, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Glycine Soja (Soybean) Seed Extract, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Tocopherol, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Chrysanthemum Parthenium (Feverfew) Flower Extract, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Dimethicone, Fragrance, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide
Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Natural Tan 100

Neutrogena
 healthy skin®
 liquid makeup
 with

titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30mL)



Natural Tan 100 PEEL HERE ▶

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look



Drug Facts

Active ingredient	Purpose
Titanium Dioxide 3.6%.....	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.**, Skillman, NJ 08558 © J&JCI 2021 30047904

Drug Facts (continued)

ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ▪ limit time in the sun, especially from 10 a.m. – 2 p.m. ▪ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Ethylhexyl Palmitate, Cyclohexasiloxane, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Talc, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Glycine Soja (Soybean) Seed Extract, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Tocopherol, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinamate, Chrysanthemum Parthenium (Feverfew) Flower Extract, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Dimethicone, Fragrance, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Honey 85

Neutrogena

healthy skin®

liquid makeup

with

titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30mL)



Honey 85 PEEL HERE ▶

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look



 86800438014

Drug Facts	
Active ingredient	Purpose
Titanium Dioxide 3.6%.....	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶	

Dist. by: JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08558 © J&JCI 2021 30047905

HINGE AREA

<p>Drug Facts (continued)</p> <p>ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ▪ limit time in the sun, especially from 10 a.m. – 2 p.m. ▪ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor</p> <p>Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶</p>
--

HINGE AREA

<p>Drug Facts (continued)</p> <p>Inactive ingredients Water, Cyclopentasiloxane, Ethylhexyl Palmitate, Cyclohexasiloxane, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Talc, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Glycine Soja (Soybean) Seed Extract, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Tocopherol, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinamate, Chrysanthemum Parthenium (Feverfew) Flower Extract, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Dimethicone, Fragrance, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide</p> <p>Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)</p>

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Caramel 105

Neutrogena
 healthy skin®
 liquid makeup
 with
 titanium dioxide sunscreen

broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30mL)



Caramel 105 PEEL HERE ▶



- Exclusive blend of antioxidants
- Keeps skin's young and healthy look

Drug Facts

Active ingredient	Purpose
Titanium Dioxide 3.6%.....	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30047906
 JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08558 © J&JCI 2021

Drug Facts (continued)

ask a doctor if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age. Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Ethylhexyl Palmitate, Cyclohexasiloxane, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Talc, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Glycine Soja (Soybean) Seed Extract, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Tocopherol, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinamate, Chrysanthemum Parthenium (Feverfew) Flower Extract, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Dimethicone, Fragrance, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Cocoa 115

Neutrogena

healthy skin®

liquid makeup

with

titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30mL)



Cocoa 115

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look

Drug Facts

Active ingredient	Purpose
Titanium Dioxide 3.6%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08558 © J&JCI 2021

30047907

PEEL HERE ▶

Drug Facts (continued)

ask a doctor if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ▪ limit time in the sun, especially from 10 a.m. – 2 p.m. ▪ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

HINGE AREA

Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Ethylhexyl Palmitate, Cyclohexasiloxane, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Talc, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Glycine Soja (Soybean) Seed Extract, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Tocopherol, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Chrysanthemum Parthenium (Feverfew) Flower Extract, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Dimethicone, Fragrance, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE AREA

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Chestnut 135

Neutrogena
 healthy skin®
 liquid makeup
 with
 titanium dioxide sunscreen

broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30mL)



Chestnut 135 PEEL HERE ▶

- Exclusive blend of antioxidants
- Keeps skin's young and healthy look



 0 86800 43805 2

Drug Facts	
Active ingredient	Purpose
Titanium Dioxide 3.6%.....	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30047908
 JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08558 © J&JCI 2021

HINGE AREA

<p>Drug Facts (continued)</p> <p>ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor</p> <p>Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶</p>

HINGE AREA

<p>Drug Facts (continued)</p> <p>Inactive ingredients Water, Cyclopentasiloxane, Ethylhexyl Palmitate, Cyclohexasiloxane, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Talc, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Glycine Soja (Soybean) Seed Extract, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Tocopherol, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinamate, Chrysanthemum Parthenium (Feverfew) Flower Extract, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Dimethicone, Fragrance, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide</p> <p>Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)</p>

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - CLASSIC IVORY 10

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0741
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
TANACETUM PARTHENIUM FLOWER (UNII: 7TVV9D7I89)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
TALC (UNII: 7SEV7J4R1U)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDDD24E)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SOYBEAN (UNII: L7HT8F1ZOD)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
GLYCERIN (UNII: PDC6A3C0OX)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
TOCOPHEROL (UNII: R0ZB2556P8)	
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
SORBIC ACID (UNII: X045WJ989B)	

PROPYLENE CARBONATE (UNII: 8D08K3S51E)

DIMETHICONE (UNII: 92RU3N3Y1O)

MAGNESIUM CARBONATE (UNII: 0E53J927NA)

ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)

BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0741-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/30/2022	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - BUFF 30

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0743
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
TANACETUM PARTHENIUM FLOWER (UNII: 7TVV9D7I89)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
TALC (UNII: 7SEV7J4R1U)	

HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SOYBEAN (UNII: L7HT8F1ZOD)
ALUMINUM OXIDE (UNII: LMI26O6933)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
GLYCERIN (UNII: PDC6A3C0OX)
FERRIC OXIDE RED (UNII: 1K09F3G675)
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)
TOCOPHEROL (UNII: R0ZB2556P8)
WATER (UNII: 059QF0K00R)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)
BORON NITRIDE (UNII: 2U4T60A6YD)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
ALUMINUM STEARATE (UNII: U6XF9NP8HM)
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SORBIC ACID (UNII: X045WJ989B)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
DIMETHICONE (UNII: 92RU3N3Y1O)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0743-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/30/2022	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - NATURAL BEIGE 60

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0746
--------------	----------------	--------------------	----------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
TANACETUM PARTHENIUM FLOWER (UNII: 7TVV9D7I89)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
TALC (UNII: 7SEV7J4R1U)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SOYBEAN (UNII: L7HT8F1ZOD)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
GLYCERIN (UNII: PDC6A3C0OX)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
TOCOPHEROL (UNII: R0ZB2556P8)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
SORBIC ACID (UNII: X045WJ989B)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0746-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/30/2022	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - HONEY 85

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0751
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
TANACETUM PARTHENIUM FLOWER (UNII: 7TVV9D7I89)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
TALC (UNII: 7SEV7J4R1U)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

SOYBEAN (UNII: L7HT8F1ZOD)
ALUMINUM OXIDE (UNII: LMI26O6933)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
GLYCERIN (UNII: PDC6A3C0OX)
FERRIC OXIDE RED (UNII: 1K09F3G675)
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)
TOCOPHEROL (UNII: R0ZB2556P8)
WATER (UNII: 059QF0KO0R)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)
BORON NITRIDE (UNII: 2U4T60A6YD)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
ALUMINUM STEARATE (UNII: U6XF9NP8HM)
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SORBIC ACID (UNII: X045WJ989B)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
DIMETHICONE (UNII: 92RU3N3Y1O)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0751-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/30/2022	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - NATURAL IVORY 20

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0742
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL
---	------------------	---------------

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
TANACETUM PARTHENIUM FLOWER (UNII: 7TVV9D7I89)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
TALC (UNII: 7SEV7J4R1U)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDDD24E)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SOYBEAN (UNII: L7HT8F1ZOD)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
GLYCERIN (UNII: PDC6A3C0OX)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
TOCOPHEROL (UNII: R0ZB2556P8)	
WATER (UNII: 059QF0K0OR)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
SORBIC ACID (UNII: X045WJ989B)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:69968-0742-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2022
---	------------------	--	------------

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/30/2022	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - SOFT BEIGE 50

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0745
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
TANACETUM PARTHENIUM FLOWER (UNII: 7TVV9D7I89)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
TALC (UNII: 7SEV7J4R1U)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDDD24E)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SOYBEAN (UNII: L7HT8F1ZOD)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
GLYCERIN (UNII: PDC6A3C0OX)	

FERRIC OXIDE RED (UNII: 1K09F3G675)
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)
TOCOPHEROL (UNII: R0ZB2556P8)
WATER (UNII: 059QF0KO0R)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)
BORON NITRIDE (UNII: 2U4T60A6YD)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
ALUMINUM STEARATE (UNII: U6XF9NP8HM)
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SORBIC ACID (UNII: X045WJ989B)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
DIMETHICONE (UNII: 92RU3N3Y1O)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0745-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/30/2022	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - NUDE 40

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0744
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
TANACETUM PARTHENIUM FLOWER (UNII: 7TVW9D7I89)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
TALC (UNII: 7SEV7J4R1U)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SOYBEAN (UNII: L7HT8F1ZOD)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
GLYCERIN (UNII: PDC6A3C0OX)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
TOCOPHEROL (UNII: R0ZB2556P8)	
WATER (UNII: 059QF0KOOR)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
SORBIC ACID (UNII: X045WJ989B)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0744-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/30/2022	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - FRESH BEIGE 70

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0747
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
TANACETUM PARTHENIUM FLOWER (UNII: 7TVV9D7I89)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
TALC (UNII: 7SEV7J4R1U)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SOYBEAN (UNII: L7HT8F1ZOD)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
GLYCERIN (UNII: PDC6A3C0OX)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
TOCOPHEROL (UNII: ROZB2556P8)	
WATER (UNII: 059QF0KO0R)	

CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)
BORON NITRIDE (UNII: 2U4T60A6YD)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
ALUMINUM STEARATE (UNII: U6XF9NP8HM)
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SORBIC ACID (UNII: X045WJ989B)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
DIMETHICONE (UNII: 92RU3N3Y1O)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0747-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/30/2022	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - MEDIUM BEIGE 80

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0748
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	

BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
TANACETUM PARTHENIUM FLOWER (UNII: 7TVV9D7I89)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)
TALC (UNII: 7SEV7J4R1U)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SOYBEAN (UNII: L7HT8F1ZOD)
ALUMINUM OXIDE (UNII: LMI26O6933)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
GLYCERIN (UNII: PDC6A3C0OX)
FERRIC OXIDE RED (UNII: 1K09F3G675)
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)
TOCOPHEROL (UNII: R0ZB2556P8)
WATER (UNII: 059QF0KO0R)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)
BORON NITRIDE (UNII: 2U4T60A6YD)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
ALUMINUM STEARATE (UNII: U6XF9NP8HM)
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SORBIC ACID (UNII: X045WJ989B)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
DIMETHICONE (UNII: 92RU3N3Y1O)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0748-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - WARM BEIGE 90

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0749
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
TANACETUM PARTHENIUM FLOWER (UNII: 7TVV9D7I89)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
TALC (UNII: 7SEV7J4R1U)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SOYBEAN (UNII: L7HT8F1ZOD)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
GLYCERIN (UNII: PDC6A3C0OX)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
TOCOPHEROL (UNII: R0ZB2556P8)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
BORON NITRIDE (UNII: 2U4T60A6YD)	

CAPRYLYL GLYCOL (UNII: 00YIU5438U)
ALUMINUM STEARATE (UNII: U6XF9NP8HM)
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SORBIC ACID (UNII: X045WJ989B)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
DIMETHICONE (UNII: 92RU3N3Y1O)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0749-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/30/2022	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - NATURAL TAN 100

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0750
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	

PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
TANACETUM PARTHENIUM FLOWER (UNII: 7TVV9D7I89)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)
TALC (UNII: 7SEV7J4R1U)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SOYBEAN (UNII: L7HT8F1ZOD)
ALUMINUM OXIDE (UNII: LMI26O6933)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
GLYCERIN (UNII: PDC6A3C0OX)
FERRIC OXIDE RED (UNII: 1K09F3G675)
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)
TOCOPHEROL (UNII: R0ZB2556P8)
WATER (UNII: 059QF0K00R)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)
BORON NITRIDE (UNII: 2U4T60A6YD)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
ALUMINUM STEARATE (UNII: U6XF9NP8HM)
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SORBIC ACID (UNII: X045WJ989B)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
DIMETHICONE (UNII: 92RU3N3Y1O)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0750-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/30/2022	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - CARAMEL

105

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0752
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
TANACETUM PARTHENIUM FLOWER (UNII: 7TVV9D7I89)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
TALC (UNII: 7SEV7J4R1U)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDDD24E)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SOYBEAN (UNII: L7HT8F1ZOD)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
GLYCERIN (UNII: PDC6A3C0OX)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
TOCOPHEROL (UNII: R0ZB2556P8)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
SORBIC ACID (UNII: X045WJ989B)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0752-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/30/2022	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - COCOA 115

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0753
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
TANACETUM PARTHENIUM FLOWER (UNII: 7TVV9D7I89)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	

TALC (UNII: 7SEV7J4R1U)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SOYBEAN (UNII: L7HT8F1ZOD)
ALUMINUM OXIDE (UNII: LMI26O6933)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
GLYCERIN (UNII: PDC6A3C0OX)
FERRIC OXIDE RED (UNII: 1K09F3G675)
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)
TOCOPHEROL (UNII: R0ZB2556P8)
WATER (UNII: 059QF0K00R)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)
BORON NITRIDE (UNII: 2U4T60A6YD)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
ALUMINUM STEARATE (UNII: U6XF9NP8HM)
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
SORBIC ACID (UNII: X045WJ989B)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
DIMETHICONE (UNII: 92RU3N3Y1O)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0753-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/30/2022	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP SPF 20 - CHESTNUT 135

titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0754
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
TANACETUM PARTHENIUM FLOWER (UNII: 7TVV9D7I89)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
TALC (UNII: 7SEV7J4R1U)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SOYBEAN (UNII: L7HT8F1ZOD)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
GLYCERIN (UNII: PDC6A3C0OX)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
TOCOPHEROL (UNII: R0ZB2556P8)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
SORBIC ACID (UNII: X045WJ989B)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	

DIMETHICONE (UNII: 92RU3N3Y1O)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0754-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/30/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/30/2022	

Labeler - Kenvue Brands LLC (118772437)

Revised: 11/2024

Kenvue Brands LLC