

NATURAL SUNSCREEN FOR KIDS/BABY SPF 40 - zinc oxide lotion
HUSH BRANDS INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients (w/w)/ Ingrédients actifs (p/p)

Zinc Oxide 20.5%

Purpose/ Utilité

Sunscreen/ Écran solaire

Use/ Usage

Helps prevent sunburn/ Aide à prévenir les coups de soleil

Warnings / Mises en garde

For external use only/ Pour usage externe seulement

Do not use on damaged or broken skin/ **Ne pas utiliser** sur la peau endommagée ou présentant des lésions

Stop use and ask a doctor if rash occurs/ **Cesser d'utiliser ce produit et consultez un médecin si** une éruption cutanée apparaît

When using this product keep out of eyes. Rinse with water to remove/ **Lorsque vous utilisez ce produit** éviter tout contact avec les yeux. Rincer à l'eau le cas échéant.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Store at room temperature 15-30°C (59-86°F)/ **Garder hors de la portée des enfants.** Topique. En cas d'ingestion, consulter un médecin immédiatement ou appeler un centre antipoison. Conserver à la température de la pièce entre 15-30°C (59-86°F)

Directions / Mode d'emploi

- Apply liberally and generously 15 minutes before sun exposure. • reapply: • after 40 minutes of swimming or sweating
- immediately after towel drying • at least every 2 hours. **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 am - 2 pm • wear long-sleeved shirts, pants, hats, and sunglasses. • For use on children less than 6 months of age, consult a doctor

Appliquer abondamment et généreusement 15 minutes avant l'exposition au soleil • Appliquer de nouveau: • après 40 minutes de baignade ou après avoir transpiré • immédiatement après s'être séché à la serviette • au moins toutes les 2 heures. **Mesures de protection contre le soleil:** Passer du temps au soleil augmente le risque de cancer de la peau et de vieillissement prématuré de la peau. Afin de diminuer ce risque, il convient d'utiliser régulièrement un écran solaire avec un F.P.S. à large spectre d'au moins 15 et d'appliquer d'autres mesures de protection contre le soleil, telles que: • limiter le temps passé au soleil, notamment entre 10 et 14 heures • porter des chemises à manches longues, des

pantalons, un chapeau et des lunettes de soleil • Pour les enfants âgés de moins de 6 mois, consulter un médecin.

Other Information / Autres renseignements

- Protect the product in this container from excessive heat and direct sun. May stain surfaces and fabrics/ Tenir loin de la chaleur excessive ou des rayons de soleil. Peut tacher certains tissus et surfaces.

Inactive Ingredients / Ingrédients inactifs

Aloe Barbadensis Leaf Juice, Ammonium Acryloyldimethyltaurate / VP Copolymer, Aqua/Water/Eau, Bambusa Arundinacea Stem Extract, Camellia Sinensis Leaf Extract, Caprylic/Capric Triglycerides, Dilauryl Citrate, Ethylhexylglycerin, Ginkgo Biloba Leaf Extract, Gluconolactone, Glycine Soja (Soybean) Oil, Glycerin, Hydrogenated Methyl Abietate, Isopropyl Palmitate, Lauryl Glucoside, Leuconostoc/Radish Root Ferment Filtrate, Lonicera Caprifolium (Honeysuckle) Flower Extract, Lonicera Japonica (Honeysuckle) Flower Extract, Methylcellulose, Octyldodecyl Citrate Crosspolymer, Phenoxyethanol, Polyglyceryl-4 Laurate, Polyhydroxystearic Acid, Populus Tremuloides Bark Extract, Simmondsia Chinensis (Jojoba) Seed Oil, Sodium Lauryl Glucose Carboxylate, Sodium Phytate, Sodium Stearoyl Glutamate, Sorbitan Laurate, Tocopherol, Xanthan Gum.

Questions?

1-866-923-2665

Manufactured in Canada by/ Fabriqué au Canada par: Empack Spraytech Inc., 98 Walker Drive, Brampton, ON, L6T 4H6

UPC Please recycle (+ logo) Lot # and Expiry Date to be embossed on the tube seal

Principal Display Panel - NATURAL SUNSCREEN LOTION SPF/FPS 40 ÉCRAN SOLAIRE NATUREL

FOR KIDS & BABY

NATURAL SUNSCREEN LOTION

SPF/FPS 40

ÉCRAN SOLAIRE NATUREL

BROAD SPECTRUM SPF/FPS 40 À LARGE SPECTRE

UVA/UVB PROTECTION

Water/ Sweat Resistant (40 MINUTES)/ Résistant à l'eau/résistant à la transpiration (40 minutes)

Non-whitening. Fast absorbing. Unscented/ non-blanchissant. Absorption rapide. Non parfumé

3.4 fl. oz. /100 ml

FOR KIDS & BABY
POUR ENFANT ET BÉBÉ

Natural
Sunscreen
WITH BAMBOO EXTRACT

BROAD SPECTRUM
SPF/FPS 40
À LARGE SPECTRE
UVA/UVB PROTECTION

Écran solaire
naturel
AVEC EXTRAIT DE BAMBOO

Non-whitening • Fast-absorbing • Unscented
Water/sweat resistant (40 minutes)
Non-blanchissant • Absorption rapide
Non parfumé • Résistant à l'eau/
transpiration (40 minutes)

100 ml (3.4 fl.oz) | NPN 80038429

Drug Facts / Info-médicament	
Active Ingredient w/w / Ingredient actif p/p Zinc Oxide 20.50%	Purpose / Utilité Sunscreen Écran solaire
Use / Usage Helps prevent sunburn (Aide à prévenir les coups de soleil)	
Warnings / Mises en garde For external use only / Pour usage externe seulement Do not use on damaged or broken skin / Ne pas utiliser sur la peau endommagée ou présentant des lésions When using this product keep out of eyes. Rinse with water to remove. / Lorsque vous utilisez ce produit éviter tout contact avec les yeux. Rincer à l'eau le cas échéant Stop use and ask a doctor if rash occurs / Cesser d'utiliser ce produit et consulter un médecin si une éruption cutanée apparaît Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. / Garder hors de la portée des enfants. En cas d'ingestion, contacter un médecin immédiatement ou appeler un centre antipoison.	
Directions / Mode d'emploi • Apply liberally and generously 15 minutes before sun exposure. • Reapply after 40 minutes of swimming or sweating • Immediately after towel drying • at least every 2 hours, Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 am - 2 pm • wear long-sleeved shirts, pants, hats, and sunglasses. • For use on children less than 6 months of age, consult a doctor. • Appliquez abondamment et généreusement 15 minutes avant l'exposition au soleil • Appliquez de nouveau : • après 40 minutes de baignade ou après avoir transpiré • immédiatement après s'être séché à la serviette • au moins toutes les 2 heures. Mesures de protection contre le soleil : Passer du temps au soleil augmente le risque de cancer de la peau et de vieillissement prématuré de la peau. Afin de diminuer ce risque, il convient d'utiliser régulièrement un écran solaire avec un FPS, à large spectre d'au moins 15 et d'appliquer d'autres mesures de protection contre le soleil, telles que : • limiter le temps passé au soleil • notamment entre 10 et 14 heures • porter des chemises à manches longues, des pantalons, un chapeau et des lunettes de soleil • Pour les enfants âgés de moins de 6 mois, consulter un médecin.	
Inactive Ingredients / Ingrédients inactifs Aloe Barbadensis Leaf Juice, Ammonium Acryloyldimethyltaurate / VP Copolymer, Aqua/Water, Bambusa Bambos Stem Extract, Camellia Sinensis Leaf Extract, Capryl/Capric Triglyceride, Diethyl Citrate, Ethylhexylglycerin, Ginkgo Biloba Leaf Extract, Glycerol Stearate, Glycerol Stearate SE, Glycerol Stearate SE, Hydrogenated Methyl Abietate, Isopropyl Palmitate, Lauryl Glucoside, Leucanostol/Radish Root Ferment Filtrate, Lonicera Caerulea HoneySuckle Flower Extract, Lonicera Japonica HoneySuckle Flower Extract, Methylcellulose, Octyldodecyl Citrate, Croscarellin, Phenylethanol, Polyacrylate-1, Laurate, Polyhydroxyesteric Acid, Populus Tremuloides Bark Extract, Ginnosida Chinensis Jojoba Seed Oil, Sodium Lauryl Sulfate Carbonate, Sodium Phytate, Sodium Stearyl Citrate, Sorbitan Laurate, Tocopherol, Xanthan Gum.	

MADE IN CANADA
FABRIQUÉ EN CANADA
FOR / POUR:
BOO BAMBOO INC.
Toronto, ON M3H 5T5
BooBamboo.com
By/Par EmPack Spraytech Inc.
Brampton, ON, Canada
L7T 4H8

NATURAL SUNSCREEN FOR KIDS/BABY SPF 40

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73022-003
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	20.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
Aloe Vera Leaf (UNII: ZY81Z83H0X)	
Ammonium Acryloyldimethyltaurate/VP Copolymer (UNII: W59H9296ZG)	
Bambusa Bambos Stem (UNII: NRA4497HC5)	

Green Tea Leaf (UNII: W2ZU1RY8B0)
Medium-Chain Triglycerides (UNII: C9H2L21V7U)
Dilauryl Citrate (UNII: 5OYS3G306B)
Ethylhexylglycerin (UNII: 147D247K3P)
Ginkgo (UNII: 19FUJ2C58T)
Gluconolactone (UNII: WQ29KQ9POT)
Glycerin (UNII: PDC6A3C0OX)
Soybean Oil (UNII: 241ATL177A)
Hydrogenated Methyl Abietate (UNII: A23O709X8O)
Isopropyl Palmitate (UNII: 8CRQ2TH63M)
Lauryl Glucoside (UNII: 76LN7P7UCU)
Leuconostoc/Radish Root Ferment Filtrate (UNII: D2QHA03458)
Lonicera Caprifolium Flower (UNII: 5N1WD9784U)
Lonicera Confusa Flower (UNII: 3JV904J0V)
Methylcellulose (15 MPA.S) (UNII: NPU9M2E6L8)
Octyldodecyl Stearate (UNII: K6F16QGO28)
Phenoxyethanol (UNII: HIE492ZZ3T)
Polyglyceryl-3 Laurate (UNII: Y9ZSR39D0E)
Polyhydroxystearic Acid (2300 MW) (UNII: YXH47AOU0F)
Populus Tremuloides Bark (UNII: 5543O0CEID)
Jojoba Oil (UNII: 724GKU717M)
Sodium Lauryl Glycol Carboxylate (UNII: 8L0472VMYL)
Phytate Sodium (UNII: 88496G1ERL)
Sodium Stearoyl Glutamate (UNII: 65A9F4P024)
Sorbitan Monolaurate (UNII: 6W9PS8B71J)
Tocopherol (UNII: R0ZB2556P8)
Water (UNII: 059QF0K00R)
Xanthan Gum (UNII: TTV12P4NEE)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73022-003-01	100 g in 1 TUBE; Type 0: Not a Combination Product	04/15/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	04/15/2019	

Labeler - HUSH BRANDS INC. (259616535)

Registrant - Empack Spraytech Inc. (252047519)

Establishment

Name	Address	ID/FEI	Business Operations
Empack Spraytech Inc.		252047519	manufacture(73022-003)

