# QUALITY CHOICE CHILDRENS ALLERGY RELIEF- cetirizine hydrochloride solution Chain Drug Marketing Association

-----

Quality Choice<sub>®</sub> Children's Allergy Relief

**Drug Facts** 

# Active ingredient (in each 5 mL teaspoonful)

Cetirizine HCl 5 mg

# Purpose

Antihistamine

#### Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

# Warnings

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are** taking tranquilizers or sedatives.

# When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

# If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

• use only with enclosed dosing cup

adults and children 6 years and over	take more than 2 teaspoonfuls (10 mL) once take more than 2 teaspoonfuls (10 mL) in 24 hours.
adults 65 years and	1 teaspoonful (5 mL) once daily; do not take more than
older	1 teaspoonful (5 mL) in 24 hours.
children 2 to under 6 years of age	½ teaspoonful (2.5 mL) once daily. If needed, dose can be increased to a maximum of 1 teaspoonful (5 mL) once daily or ½ teaspoonful (2.5 mL) every 12 hours. Do not give more than 1 teaspoonful (5 mL) in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

#### Other information

• store between 20° to 25°C (68° to 77°F)

# **Inactive ingredients**

bubble gum artificial flavor, glacial acetic acid, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium acetate anhydrous, sucralose

## Questions?

Call **248-449-9300** 

© Distributed by C.D.M.A., Inc.

43157 W. Nine Mile Novi, MI 48376-0995

## PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

 $\begin{array}{c} QC \\ QUALITY \\ CHOICE_{\$} \end{array}$ 

NDC 63868-106-08

Compare to the active ingredient in Children's ZYRTEC®\*

children's Allergy Relief

Cetirizine Hydrochloride Oral Solution, 1 mg/mL Antihistamine

Indoor & Outdoor Allergies

24 Hour Relief of:

Runny Nose | Sneezing

Itchy, watery eyes Itchy throat or nose

2 Yrs. & older Sugar Free Bubble Gum Flavor

Dosing Cup Included

**4** FL OZ (120 mL)

NDC 63868-106-08



children's

# Allergy Relief

Cetirizine Hydrochloride Oral Solution, 1 mg/mL Antihistamine

**Indoor & Outdoor Allergies** 



NDC 63868-106-08

Compare to the active ingredient in Children's ZYRTEC\*\*

children's

# Allergy Relief

Cetirizine Hydrochloride Oral Solution, 1 mg/mL Antihistamine

Indoor & Outdoor Allergies

24 Hour Relief of:

Runny Nose | Sneezing Itchy, watery eyes Itchy throat or nose

2 Yrs. & older

Sugar Free Bubble Gum



NDC 63868-106-08

Compare to the active ingredient in Children's ZYRTEC\*\*

children's

# Allergy Relief

Cetirizine Hydrochloride Oral Solution, 1 mg/mL Antihistamine

Indoor & Outdoor Allergies

24 Hour Relief of:

Runny Nose | Sneezing Itchy, watery eyes Itchy throat or nose

2 Yrs. & older

Sugar Free Bubble Gum Flavor

Dosing Cup Included

4 FL OZ (120 mL)

Flavor

Dosing Cup Included

4 FL OZ (120 mL)



20473-1212-0 886



NDC 63868-106-08

Compare to the active ingredient in Children's ZYRTEC\*\*

children's

# Allergy Relief

Catirizina Hydrochlorida

# Drug Facts (continued)

Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

#### When using this product

- · drowsiness may occur
- avoid alcoholic drinks
- · alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
   Stop use and ask a doctor if an allergic reaction to this

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

### If pregnant or breast-feeding:

- · if breast-feeding: not recommended
- . if pregnant; ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away

# Oral Solution, 1 mg/mL Antihistamine

# Indoor & Outdoor Allergies

Dosing cup should be washed and left to air dry after each use.

Do not use if carton is opened, or if imprinted safety seal is broken or missing.

See bottom panel for expiration date.

\*This product is not manufactured or distributed by
UCB Pharma, S.A.

CORPORATION BELGIUM, owner of the registered trademark Children's Zyrtec\*.

# Drug Facts

# Active ingredient

(in each 5 mL teaspoonful)

Cetirizine HCl 5 mg......Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory all ergies:

- · runny nose
- · itchy, water y eyes
- sneezing
- . itching of the nose or throat

Purpose

(1-800-222-1222).

# Directions • use only with enclosed dosing cup

adults and children
6 years and over
once daily depending upon severity of symptoms; do not take more than 2 teaspoonfuls (10 mL) in 24 hours.

adults 65 years 1 teaspoonful (5 mL) once daily; do not take and older more than 1 teaspoonful (5 mL) in 24 hours.

children 2 to under 1/2 teaspoonful (2.5 mL) once daily. If needed, 6 years of age dose can be increased to a maximum of 1 teaspoonful (5 mL) once daily or 1/2 teaspoonful (2.5 mL) every 12 hours. Do not give more than 1 teaspoonful (5 mL) in 24

children under 2 years of age

consumers with liver ask a doctor or kidney disease

orkidney disease

Other information

store between 20° to 25°C (68° to 77°F)

# Inactive ingredients

bubble gum artificial flavor, glacial acetic acid, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium acetate anhydrous, sucralose

Questions? Call 248-449-9300



©Distributed by C.D.M.A., Inc. 43157 W. Nine Mile Novi, Mi 48376-0995 www.qualitychoice.com Questions: 248-449-9300

Made in Israel

# QUALITY CHOICE CHILDRENS ALLERGY RELIEF

cetirizine hydrochloride solution

### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:63868-106

Route of Administration ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name Basis of Strength Strength

Inactive Ingredients			
Ingredient Name	Strength		
ACETIC ACID (UNII: Q40Q9N063P)			
GLYCERIN (UNII: PDC6A3C0OX)			
METHYLPARABEN (UNII: A2I8 C7HI9T)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
PROPYLPARABEN (UNII: Z8IX2SC1OH)			
WATER (UNII: 059QF0KO0R)			
SODIUM ACETATE ANHYDROUS (UNII: NVG71ZZ7P0)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			

Product Characteristics			
Color	YELLOW (colorless to slightly yellow)	Score	
Shape		Size	
Flavor	BUBBLE GUM (Sugar Free)	Imprint Code	
Contains			

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-106-08	1 in 1 CARTON		
1		120 mL in 1 BOTTLE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA201546	05/20/2011	

# Labeler - Chain Drug Marketing Association (011920774)

# **Registrant -** Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
Taro Pharmaceutical Industries Ltd.		600072078	MANUFACTURE(63868-106)

Revised: 3/2013