

**TOPCARE ANTI ITCH- diphenhydramine hydrochloride, zinc acetate cream**  
**Topco Associates LLC**

-----  
**Topco Associates LLC. Anti-Itch Cream 2% Drug Facts**

**Active ingredients**

Diphenhydramine hydrochloride 2%

Zinc acetate 0.1%

**Purpose**

Topical analgesic

Skin protectant

**Uses**

- temporarily relieves pain and itching associated with:
- insect bites
- minor burns
- sunburn
- minor skin irritations
- minor cuts
- scrapes
- rashes due to poison ivy, poison oak and poison sumac
- dries the oozing and weeping of poison ivy, poison oak and poison sumac

**Warnings**

**For external use only**

**Do not use**

- on large areas of the body
- with any other product containing diphenhydramine, even one taken by mouth

**Ask a doctor before use**

- on chicken pox
- on measles

**When using this product**

- avoid contact with the eyes

**Stop use and ask a doctor if**

- condition worsens or does not improve within 7 days
- symptoms persist for more than 7 days or clear up and occur again within a few days

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- do not use more than directed
- adults and children 2 years of age and older: apply to affected area no more than 3 to 4 times daily
- children under 2 years of age: ask a doctor

**Other information**

- store at 20°-25°C (68°-77°F)

**Inactive ingredients**

cetyl alcohol, diazolidinyl urea, methylparaben, PEG-2 stearate, PEG-20 stearate, propylene glycol, propylparaben, purified water

**Questions or comments?**

**1-888-423-0139**

**Package/Label Principal Display Panel**

COMPARE TO EXTRA STRENGTH BENADRYL® ITCH STOPPING CREAM ACTIVE INGREDIENTS

Itch Relief Cream

RELIEVES:

- Insect Bites, Minor Skin Irritations & Rashes Due to Poison Ivy, Poison Oak & Poison Sumac

TopCare® health

EXTRA STRENGTH

Anti-Itch Cream 2%

DIPHENHYDRAMINE HYDROCHLORIDE 2% & ZINC ACETATE 0.1%

Topical Analgesic & Skin Protectant

NET WT 1 OZ (28 g)

COMPARE TO EXTRA STRENGTH  
BENADRYL® ITCH STOPPING  
CREAM ACTIVE INGREDIENTS\*

# Itch Relief Cream

## RELIEVES:

- Insect Bites, Minor Skin Irritations & Rashes Due to Poison Ivy, Poison Oak & Poison Sumac

Insect Bites



Poison Ivy, Oak & Sumac



Sunburn



Skin Irritations



**TopCare**  
health

EXTRA STRENGTH

## Anti-Itch Cream 2%

DIPHENHYDRAMINE HYDROCHLORIDE 2% & ZINC ACETATE 0.1%

Topical Analgesic & Skin Protectant

NET WT 1 OZ (28 g)

NDC 36800-022-64

DISTRIBUTED BY  
TOPCO ASSOCIATES LLC  
ELK GROVE VILLAGE  
IL 60007  
©TOPCO PERA0521  
QUESTIONS?  
1-888-423-0139  
topcare@topco.com  
www.topcarebrand.com



Scan here for more  
information or  
call 1-888-423-0139



This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, the distributor of Extra Strength Benadryl® Itch Stopping Cream.



CODE AREA

**TopCare**  
health

## Anti-Itch Cream 2%

Topical Analgesic & Skin Protectant

### Drug Facts

**Active ingredients**  
Diphenhydramine hydrochloride 2%..... Topical analgesic  
Zinc acetate 0.1%..... Skin protectant

### Purpose

### Uses

- temporarily relieves pain and itching associated with:
  - insect bites
  - minor burns
  - sunburn
  - minor skin irritations
  - minor cuts
  - scrapes
  - rashes due to poison ivy, poison oak and poison sumac
  - dries the oozing and weeping of poison ivy, poison oak and poison sumac

### Warnings

For external use only

#### Do not use

- on large areas of the body
- with any other product containing diphenhydramine, even one taken by mouth

#### Ask a doctor before use

- on chicken pox
- on measles

When using this product ■ avoid contact with the eyes ▶

### Drug Facts (continued)

#### Stop use and ask a doctor if

- condition worsens or does not improve within 7 days
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- do not use more than directed
- adults and children 2 years of age and older: apply to affected area no more than 3 to 4 times daily
- children under 2 years of age: ask a doctor

#### Other information

- store at 20°-25°C (68°-77°F)

**Inactive ingredients** cetyl alcohol, diazolidinyl urea, methylparaben, PEG-2 stearate, PEG-20 stearate, propylene glycol, propylparaben, purified water

Questions or comments? 1-888-423-0139

CODE AREA

## TOPCARE ANTI ITCH

diphenhydramine hydrochloride, zinc acetate cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-622
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	2 g in 100 g
<b>ZINC ACETATE</b> (UNII: FM5526K07A) (ZINC CATION - UNII:13S1S8SF37)	ZINC ACETATE	0.1 g in 100 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIETHYLENE GLYCOL MONO- AND DIPALMITOSTEARATE</b> (UNII: 94YQ11Y95F)	
<b>PEG-20 STEARATE</b> (UNII: NBX892EA57)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:36800-622-64	1 in 1 CARTON	04/08/2020	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M017	04/08/2020	

**Labeler** - Topco Associates LLC (006935977)