

**POLYSPORIN FIRST AID ANTIBIOTIC- bacitracin zinc and polymyxin b sulfate ointment**  
**Kenvue Brands LLC**

-----  
**Polysporin® First Aid Antibiotic Ointment**

***Drug Facts***

| <b><i>Active ingredients (in each gram)</i></b> | <b><i>Purpose</i></b> |
|---|-----------------------|
| Bacitracin Zinc 500 units                       | First aid antibiotic  |
| Polymyxin B Sulfate 10,000 units                | First aid antibiotic  |

**Use**

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Centre right away.

**Directions**

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

**Other information**

- store at 20° to 25°C (68° to 77°F)

**Inactive ingredient**

petrolatum

**Questions?**

call **800-223-0182** or **215-273-8755** (collect)

Distributed by:

**Kenvue Brands LLC**

Summit, NJ 07901

**PRINCIPAL DISPLAY PANEL - 28.3 g Tube Carton**

**#1 DERMATOLOGIST**

**RECOMMENDED**

**Polysporin<sup>®</sup>**

**ANTIBIOTIC**

**OINTMENT**

#1 Dermatologist

Recommended for

Infection Protection

Helps prevent

Infection in Minor Cuts,

Scrapes, and Burns

**OINTMENT**

**FIRST AID ANTIBIOTIC OINTMENT**

**Bacitracin Zinc - Polymyxin B Sulfate**

**NET WT. 1 OZ (28.3 g)**



# Polysporin<sup>®</sup>

**BACITRACIN ZINC • POLYMYXIN B SULFATE**  
**First Aid Antibiotic Ointment**

Helps prevent infection in minor cuts, scrapes and burns

**144 PACKETS 1/32 oz (0.9 g) each NET WT 4.5 oz (130 g)**



# Polysporin<sup>+</sup>

**First Aid Antibiotic Ointment**

Helps prevent infection in minor cuts, scrapes and burns

144 FOIL PACKETS OF  
1/32 oz (0.9 g) each  
Store unopened packets at  
20° to 25°C (68° to 77°F).  
Discard opened packets after use.  
Also available in 1/2 oz (14.2 g)  
and 1 oz (28.3 g) tubes



144 PACKETS 1/32 oz (0.9 g) each NET WT 4.5 oz (130 g)

Helps prevent infection in minor cuts, scrapes and burns  
**First Aid Antibiotic Ointment**  
**BACITRACIN ZINC • POLYMYXIN B SULFATE**

**Polysporin®**



**#1 Dermatologist Recommended**  
**for Infection Protection**

|  |                      |  |  |
|--|----------------------|--|--|
| <b>Drug Facts</b>  |                      | <b>Drug Facts (continued)</b>  |  |
| <b>Active ingredients (in each gram)</b>   | <b>Purpose</b>       | <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.  |  |
| Bacitracin Zinc (500 units).....   | First aid antibiotic | <b>Directions</b>  |  |
| Polymyxin B Sulfate (10,000 units).....  | First aid antibiotic | <ul style="list-style-type: none"> <li>■ clean the affected area</li> <li>■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily</li> <li>■ may be covered with a sterile bandage</li> </ul> |  |
| <b>Uses</b> first aid to help prevent infection in minor:  |                      | <b>Other information</b>   |  |
| ■ cuts ■ scrapes ■ burns   |                      | <ul style="list-style-type: none"> <li>■ store at 20°C to 25°C (68°F to 77°F)</li> </ul>   |  |
| <b>Warnings</b>  |                      | <b>Inactive ingredient</b> petrolatum  |  |
| For external use only.   |                      | <b>Questions?</b>  |  |
| <b>Do not use:</b>   |                      | call 800-223-0182; outside the US, dial collect 215-273-8755   |  |
| <ul style="list-style-type: none"> <li>■ if you are allergic to any of the ingredients</li> <li>■ in the eyes ■ over large areas of the body</li> </ul>                                |                      | Distributed by:  |  |
| <b>Ask a doctor before use if you have:</b>  |                      | Kenvue Brands LLC  |  |
| <ul style="list-style-type: none"> <li>■ deep or puncture wounds ■ animal bites</li> <li>■ serious burns</li> </ul>  |                      | Summit, NJ 07901   |  |
| <b>Stop use and ask a doctor if:</b>   |                      | © Kenvue Brands LLC 2024 www.neosporin.com   |  |
| <ul style="list-style-type: none"> <li>■ you need to use longer than 1 week</li> <li>■ condition persists or gets worse</li> <li>■ rash or other allergic reaction develops</li> </ul> |                      |  |  |

30057425

Lot  
Exp



**Polysporin®**

**First Aid Antibiotic Ointment**  
 Helps prevent infection in minor cuts, scrapes and burns

144 FOIL PACKETS OF  
 1/32 oz (0.9 g) each  
 Store unopened packets at 20° to 25°C (68° to 77°F).  
 Discard opened packets after use.  
 Also available in 1/2 oz (14.2 g) and 1 oz (28.3 g) tubes

**POLYSPORIN FIRST AID ANTIBIOTIC**

bacitracin zinc and polymyxin b sulfate ointment

**Product Information**

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:69968-0060 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

**Active Ingredient/Active Moiety**

| <b>Ingredient Name</b>   | <b>Basis of Strength</b> | <b>Strength</b>      |
|--|--------------------------|----------------------|
| <b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)       | BACITRACIN               | 500 [USP'U] in 1 g   |
| <b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K) | POLYMYXIN B              | 10000 [USP'U] in 1 g |

**Inactive Ingredients**

| <b>Ingredient Name</b>               | <b>Strength</b> |
|--------------------------------------|-----------------|
| <b>PETROLATUM</b> (UNII: 4T6H12BN9U) |                 |

**Packaging**

| <b>#</b> | <b>Item Code</b> | <b>Package Description</b>                           | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|----------|------------------|--|-----------------------------|---------------------------|
| 1        | NDC:69968-0060-2 | 1 in 1 CARTON  | 07/09/2013                  |                           |
| 1        |                  | 28.3 g in 1 TUBE; Type 0: Not a Combination Product  |                             |                           |
| 2        | NDC:69968-0060-1 | 0.9 g in 1 PACKET; Type 0: Not a Combination Product | 07/09/2013                  |                           |
| 3        | NDC:69968-0060-3 | 1 in 1 CARTON  | 07/09/2013                  |                           |
| 3        |                  | 14.2 g in 1 TUBE; Type 0: Not a Combination Product  |                             |                           |
| 4        | NDC:69968-0060-9 | 144 in 1 CARTON                                      | 07/09/2013                  |                           |
| 4        |                  | 0.9 g in 1 PACKET; Type 0: Not a Combination Product |                             |                           |

**Marketing Information**

| <b>Marketing Category</b> | <b>Application Number or Monograph Citation</b> | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|---------------------------|---|-----------------------------|---------------------------|
| OTC Monograph Drug        | M004  | 07/09/2013                  |                           |

**Labeler** - Kenvue Brands LLC (118772437)

Revised: 11/2024

Kenvue Brands LLC