

**TUSSIN COUGH AND CHEST CONGESTION DM ADULT- dextromethorphan hbr,  
guaifenesin liquid  
Harris Teeter, LLC**

-----

**Drug Facts**

**Active ingredients (in each 10 mL)**

Dextromethorphan HBr 20 mg

Guaifenesin 200 mg

**Purposes**

Cough suppressant

Expectorant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

**Stop use and ask a doctor if**

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

1222) right away.

### **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with the dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL= milliliter
- this adult product is not intended for use in children under 12 years of age
- adults and children 12 years and over: 10 mL every 4 hours
- children under 12 years: do not use

### **Other information**

- store between 20-25°C(68-77°F). Do not refrigerate

### **Inactive ingredients**

anhydrous citric acid, FD&C red 40, flavor, glucose, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

### **Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

### **Principal Display Panel**

\*Compare To The Active Ingredients in Pobitussin® Peak Cold Cough-+Chest Congestion DM

#### **Adult**

#### **Tussin Cough & Chest Congestion DM**

DEXTROMETHORPHAN HBr 20 mg Cough Suppressant

GUAIFENESIN 200 mg Expectorant

COUGH SUPPRESSANT

EXPECTORANT

Relieves:

- Cough
- Mucus

For ages 12 years and over

Non-drowsy

Alcohol-free

FL OZ (mL)

## Dosage Cup Included

\*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributors of Robitussin® Peak Cold Cough + Chest Congestion DM.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

DISTRIBUTED BY:

HARRIS TEETER, LLC

MATTHEWS, NC 28105

## Package Label

\*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributor of Robitussin® Peak Cold Cough+ Chest Congestion DM.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

**PARENTS:**  
Learn about teen medicine abuse  
www.StopMedicineAbuse.org

**PROUDLY DISTRIBUTED BY:**  
HARRIS TEETER, LLC  
MATTHEWS, NC 28105

**your<sup>plus</sup>guarantee.**  
If you are not 100% satisfied with this product,  
simply return it with your VIC card for a full refund.  
Plus we will replace it with a like item of your choice.  
For full details: 1-800-432-6111 or harrisiteeter.com.

\*Compare to the active ingredients in Robitussin® Peak Cold Cough+ Chest Congestion DM



**Adult  
Tussin Cough & Chest  
Congestion DM**


**Dextromethorphan HBr 20 mg  
Cough suppressant  
Guaifenesin 200 mg  
Expectorant**

**COUGH SUPPRESSANT  
EXPECTORANT**

**Relieves:**

- Cough
- Mucus

For ages 12 years and over  
Non-drowsy  
Alcohol-free



Dosage Cup Included

**8 fl.oz (237 mL)**

\*Compare to the active ingredients in Robitussin® Peak Cold Cough+ Chest Congestion DM



**Adult  
Tussin Cough & Chest  
Congestion DM**

**Dextromethorphan HBr 20 mg  
Cough suppressant  
Guaifenesin 200 mg  
Expectorant**

**COUGH SUPPRESSANT  
EXPECTORANT**

**Relieves:**

- Cough
- Mucus

For ages 12 years and over  
Non-drowsy  
Alcohol-free



Dosage Cup Included

**8 fl.oz (237 mL)**

**Drug Facts**

Active ingredients (in each 10 mL)	Purposes
Dextromethorphan HBr 20 mg	Cough suppressant
Guaifenesin 200 mg	Expectorant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

**Stop use and ask a doctor if** cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**  
In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age
- adults and children 12 years and over: 10 mL every 4 hours
- children under 12 years: do not use

**Other information**

- store between 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients** citric acid, FD&C red #40, flavor, glucose, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

**Questions or comments?**  
Call 1-877-753-3835 Monday-Friday 9AM-5PM EST



0 72036 73623 9

PLD-A325C FD007726

Lot No.:  
Exp. Date:

**HARRIS TEETER Adult Tussin Cough & Chest Congestion DM**

# TUSSIN COUGH AND CHEST CONGESTION DM ADULT

dextromethorphan hbr, guaifenesin liquid

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69256-385
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>DEXTROSE</b> (UNII: IY9XDZ35W2)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69256-385-08	1 in 1 BOX	04/30/2021	
1		237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/30/2021	

**Labeler** - Harris Teeter, LLC (048463103)

