

VIVIER SHEER SPF 30 MINERAL TINTED- titanium dioxide, zinc oxide lotion
Vivier Pharma, Inc.

Vivier Sheer SPF 30 Mineral Tinted

Product Facts

Active ingredients (w/w)

Titanium Dioxide 10% Zinc Oxide 8%

Purpose

Sun Protectant

Uses

• Helps prevent sunburn and provides a sun protection factor of 30. • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

on broken skin.

When using this product

void contact with eyes. If contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, call a poison control centre or get medical help right away.

Directions

Adults and children over 6 months of age: • Apply daily to face, neck and chest. • Apply liberally and evenly 15 minutes before sun exposure. • Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating. • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF

value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. ; and • wear long-sleeved shirts, pants, hats, and sunglasses. • Ideal for daily use.

Other information

Store at room temperature (15-30°C / 59-86°F).

Non-medicinal ingredients

Alumina, Ammonium Acryloyldimethyltaurate/VP Copolymer, Bis-PEG/PPG-16/16 PEG/PPG-16/16 Dimethicone, Butylparaben, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetareth-20, Cetearyl Alcohol, Cetyl Dimethicone, Citrus Aurantium Dulcis (Orange) Peel Extract, Citrus Limon (Lemon) Peel Extract, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dipropylene Glycol Dibenzate, DL-alpha Tocopheryl Acetate, Ethylparaben, Glycerin, Glyceryl Stearate, Green Tea Extract, Iron Oxides CI 77491, Iron Oxides CI 77492, Iron Oxides CI 77499, Isopropyl Titanium Triisostearate, Methylparaben, Phenoxyethanol, Phytic Acid, Polyhydroxystearic Acid, Polysorbate 20, PPG-15 Stearyl Ether Benzoate, Propylene Glycol, Propylparaben, Pyrus Malus (Apple) Fruit Extract, Saccharum Officinarum (Sugar cane) Extract, Sodium Ascorbyl Phosphate, Sodium Hydroxide, t-Butyl Alcohol, Triethoxycaprylylsilane, VP/Eicosene Copolymer, Water/Eau, Xanthan Gum.

Questions?

1 877 484 8437

Package Labeling:

Product Facts (continued) / Informations sur le produit (suite)

Non-medicinal ingredients / Ingrédients non-médicinaux
 Alumina, Ammonium Acryloyldimethyltaurate/VP Copolymer, Bis-PEG/PPG-16/16 PEG/PPG-16/16 Dimethicone, Butylparaben, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetareth-20, Cetearyl Alcohol, Cetyl Dimethicone, Citrus Aurantium Dulcis (Orange) Peel Extract, Citrus Limon (Lemon) Peel Extract, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dipropylene Glycol Dibenzate, DL-alpha Tocopheryl Acetate, Ethylparaben, Glycerin, Glyceryl Stearate, Green Tea Extract, Iron Oxides CI 77491, Iron Oxides CI 77492, Iron Oxides CI 77499, Isopropyl Titanium Triisostearate, Methylparaben, Phenoxyethanol, Phytic Acid, Polyhydroxystearic Acid, Polysorbate 20, PPG-15 Stearyl Ether Benzoate, Propylene Glycol, Propylparaben, Pyrus Malus (Apple) Fruit Extract, Saccharum Officinarum (Sugar cane) Extract, Sodium Ascorbyl Phosphate, Sodium Hydroxide, t-Butyl Alcohol, Triethoxycaprylylsilane, VP/Eicosene Copolymer, Water/Eau, Xanthan Gum.

Product Facts

Medicinal ingredients	Purpose
Titanium Dioxide 10%	Sunscreen
Zinc Oxide 8%	

Uses • Helps prevent sunburn • Sun Protection Factor 30 • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
 Do not use on broken skin.

When using this product avoid contact with eyes. If contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if rash occurs.

NPN 80107857 | NDC 67226-2851-0

VIVIER®

Informations sur le produit

Ingrédients médicinaux	Utilité
Dioxyde de Titane 10 %	Écran solaire
Oxyde de Zinc 8 %	

Usages • Aide à prévenir les coups de soleil
 • Facteur de protection solaire 30 • Si le produit est utilisé selon les instructions et avec d'autres mesures de protection contre le soleil (voir le Mode d'emploi), le risque de cancer de la peau et de vieillissement prématuré de la peau causé par le soleil est réduit.

Mises en garde
Pour usage externe seulement.
 Ne pas utiliser sur une peau éraflée.
 Lorsque vous utilisez ce produit évitez tout contact avec les yeux. Évitez tout contact avec les yeux. Évitez tout contact avec les yeux.

ester benzoate, Propylene Glycol, Propylparaben, Pyrus Malus (Apple) Fruit Extract, Saccharum Officinarium (Sugar Cane) Extract, Sodium Ascorbyl Phosphate, Sodium Hydroxide, t-Butyl Alcohol, Triethoxycaprylylsilane, VP/Eicosene Copolymer, Water/Eau, Xanthan Gum.

Questions ? 1 877 484 8437

THE BEAUTY OF RESULTS®
LA BEAUTÉ DES RÉSULTATS

Keep out of reach of children.

If swallowed, call a poison control centre or get medical help right away.

Directions Adults and children over 6 months of age: • Apply daily to face, neck and chest. • Apply liberally and evenly 15 minutes before sun exposure. • Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating. • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m.; and • wear long-sleeved shirts, pants, hats, and sunglasses. • Ideal for daily use.

Other information

Store at room temperature (15-30°C / 59-86°F). ▶

SHEER
SPF | FPS

30

MINERAL TINTED
BROAD SPECTRUM UVA/UVB
SUNSCREEN WITH ANTIOXIDANTS

MINÉRAL TEINTÉ
ÉCRAN SOLAIRE À LARGE
SPECTRE UVA/UVB AVEC
ANTIOXYDANTS

ATTENTION: Éviter de l'ingérer. En cas d'ingestion, appeler immédiatement un centre antipoison ou obtenir une assistance médicale.

Cessez d'utiliser et consultez un médecin si une éruption cutanée se développe.

Garder hors de la portée des enfants.

En cas d'ingestion, appeler immédiatement un centre antipoison ou obtenir une assistance médicale.

Mode d'emploi Adultes et enfants de plus de 6 mois: • Appliquer quotidiennement au visage, cou et décolleté. • Appliquer abondamment et uniformément 15 minutes avant l'exposition au soleil. • Appliquer de nouveau au moins toutes les 2 heures. • Utiliser un écran solaire résistant à l'eau lors d'une activité aquatique ou s'il y a transpiration. • Mesures de protection contre le soleil: Passer du temps au soleil augmente le risque de cancer de la peau et du vieillissement prématuré de la peau. Afin de diminuer ce risque, il convient d'utiliser régulièrement un écran solaire avec un F.P.S. à large spectre d'au moins 15 et d'appliquer d'autres mesures de protection contre le soleil, telles que: • limiter le temps passé au soleil, notamment entre 10h - 14h; et • porter des chemises à manches longues, des pantalons, un chapeau et des lunettes de soleil. • Idéal pour utilisation quotidienne.

Autre renseignement Conserver à la température ambiante (15-30 °C / 59-86 °F). ▶

FSC
logo
FPO



Vivier Canada Inc. | Manufactured for Vivier Pharma
Vaudreuil-Dorion QC Canada J7V 5V5
Champlain NY USA 12919
vivierskin.com

Made in Canada
© Vivier Canada Inc. - used under license
07-8169-02-02



60 ml | 2 fl oz



6 96163 80069 6

FRONT PANEL

BACK PANEL

<p>Lot XXXXX</p> <p style="color: blue;">UNPRINTABLE AREA (12mm)</p> <p>NPN 80107857 NDC 67226-xxxx-x</p> <p style="text-align: center;">SHEER SPF FPS 30</p> <p style="text-align: center;">MINERAL TINTED BROAD SPECTRUM UVA/UVB SUNSCREEN WITH ANTIOXIDANTS</p> <hr style="width: 20%; margin: 0 auto;"/> <p style="text-align: center;">MINÉRAL TEINTÉ ÉCRAN SOLAIRE À LARGE SPECTRE UVA/UVB AVEC ANTIOXYDANTS</p> <p style="text-align: center; font-size: 1.2em;">60 ml 2 fl oz</p>	<p>EXP YYYY-MM</p> <p>Directions Adults and children over 6 months of age: Apply daily to face, neck and chest. Apply liberally and evenly before 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m.-2 p.m.; and wear long-sleeved shirts, pants, hats and sunglasses. Store at room temperature (15-30°C / 59-86°F).</p> <p>Warnings For external use only. Do not use on broken skin. When using this product avoid contact with eyes. If contact occurs, rinse thoroughly with water. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, call a poison control centre or get medical help right away. This unit is packaged in an outer container. Please see outer container for complete product facts information.</p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p>Medicinal ingredients / Ingrédients médicinaux Titanium Dioxide 10% / Dioxyde de Titane 10 % Zinc Oxide 8% / Oxyde de Zinc 8 %</p> </div> <p style="text-align: center;"> VIVIER®</p> <p style="font-size: 0.8em;">Vivier Canada Inc. Mfd. for Vivier Pharma Vaudreuil-Dorion QC Canada J7V 5V5 Champlain NY USA 12919 vivierskin.com</p>
--	---

VIVIER SHEER SPF 30 MINERAL TINTED
titanium dioxide, zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67226-2851
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	100 mg in 1 mL	

ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	80 mg in 1 mL
--	-------------	---------------

Inactive Ingredients

Ingredient Name	Strength
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER (UNII: W59H9296ZG)	
BIS-PEG/PPG-16/16 PEG/PPG-16/16 DIMETHICONE (UNII: 55A74AJ3KB)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
ORANGE PEEL (UNII: TI9T76XD44)	
LEMON PEEL (UNII: 72O054U628)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 6OA5ZDY41O)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
ETHYLPARABEN (UNII: 14255EXE39)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FYTIC ACID (UNII: 7IGF0S7R8I)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
APPLE (UNII: B423VGH5S9)	
SUGARCANE (UNII: 81H2R5AOH3)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67226-2851-0	1 in 1 CARTON	01/05/2023	

1	60 mL in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/05/2023	

Labeler - Vivier Pharma, Inc. (250996550)

Revised: 5/2025

Vivier Pharma, Inc.