

**ALTACHLORE SODIUM CHLORIDE HYPERTONICITY OPHTHALMIC 5 PERCENT-
sodium chloride ointment
Altaire Pharmaceuticals Inc.**

Altachlore Sodium Chloride Hypertonicity Ophthalmic Ointment 5 Percent

Drug Facts

Active ingredient

Sodium Chloride, 50 mg (5%)

Purpose

Hypertonicity Agent

Use

- For the temporary relief of corneal edema.

Warnings

- **For use in the eyes only.**
- Retain carton for full product drug facts.

Do not use

this product except under the advice and supervision of a doctor.

When using this product

- avoid contamination, do not touch tip of container to any surface.
- replace cap after each use.
- this product may cause temporary burning and irritation on being instilled into the eye.

Stop use and ask a doctor if

- you experience eye pain, changes in vision, continued redness or irritation of the eye.
- the condition worsens or persists for more than 72 hours.

KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- pull down lower lid of the affected eye(s), apply a small amount (1/4 inch) to the inside of eyelid and apply every 3-4 hours, or as directed by a doctor.

Other information

- Store at room temperature 15°- 30°C (59°- 86°F).
- Do not freeze.
- Keep tightly closed.
- See crimp of tube or box for lot number and expiration date.

Inactive ingredients

Lanolin Alcohol, Mineral Oil, Water for Injection and White Petrolatum.

Questions or comments?

•1- 800-258-2471

•9 AM-5 PM EST

Monday - Friday

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEALS ON SIDE FLAPS ARE NOT INTACT AND COMPLETELY LEGIBLE.

Mfd. by:

™ ALTAIRE Pharmaceuticals, Inc.

Aquebogue, N.Y. 11931

PRINCIPAL DISPLAY PANEL

Compare to the active ingredient in MURO128®*

ISolutions™

Activeyes®

ALTACHLORE

Sodium Chloride

Hypertonicity

Ophthalmic

Ointment 5%

- FOR TEMPORARY RELIEF OF CORNEAL EDEMA

Sterile

NET WT 3.5g (1/8 OZ)

*This product is not manufactured or distributed by Bausch & Lomb, Inc., owner of the registered trademark MURO128®



ALTACHLORE SODIUM CHLORIDE HYPERTONICITY OPHTHALMIC 5 PERCENT

sodium chloride ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59390-184
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Sodium Chloride (UNII: 451W47IQ8X) (Sodium Cation - UNII:LYR4M0NH37)	Sodium Chloride	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
LANOLIN ALCOHOL (UNII: 884C3FA9HE)	
MINERAL OIL (UNII: T5L8T28FGP)	
WATER (UNII: 059QF0KO0R)	
WHITE PETROLATUM (UNII: B6E5W8RQJ4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59390-184-50	1 in 1 BOX	03/30/2004	
1		3.5 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	03/30/2004	

Labeler - Altaire Pharmaceuticals Inc. (786790378)

Revised: 3/2026

Altaire Pharmaceuticals Inc.