

BOTAO BABY MINERAL SUNSCREEN L- zinc oxide lotion
Peer Pharm Ltd.

Botao Baby Mineral Sunscreen Lotion SPF 50

Drug Facts

Active Ingredients(in each 30 ml)

Zinc Oxide 24.5%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

warnings

- For external use only.

Do not use

- on damaged or broken skin.

When using this product,

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

- if rash or irritation develops and lasts.

Keep out of reach of children.

If swallowed, call a poison control center or get medical help right away.

Directions

shake well before each use

spray liberally and spread evenly by hand 15 minutes before sun exposure

hold 4 to 6 inches from the skin to apply

do not spray directly into face.

Spray on hands then apply to face

do not apply in windy conditions

Use in a well-ventilated area

reapply: after 40 minutes of swimming or sweating

immediately after towel drying

at least every 2 hours

Inactive Ingredients

Water, Coco-Caprylate, Styrene/Acrylates Copolymer, Butane, Isobutane, Propane, Octyldodecyl Citrate Crosspolymer, Cetearyl Oliviate, Sorbitan Oliviate, Caprylyl Glycol, Glycerin, Polyhydroxystearic acid, Aloe Barbadensis Leaf Juice, Panthenol, Triethoxycaprylsilane, Cetearyl Alcohol, Tocopherol, Butyrosperum Parkii (Shea) Butter, Silica, Silica Dimethyl Silyate, Xanthan Gum, Caprylhydroxamic Acid, Propanediol, Sodium Phytate, Dipotassium Glycyrrhizate, Chamomilla Recutita, (Matricaria) Flower Extract, Calendula Officianlis Flower Extract, Citric Acid

Other Information

- Store in room temperature
- protect from freezing
- may stain clothing

Package Labeling



חומר נייר לבן למיניציה מט

Drug Facts	Warnings
<p>Active ingredient: Hydrocortisone</p> <p>Other ingredients: Hydrocortisone</p> <p>Use: For relief of itching due to allergic reactions such as hives, eczema, or insect bites.</p> <p>Directions: Apply to the affected area 2-3 times daily.</p> <p>Warnings: Do not use for longer than 2 weeks.</p> <p>Other information: Contains 1% Hydrocortisone.</p>	<p>Do not use: If you have a known allergy to any of the ingredients.</p> <p>Keep out of reach of children. For information on this product, please call 1-800-368-3773.</p>


MANUFACTURED FOR:
DISTRIBUTED BY:
K & Care Organics Ltd.
Manufactured in Israel for Asher
Pharm Ltd., 17 Amal St., Afula, Isr.
Zone, P.O. Box 10000
WWW.BOTAO.COM



<p>הערות עבודה:</p> <p>מרבנות אדומות: אין קוטר מרבנות:</p>	<p>צבעי מודעה: C M Y K</p> <p>Pantone 481 c</p> <p>Pantone 156 c</p>	<p>צבעים מיוחדים: LAYOUT</p>	<p>שם המוצר: K&Care</p> <p>תאריך: 28.2.22</p> <p>מס' ברית: 2333</p> <p>תעודת סי: המודעה: 5</p> <p>מס' המודעה: 20</p> <p>תמונת ברית: 10</p> <p>תמונת ברית: 10</p> <p>תמונת ברית: 10</p>
--	--	------------------------------	--



	הערות עבודה:	צבעי מילוי/מגנטיים:	צבעי מילוי/מגנטיים/השפחות:	סוג דריסת:	K&Care : לחם:
	מדיקות אחרונות: אין קוטב חריבנות:	<ul style="list-style-type: none"> Pantone 431 c Pantone 114 c Pantone 7737 c Pantone 1415 c Pantone 1585 c Pantone 7409 c 	<ul style="list-style-type: none"> LAYOUT 	<ul style="list-style-type: none"> 29.3.22 33372 	<ul style="list-style-type: none"> מירית ברום: 09-8899999 חומר: מקבל ביצוע: תמונת בדיקת דרי: 10קטורי קוטב חריבנות: 09-8899999



- A = 7x3mm standard eye mark, 2mm from open end.
- B = No print area, 10mm standard (2mm minimum) from open end.
- C = Varnish - standard 7mm (2mm minimum) from open end.
- D = 41mm - recommended width for convenient reading.
- E = 1mm bleed for circumferential print. Overlap seam app. 1.5-2mm.
- F = 4mm no print area on the cap side.
- G = Text Limitation = 2mm from each side, 4mm from cap side.
- Text Recommendation = 13mm from open end.
- H = Height of tube.

Red texts are Lageen Tubes' limitations. Customer's limitations depend on their filling and sealing device.

SPECIFICATIONS TO BE FILLED IN BY THE CUSTOMER:

Varnish free area from open end: _____mm
 Print free area from open end: _____mm
 Placement of text from open end: _____mm

- GENERAL GUIDELINES FOR ARTWORK PREPARATIONS**
- Please supply all graphics in Illustrator CC.
 - Please supply a PDF file in addition.
 - Images should be linked in the artwork (not embedded), and submitted as separate hi-res files.
 - All texts should be outlined.
 - Graduated elements should not go below 5-6%.
 - Please avoid gradient fades outwards.
 - Minimum positive text size 8pt (or, small letters like "e, a, o" = 1 mm high and line width 0.1 mm).
 - Minimum negative text size 7-8pt (or, small letters like "e, a, o" = 1.2 mm high and line width 0.2 mm).
 - Please make texts with spot colors @ 100%.
 - Positive line thickness = 0.15 mm.
 - Negative line width = 0.2 mm.
 - Please adhere to unprinted areas in layout.
 - Please keep sealing area noise free.
 - Please specify Pantone colors (try to stick to spot colors). We will recommend otherwise if needed.
 - Minimum barcode size 80%, minimum bar length 10 mm - placed along the tube.
 - Barcode should be black on white surface (sleeve or printed pad).
 - Please feel free to consult with us from the first stages of the project to avoid problems later on.

NOTICE
 Lageen Tubes cannot be held responsible for barcodes that do not conform to ISO/IEC15416 Standards.
 For more information please contact Lageen Tubes.
ISO/IEC 15416 STANDARDS
 MAGNIFICATION: >80%
 TRUNCATION: Min. 10mm
 PLACEMENT: Along the tube.
 CONTRAST: Black code on white pad.
CONFORMING BARCODE



BOTAO BABY MINERAL SUNSCREEN L
zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69435-1504
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	17 g in 66 g	

Inactive Ingredients			
Ingredient Name	Strength		
TOCOPHEROL (UNII: ROZB2556P8)			
CITRIC ACID ISOPROPYL ETHER (UNII: 19776V0481)			

CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)
HEXASODIUM PHYTATE (UNII: ZBX50UG81V)
CALENDULA OFFICINALIS SEED OIL (UNII: 9JS8DS42SV)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SHEA BUTTER (UNII: K49155WL9Y)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
XANTHAN GUM (UNII: TTV12P4NEE)
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)
DIPOTASSIUM GLUCOSE-6-PHOSPHATE (UNII: ZZW95F4360)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
COCO-CAPRYLATE (UNII: 4828G836N6)
SODIUM ACRYLATE/STYRENE SULFONATE COPOLYMER (11000 MW) (UNII: N30934870L)
ISOBUTANE (UNII: BXR49TP611)
WATER (UNII: 059QF0KO0R)
1-(ETHYLTRISULFANYL)PROPANE (UNII: 4SOS6O9G2X)
TRIOCTYLDODECYL CITRATE (UNII: 35X8CT063R)
ACRYLATES CROSSPOLYMER-4 (UNII: GEV2EL4D9G)
CETEARYL OLIVATE (UNII: 58B69Q84JO)
SORBITAN OLIVATE (UNII: MDL271E3GR)
CASTOR OIL (UNII: D5340Y2I9G)
GLYCERIN (UNII: PDC6A3C0OX)
PROPANEDIOL 1-PHOSPHATE (UNII: 48G71659RB)
CHAMOMILE (UNII: FGL3685T2X)
PANTHENOL (UNII: WW9CM0067Z)
ALOE (UNII: V5VD430YW9)
1,4-BUTANEDITHIOL (UNII: 7JD227IUMC)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69435-1504-1	67 g in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product	05/19/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/19/2022	

Labeler - Peer Pharm Ltd. (514678390)

Registrant - Peer Pharm Ltd. (514678390)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Peer Pharm Ltd.

514678390

manufacture(69435-1504)

Revised: 1/2026

Peer Pharm Ltd.