TOPCARE CHILDRENS MUCUS RELIEF MULTI SYMPTOM COLD- dextromethorphan hbr, guaifenesin, phenylephrine hclsolution Topco Associates LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Topco Associates LLC. Children's Mucus Relief Multi-Symptom Cold Drug Facts

Active ingredients (in each 5 mL)

Dextromethorphan HBr 5 mg Guaifenesin 100 mg Phenylephrine HCl 2.5 mg

Purposes

Cough suppressant

Expectorant

Nasal decongestant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help your child get to sleep
- nasal congestion due to a cold
- stuffy nose

Warnings

Do not use

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has

- heart disease
- high blood pressure
- thyroid disease
- diabetes

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

When using this product

do not use more than directed

Stop use and ask a doctor if

- your child gets nervous, dizzy or sleepless
- symptoms do not get better within 7 days or occur with fever
- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- mL = milliliter

Age	Dose
children 6 years to under 12 years	10 mL every 4 hours
children 4 years to under 6 years	5 mL every 4 hours
children under 4 years	do not use

Other information

- each 5 mL contains: sodium 3 mg
- do not use if printed neckband is broken or missing
- store at 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C red #40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

Questions or comments?

1-888-423-0139

Package/Label Principal Display Panel

COMPARE TO CHILDREN'S MUCINEX® MULTI-SYMPTOM COLD ACTIVE INGREDIENTS

children's Multi-Symptom Cold Mucus Relief OUR PHARMACISTS RECOMMEND COUGH SUPPRESSANT – DEXTROMETHORPHAN HBr EXPECTORANT - GUAIFENESIN NASAL DECONGESTANT – PHENYLEPHRINE HCl Controls Cough Relieves Chest Congestion Breaks Up Mucus **Relieves Stuffy Nose** ALCOHOL FREE Ages 4 to 12 Years VERY BERRY FLAVOR 4 FL OZ (118mL)



TOPCARE CHILDRENS MUCUS RELIEF MULTI SYMPTOM COLD

dextromethorphan hbr, guaifenesin, phenylephrine hcl solution

Product Information			
Product T ype	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-839
Route of Administration	ORAL		

Active Ingredient		U		Desis of Char	ngth	Street at
Ingredient Name			Basis of Stre	-	Strengtl	
DEXTROMETHORPHA (DEXTROMETHORPHA				DEXTROMETHORPH HYDROBROMIDE		5 mg in 5 mL
GUAIFENESIN (UNII: 4	III: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)			GUAIEE NESTIN		l00 mg in 5 mL
PHENYLEPHRINE HYI UNII:1WS297W6MV)	JE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - MV)			PHENYLEPHRINE HYDROCHLORIDE		2.5 mg in 5 mL
Inactive Ingredie	nts					
Ingredient Name					Strength	
ANHYDRO US CITRIC	ACID (UN	II: XF417D3PSL)				
EDETATE DISODIUM	(UNII: 7FL	D91C86K)				
FD&C RED NO.40 (U	NII: WZB91	127XOA)				
GLYCERIN (UNII: PDC	6A3C0OX)				
PROPYLENE GLYCO	L (UNII: 61	DC9Q167V3)				
WATER (UNII: 059QF0	KO0R)					
SODIUM BENZOATE	(UNII: OJ2	45FE5EU)				
SODIUM CITRATE (U	NII: 1Q73Q	2JULR)				
SORBITOL (UNII: 506	T60A25R)					
SUCRALOSE (UNII: 96	6K6UQ3ZE	04)				
XANTHAN GUM (UNII	TTV12P4	NEE)				
	• .•					
Product Characte	ristics					
Color		RED (clear)	Score			
Shape	Size					
Flavor	BERRY Imprint Code					
Contains						
Packaging						
# Item Code		Package Description		Marketing Start Date	Marketing	End Dat
1 NDC:36800-839-26	1 in 1 CAF	• •		08/08/2014		
1	118 mL in	118 mL in 1 BOTTLE; Type 0: Not a Combination Product				
	ormati	on				
Marketing Inf	JI IIIU UI					
Marketing Info		ication Number or Ma	nograph Citation	Markating Start Data	Marketing	End Date
Marketing Info Marketing Category OTC monograph final		ication Number or Mo		Marketing Start Date 08/08/2014	Marketing	End Date

Labeler - Topco Associates LLC (006935977)

Revised: 5/2018

Topco Associates LLC