

SEVERE SINUS CONGESTION RELIEF- acetaminophen, dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride capsule, liquid filled FOODHOLD U.S.A., LLC

Severe Sinus Congestion Relief

Active ingredients (in each softgel)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Guaifenesin 200 mg

Phenylephrine HCl 5 mg

Purpose

Pain reliever

Cough suppressant

Expectorant

Nasal decongestant

Uses

- temporarily relieves:
 - nasal congestion
 - headache
 - minor aches and pains
 - sinus congestion and pressure
 - cough
- temporarily promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 12 liquid gels in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- diabetes
- high blood pressure
- thyroid disease
- trouble urinating due to enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

When using this product, do not use more than directed

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning:

Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see Overdose warning)**
- do not take more than 12 liquid gels in any 24-hour period
- adults and children 12 years of age and older: take 2 liquid gels every 4 hours
- children under 12 years of age: do not use

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat

Inactive ingredients

FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol special, and white edible ink

Questions or Comments?

Call: 1-855-215-8180

PRINCIPAL DISPLAY PANEL - Carton Label

CAREONE Severe Sinus Congestion Relief 16 SOFTGELS

NDC 41520-985-14

*Compare to the active ingredients in Mucinex[®] Sinus-Max[®] Severe Congestion Relief

CAREone®

SEVERE SINUS CONGESTION RELIEF

Pain Reliever - Acetaminophen • Cough Suppressant - Dextromethorphan HBr
Expectorant - Guaifenesin • Nasal Decongestant - Phenylephrine HCl

NDC 41520-985-14

CAREone®

Compare to the Active
Ingredients in Mucinex®
Sinus-Max® Severe
Congestion Relief**

THIS PRODUCT IS PACKAGED
IN A CHILD RESISTANT AND
TAMPER EVIDENT PACKAGE.
USE ONLY IF BLISTERS ARE
INTACT

**SEVERE SINUS
CONGESTION RELIEF**

Pain Reliever - Acetaminophen
Cough Suppressant - Dextromethorphan HBr
Expectorant - Guaifenesin
Nasal Decongestant - Phenylephrine HCl

MAXIMUM STRENGTH*
RELIEVES SINUS CONGESTION
THINS & LOSENS MUCUS
RELIEVES HEADACHE
CONTROLS COUGH
NON-DROWSY, FOR AGES 12 +

Actual Size



**16
SOFTGELS**

*Per 4-hour dose
Do not take more than
a total of 12 softgels
in a 24-hour period



PLEASE RECYCLE

PARENTS:

Learn about teen medicine abuse

www.StopMedicineAbuse.org



8-1000
0616



LOT NO.
EXP. DATE

COATING
FREE AREA

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Drug Facts	Purposes	Drug Facts (continued)
<p>Active Ingredients (in each softgel)</p> <p>Acetaminophen 325 mg.....Pain reliever</p> <p>Dextromethorphan HBr 10 mg.....Cough suppressant</p> <p>Guaifenesin 200 mg.....Expectorant</p> <p>Phenylephrine HCl 5 mg.....Nasal decongestant</p>		<p>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin</p> <p>When using this product, do not use more than directed</p> <p>Stop use and ask a doctor if:</p> <ul style="list-style-type: none"> nervousness, dizziness, or sleeplessness occur pain, nasal congestion, or cough gets worse or lasts more than 7 days fever gets worse or lasts more than 3 days redness or swelling is present new symptoms occur cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition. <p>If present at breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children.</p> <p>Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p>
<p>Uses</p> <ul style="list-style-type: none"> temporarily relieves: <ul style="list-style-type: none"> nasal congestion minor aches and pains sinus congestion and pressure temporarily promotes nasal and/or sinus drainage helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive. 		<p>Directions</p> <ul style="list-style-type: none"> do not take more than directed (see Overdose warning) do not take more than 12 liquid gels in any 24-hour period adults and children 12 years of age and older: take 2 liquid gels every 4 hours children under 12 years of age: do not use
<p>Warnings</p> <p>Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:</p> <ul style="list-style-type: none"> more than 12 liquid gels in 24 hours, which is the maximum daily amount with other drugs containing acetaminophen 3 or more alcoholic drinks daily while using this product <p>Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:</p> <ul style="list-style-type: none"> skin redness hives rash <p>If a skin reaction occurs, stop use and seek medical help right away.</p> <p>Do not use</p> <ul style="list-style-type: none"> with any other drug containing acetaminophen (paracetamol or Nalgesa), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. <p>Ask a doctor before use if you have:</p> <ul style="list-style-type: none"> liver disease high blood pressure trouble urinating due to an enlarged prostate gland persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough that occurs with too much phlegm (mucus) heart disease thyroid disease diabetes 		<p>Other information</p> <ul style="list-style-type: none"> store between 20-25°C (68-77°F) avoid excessive heat <p>Inactive ingredients</p> <p>FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol special, and white softgel ink.</p> <p>Questions or Comments? Call: 1-855-215-8180</p> <p>DISTRIBUTED BY FOODHOLD U.S.A., LLC LANDOVER, MD 20785 • 1-877-846-9949 © 2016 S&S Brands, LLC MADE IN CHINA Quality guaranteed or your money back.</p>

*This product is not manufactured or distributed by Healdt Benckiser, owner of the registered trademarks Mucinex® Sinus-Max® Severe Congestion Relief.

AH04-00

SEVERE SINUS CONGESTION RELIEF

acetaminophen, dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41520-985
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

SORBITOL (UNII: 506T60A25R)

WATER (UNII: 059QF0KO0R)

Product Characteristics

Color	orange (Clear)	Score	no score
Shape	CAPSULE (Oblong)	Size	26mm
Flavor		Imprint Code	PC26
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-985-14	2 in 1 CARTON	10/06/2016	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/06/2016	

Labeler - FOODHOLD U.S.A., LLC (809183973)

Establishment

Name	Address	ID/FEI	Business Operations
Humanwell PuraCap Pharmaceuticals (Wuhan) Co., Ltd		421293287	manufacture(41520-985)

Revised: 11/2024

FOODHOLD U.S.A., LLC