

## **DHS TAR GEL- coal tar shampoo**

### **Person and Covey**

-----

## **DHS TAR GEL**

### **Purpose**

Controls symptoms of Psoriasis, Seborrheic Dermatitis and Dandruff.

### **Indications and use**

Helps prevent recurrence of scalp itching and flaking associated with Psoriasis, Seborrheic Dermatitis and Dandruff.

### **Dosage and administration**

Wet hair thoroughly, apply a liberal amount of shampoo and massage into lather. Allow lather to remain on scalp for several minutes. Rinse hair well and repeat application. For best results use at least twice a week or as directed by a physician.

### **OTC - ACTIVE INGREDIENT SECTION**

Coal Tar

### **INACTIVE INGREDIENT SECTION**

Purified Water

Triethanolamine Laurel Sulfite

Cocamidopropyl Hydroxysultaint

Sodium Chloride

PEG-8 Distearate

Hypromellose

Citric Acid

### **Keep out of the reach of children**

Yes. If swallowed, get medical help or contact a Poison Control Center right away.

### **WARNINGS AND PRECAUTIONS SECTION**

For external use only. Ask a physician before use if you have Psoriasis or Seborrheic Dermatitis that covers a large area of the body. Do not get into eyes. If contact occurs,

rinse eyes thoroughly with water. Use caution in exposing skin to sunlight after applying this product. It may increase your tendency to sunburn for up to 24 hours after application. Do not use for prolonged periods without consulting a physician. Do not use this product with other forms of Psoriasis therapy such as ultraviolet radiation or prescription drugs, unless directed to do so by a physician. In rare instances, discoloration of gray, blond tinted or bleached hair may occur. Stop use and ask physician if condition worsens or does not improve after regular use. Store away from excessive heat or cold.

## PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

**DHS**  
**TAR GEL SHAMPOO**  
0.5% COAL TAR

Controls Symptoms of Psoriasis, Seborrheic Dermatitis and Dandruff

**Drug Facts**

<b>Active Ingredient</b> 0.5% Coal Tar	<b>Purpose</b> For the control of Psoriasis, Seborrheic Dermatitis and Dandruff
---	--

**Use** DHS™ Tar Gel Shampoo helps prevent recurrence of scalp itching and flaking associated with Psoriasis, Seborrheic Dermatitis and Dandruff.

**Warnings For external use only**

**Ask a doctor before use if you have**  
■ Psoriasis or Seborrheic Dermatitis that covers a large area of the body.

**When using this product**

- Do not get into eyes. If contact occurs, rinse eyes thoroughly with water.
- Use caution in exposing skin to sunlight after applying this product. It may increase your tendency to sunburn for up to 24 hours after application.
- Do not use for prolonged periods without consulting a doctor.
- Do not use this product with other forms of Psoriasis therapy such as ultraviolet radiation or prescription drugs unless directed to do so by a doctor.
- In rare instances, discoloration of gray, blonde, tinted or bleached hair may occur.

**Stop use and ask a doctor if**  
■ Condition worsens or does not improve after regular use.

**Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Wet hair thoroughly, apply a liberal amount of DHS Tar Gel Shampoo and massage into lather. Allow lather to remain on scalp for several minutes, Rinse hair well and repeat application. ■ For best results use at least twice a week or as directed by a doctor.

**Other Information** ■ Store away from excessive heat or cold.

**Inactive Ingredients** Water (Aqua), Sodium Laureth Sulfate, Cocamidopropyl Hydroxysulfate, PEG-8 Distearate, Sodium Chloride, Hydroxypropyl Methylcellulose, Fragrance, Citric Acid.

**Questions? Please call 1 (800) 423-2341.**

Light Fragrance Pleasant to Use and Gentle to Your Hair

**PERSON & COVEY**  
EST. 1941  
8 FL OZ (240mL)

LEARN MORE ABOUT US

00960 73608 8

Person & Covey, Inc. Glendale, California 91201, U.S.A. 8T MADE IN USA personandcovey.com

## DHS TAR GEL

coal tar shampoo

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0096-0736
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
COAL TAR (UNII: R533ES02EC) (COAL TAR - UNII:R533ES02EC)	COAL TAR	0.005 g in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>TRIETHANOLAMINE LAURYL SULFATE</b> (UNII: E8458C1KAA)	
<b>COCAMIDOPROPYL HYDROXYSULTAINE</b> (UNII: 62V75NI93W)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>PEG-8 DISTEARATE</b> (UNII: 7JNC8VN07M)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>HYPROMELLOSE 2910 (4000 MPA.S)</b> (UNII: RN3152OP35)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0096-0736-08	249.6 g in 1 BOTTLE; Type 0: Not a Combination Product	06/01/1996	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M032	06/01/1996	

**Labeler** - Person and Covey (008482473)

## Establishment

Name	Address	ID/FEI	Business Operations
Person and Covey		008482473	manufacture(0096-0736)

Revised: 11/2025

Person and Covey