

EXTRA STRENGTH PAIN RELIEF- acetaminophen suspension
Preferred Pharmaceuticals Inc.

GC ES apap liquid

Active ingredient (in each 15mL Tablespoonful)

Acetaminophen 500 mg

Purpose

Pain reliever/Fever reducer

Uses

- temporarily relieves minor aches and pains
- temporarily reduces fever

Warnings

Liver Warning: This product contains acetaminophen. The maximum daily dose of this product is 6 tablespoonfuls in 24 hours.

Severe liver damage may occur if you take

- more than 8 tablespoonfuls (4,000 mg of acetaminophen) in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions.

Symptoms may include: • skin reddening • blisters • rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

When using this product: Do not exceed recommended dose.

Stop use and ask a doctor if

- new symptoms occur

- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults/children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed

Adults and children 12 years of age and older	Take 1-2 Tablespoons every 4 to 6 hours as needed; not more than 6 Tablespoons in 24 hours
Children under 12 years	Do not use

Other information

- store at room temperature 15° - 30°C (59°-86°F)
- protect from freezing
- protect from light
- TAMPER-EVIDENT: Do not use if foil seal over bottle opening is torn, broken or missing.

Inactive ingredients

artificial and natural cherry flavor, citric acid, FD&C Red #40, methylparaben, polyethylene glycol, propylene glycol, propylparaben, purified water, sodium citrate, sucralose

Questions or comments?

1-800-540-3765

Relabeled By: Preferred Pharmaceuticals Inc.

PRINCIPAL DISPLAY PANEL

Extra Strength
APAP Liquid

500mg per 15mL

Generic for Tylenol Liquid

In each 15mL: Acetaminophen 500mg...pain
reliever/fever reducer

Pkg Size: Exp Date:

Lot#:

Batch#:


Ins:

Mfg: Geri-Care Pharmaceutical Corp


Prod#:

Warning

SEE NEW DOSING INFORMATION. This product
contains acetaminophen. Severe liver damage may occur
if you take: more than 4,000mg in 24 hours; with other
drugs containing acetaminophen. Do not use with any
other product drug containing acetaminophen (prescrip-
tion or nonprescription); if the user is allergic to
acetaminophen or any of the inactive ingredients in this
product. See bottle for complete list of drug facts and
warnings. Keep out of reach of children. Alcohol Free.
Aspirin Flavor, Cherry Flavor. Store at room temperature
15°-30°C (59°-86°F). Protect from light. Protect from
freezing.



Directions English
Take ____ teaspoonful(s)
) every ____ hours.



Instrucciones Espanol:
Toma ____ cucharita(s)
) cada ____ horas

CAUTION: Federal law PROHIBITS transfer of
this drug to any person other than the patient for
whom it was prescribed

Extra Strength APAP Liquid
500mg per 15mL
Qty: Ins:
Lot#: Bat#:
Prod# (NDC):

Extra Strength APAP Liquid
500mg per 15mL
Qty: Ins:
Lot#: Bat#:
Prod# (NDC):

Extra Strength APAP Liquid
500mg per 15mL
Qty: Ins:
Insurance NDC:
Lot#: Bat#:

Extra Strength APAP Liquid
500mg per 15mL
Qty: Ins:
Lot#: Bat#:
Prod# (NDC):

Log

Chart

Billing

Patient

EXTRA STRENGTH PAIN RELIEF

acetaminophen suspension

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68788-8375(NDC:57896-206)
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	500 mg in 15 mL
Inactive Ingredients			
Ingredient Name			Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
METHYLPARABEN (UNII: A2I8C7HI9T)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
PROPYLPARABEN (UNII: Z8IX2SC1OH)			
WATER (UNII: 059QF0KO0R)			
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)			
Product Characteristics			
Color	red	Score	
Shape		Size	
Flavor		Imprint Code	

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-8375-2	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/24/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	343	02/24/2023	

Labeler - Preferred Pharmaceuticals Inc. (791119022)**Registrant** - Preferred Pharmaceuticals Inc. (791119022)**Establishment**

Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals Inc.		791119022	RELABEL(68788-8375)

Revised: 5/2025

Preferred Pharmaceuticals Inc.