

MEDERMA PM- dimethicone cream
Merz Pharmaceuticals, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Mederma® PM

Drug Facts

Active Ingredients

Dimethicone 2%

Purpose

Skin Protectant

Use

- Temporarily protects and helps relieve chapped or cracked skin

Warnings

For external use only

When using this product

- do not get into eyes

Stop use and ask a doctor if

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days

Do not use on

- deep or puncture wounds
- animal bites
- serious burns

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply as needed.

Other Information

Store at room temperature.

Inactive Ingredients

Water, Cetearyl Alcohol, Glycerin, C12-15 Alkyl Benzoate, Dicaprylyl Carbonate, Pentylene Glycol, Cyclomethicone, Arachidyl Alcohol, Alcohol, Behenyl Alcohol, Arachidyl Glucoside, Allium Cepae (Onion) Bulb Extract, Copper Tripeptide-1, Aloe Barbadensis Leaf, Cetearyl Glucoside, Tocopherol Acetate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Hydroxyethylcellulose, Hydrolyzed Soy Protein, Glycine, Panthenol, Hydrolyzed Collagen, PEG-400, Arginine HCL, Leucine, Lysine Hydrochloride, Alanine, Sodium Lactate, Aspartic Acid, Glucose, Glutamic Acid, Isopropyl Alcohol, Mannitol, Sorbitol, Tromethamine, Valine, Histidine Hydrochloride, Isoleucine, Phenylalanine, Tyrosine, Potassium Sorbate, Sodium Benzoate, Citric Acid, Sodium Hydroxide, Fragrance.

Questions or Comments?

For more information call 1-888-925-8989 or visit www.mederma.com

PRINCIPAL DISPLAY PANEL - 48 g Jar Carton

SKIN CARE FOR SCARS™

MEDERMA® PM

INTENSIVE OVERNIGHT SCAR CREAM

Formulated to work with your skin's
nighttime regenerative activity

Net Wt. 1.7 oz. (48g)

SKIN CARE FOR SCARS™
MEDERMA PM
INTENSIVE OVERNIGHT SCAR CREAM

#1 DOCTOR & PHARMACIST
RECOMMENDED BRAND FOR SCARS

SKIN CARE FOR SCARS™
MEDERMA PM
INTENSIVE OVERNIGHT SCAR CREAM

Formulated to work with your skin's
nighttime regenerative activity

Net Wt. 1.7 oz. (48g)



**Hidden Text
Area**

Mederma® PM Intensive Overnight Scar Cream is clinically shown to improve the color, size, texture, and overall appearance of scars, helping them appear softer, smoother, smaller, and less visible.

8 WEEKS | **3-6 MONTHS**
ON NEW SCARS | ON EXISTING SCARS

ACTUAL PHOTOS*

BEFORE **AFTER**



*Results after using Mederma® PM Intensive Overnight Scar Cream for 8 weeks.

Sign up for calendar, email,
or text reminders at
mederma.com/reminder

Glue

Glue

SKIN CARE FOR SCARS™
MEDERMA^{PM}
 INTENSIVE OVERNIGHT SCAR CREAM

Clinically shown to reduce the appearance of scars from:
 INJURY | SURGERY | BURNS | ACNE

Apply evenly and gently rub into the scar once nightly for 8 weeks on new scars, and once nightly for 3-6 months on existing scars. Apply Mederma^{PM} as soon as your wound has closed.

Drug Facts	
Active Ingredients	Purpose
Dimethicone 2%	Skin Protectant
Use • Temporarily protects and helps relieve chapped or cracked skin	
Warnings For external use only	
When using this product • do not get into eyes	
Stop use and ask a doctor if • condition worsens • symptoms last more than 7 days or clear up and occur again within a few days	
Do not use on • deep or puncture wounds • animal bites • serious burns	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Apply as needed.	
Other information Store at room temperature.	
Inactive Ingredients Water, Cetearyl Alcohol, Glycerin, C12-15 Alkyl Benzoate, Dicaprylyl Carbonate, Pentylene Glycol, Cyclomethicone, Arachidyl Alcohol, Alcohol, Behenyl Alcohol, Arachidyl Glucoside, Allium Cepae (Onion) Bulb Extract, Bis (Tripeptide-1) Copper Acetate, Aloe Barbadosis Leaf, Cetearyl Glucoside, Tocopherol Acetate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Hydroxyethylcellulose, Hydrolyzed Soy Protein, Glycine, Panthenol, Hydrolyzed Collagen, PEG-400, Arginine HCL, Leucine, Lysine Hydrochloride, Alanine, Sodium Lactate, Aspartic Acid, Glucose, Glutamic Acid, Isopropyl Alcohol, Mannitol, Sorbitol, Tromethamine, Valine, Histidine Hydrochloride, Isoleucine, Phenylalanine, Tyrosine, Potassium Sorbate, Sodium Benzoate, Citric Acid, Sodium Hydroxide, Fragrance.	
Questions or Comments? For more information call 1-888-925-8869 or visit www.mederma.com	

Paraben Free

MEDERMA^{PM}

During sleep our bodies work harder to reverse the skin damage caused during the day, repairing and regenerating skin cells at a faster rate. Mederma^{PM} Intensive Overnight Scar Cream is formulated to complement this activity with **Tripeptol™**, a skin nourishing complex with peptides, collagen, and antioxidants to promote healthy looking skin.

Plus, the non-greasy formula is safe for sensitive skin.

GUARANTEED RESULTS OR YOUR MONEY BACK


Formulated with **CEPALIN[®]** and **Tripeptol™**

Manufactured for Merz North America, Inc.
 Raleigh, NC 27615
 Made in Germany Patent Pending
 ©2015 Merz North America, Inc.



Hidden Text
 REY-0415
 5012038
 Checkpoint NDF

Reduces the appearance of
 OLD & NEW **SCARS** ON THE
 FACE & BODY **WHILE YOU SLEEP**



MEDERMA PM

dimethicone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0259-2202
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Dimethicone (UNII: 92RU3N3Y1O) (Dimethicone - UNII:92RU3N3Y1O)	Dimethicone	20 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
Onion (UNII: 492225Q21H)	
Cetostearyl Alcohol (UNII: 2DMT128M1S)	
Glycerin (UNII: PDC6A3C0OX)	
Dicaprylyl Carbonate (UNII: 609A3V1SUA)	
Alkyl (C12-15) Benzoate (UNII: A9EJ3J61HQ)	
Pentylene Glycol (UNII: 50C1307PZG)	
Cyclomethicone (UNII: NMQ347994Z)	
Arachidyl alcohol (UNII: 1QR1QRA9BU)	
Alcohol (UNII: 3K9958V90M)	
Docosanol (UNII: 9G1OE216XY)	
Arachidyl glucoside (UNII: 6JVW35JOOJ)	
Cetearyl Glucoside (UNII: 09FUA47KNA)	
.Alpha.-Tocopherol Acetate (UNII: 9E8X80D2L0)	

Hydroxyethyl acrylate/Sodium acryloyldimethyl Taurate Copolymer (100000 MPA.S AT 1.5%) (UNII: 86FQE96TZ4)
Hydroxyethyl Cellulose (2000 MPA.S AT 1%) (UNII: S38J6RZN16)
Sodium Hydroxide (UNII: 55X04QC32I)
Aloe Vera Leaf (UNII: ZY81Z83H0X)
Glycine (UNII: TE7660XO1C)
Panthenol (UNII: WW9CM0067Z)
Bovine Type I Collagen (UNII: FHJ3ATL51C)
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)
Potassium Sorbate (UNII: 1VPU26JZZ4)
Sodium Benzoate (UNII: OJ245FE5EU)
Citric Acid Monohydrate (UNII: 2968PHW8QP)
Arginine Hydrochloride (UNII: F7LTH1E20Y)
Leucine (UNII: GMW67QNF9C)
Lysine Hydrochloride (UNII: JNJ23Q2COM)
Alanine (UNII: OF5P57N2ZX)
Sodium Lactate (UNII: TU7HW0W0QT)
Aspartic Acid (UNII: 30KYC7MIAI)
Dextrose, unspecified form (UNII: IY9XDZ35W2)
Glutamic Acid (UNII: 3KX376GY7L)
Isopropyl Alcohol (UNII: ND2M416302)
Mannitol (UNII: 3OWL53L36A)
Sorbitol (UNII: 506T60A25R)
Tromethamine (UNII: 023C2WHX2V)
Valine (UNII: HG18B9YRS7)
Prezotide Copper (UNII: 6BJQ43T1I9)
Soy Protein (UNII: R44IWB3RN5)
Histidine Monohydrochloride (UNII: 1D5Q932XM6)
Isoleucine (UNII: 04Y7590D77)
Phenylalanine (UNII: 47E5O17Y3R)
Tyrosine (UNII: 42HK56048U)

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0259-2202-28	1 in 1 BOX	11/01/2013	07/31/2024
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0259-2202-48	1 in 1 BOX	11/01/2013	04/30/2023
2		48 g in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part347	11/01/2013	07/31/2024

Labeler - Merz Pharmaceuticals, LLC (126209282)

Revised: 2/2022

Merz Pharmaceuticals, LLC