

PREMIER SOLUTIONS LIQUID BANDAGE- benzethonium chloride dyclonine hydrochloride liquid
Premier Brands of America, Inc.

Premier Solutions Liquid Bandage

Active ingredients

Benzethonium chloride 0.2%
Dyclonine hydrochloride 0.75%

Purpose

First aid antiseptic
Topical analgesic

Uses

- first aid to prevent bacteria contamination in minor cuts and scrapes

Warnings

For external use only.

Flammable:

do not use while smoking or near heat or flame.

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor
- on infected areas or wounds that are draining
- with other first aid products such as lotions and creams
- over sutures
- on mucous membranes

Ask a doctor before use if you have

- deep puncture wounds
- deep cuts
- animal bites
- serious burns

When using this product

Avoid contact with eyes

Stop use and ask a doctor if

- conditions persists or gets worse
- infection occurs
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Directions

- For adults and children 2 years of age and older
- Clean affected area
- apply a small amount on the area 1-3 times daily let dry
- a second coating may be applied for extra protection
- children under 2 years of age: consult a doctor

Other information

- cap bottle tightly
- store between 20C to 25C (68F to 77F)
- may temporarily sting upon application
- to remove, apply more Liquid Bandage and quickly wipe off

Inactive ingredients

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Questions

Call 1-866-964-0939

Principal Display Panel

antiseptic

liquid

bandage

helps prevent infection

for small cuts and wounds

invisible, flexible, waterproof, easy to use

NET WT 0.3 FL OZ (9 mL)

premier solutions™

LIQUID BANDAGE

TOPICAL ANALGESIC & ANTISEPTIC
SEALS TO PROTECT

0.3 FL OZ (9 mL)

USE LIQUID BANDAGE FOR:

Blisters, chapped & cracked fingertips, hangnails, paper cuts, shaving nicks & help in preventing the formation of calluses.

GREAT FOR:

Athletes, active lifestyles, outdoor sportsmen & musicians.

53-033PS

premier solutions™

FOR SMALL CUTS & WOUNDS

- + Prevents infection
- + Water-resistant
- + Invisible & flexible
- + Built-in applicator brush

NO VARNISH AREA
(WHITE ONLY)

©2022 Premier Brands of America Inc. All rights reserved.
Premier Solutions is a trademark of Premier Brands of America Inc.

DISTRIBUTED BY:
Premier Brands of America Inc.
White Plains, NY 10601
QUESTIONS? CALL 1-866-964-0939
MADE IN USA WITH U.S.
AND IMPORTED PARTS



0 34197 00538 8

DO NOT USE IF NECKBAND IS BROKEN

Drug Facts
Benzethonium chloride 0.2%,
Dyclonine hydrochloride 0.75%,
Topical analgesic
First aid antiseptic

Purpose
First aid antiseptic
Topical analgesic

Uses
First aid to prevent bacterial contamination in minor cuts, scrapes and burns
for the temporary relief of pain

Warnings
For external use only.
Flammable: Keep away from fire or flame.
Do not use in the eye over large areas of the body
longer than 1 week unless directed by a doctor
Ask a doctor before use if you have deep or puncture wounds deep cuts
animal bites serious burns
When using this product avoid contact with eyes
Stop use and ask a doctor if condition persists or gets worse infection occurs
symptoms persist for more than 7 days or clear up and occur again within a few days
Keep out of reach of children. If swallowed, get medical help or call a Poison
Control Center right away.

Directions for adults and children 2 years of age and older clean affected area
apply a small amount on the area 1 to 3 times daily and let dry a second coating
may be applied for extra protection children under 2 years of age: consult a doctor
Other information cap bottle tightly store between 20° to 25°C (68° to 77°F) may temporarily sting upon application to remove, apply more
Liquid Bandage and quickly wipe off

Inactive ingredients acetone, amyl acetate, castor oil, ethyl acetate,
nitrocellulose, SD alcohol 40

Questions? Call 1-866-964-0939

Care
Do not allow to come into contact with fabrics, floors, countertops or other surfaces - will stain.
Wipe top of bottle clean after each use.

PREMIER SOLUTIONS LIQUID BANDAGE

benzethonium chloride dyclonine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56104-246
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.2 mg in 10 mL
DYCLONINE HYDROCHLORIDE (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q300)	DYCLONINE HYDROCHLORIDE	0.75 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ACETONE (UNII: 1364PS73AF)	
AMYL ACETATE (UNII: 92Q24NH7AS)	
CASTOR OIL (UNII: D5340Y2I9G)	
ETHYL ACETATE (UNII: 76845O8NMZ)	
PYROXYLIN (UNII: KYR8BR2X6O)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56104-246-01	10 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	06/16/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	06/16/2022	

Labeler - Premier Brands of America, Inc. (063849780)