

ACETAMINOPHEN- acetaminophen solution

Major Pharmaceuticals

Major 44-045

Active ingredient (in each 30 mL)

Acetaminophen 1,000 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - muscular aches
 - backache
 - minor pain from arthritis
 - toothache
 - the common cold
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms appear

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over
 - take 30 mL every 6 hours while symptoms last
 - do not take more than 90 mL in 24 hours, unless directed by a doctor
 - do not take for more than 10 days unless directed by a doctor
- children under 12 years: do not use

Other information

- **each 30 mL contains:** sodium 11 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

anhydrous citric acid, flavor, glycerin, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sodium saccharin, sucralose

Questions or comments?

1-800-426-9391

Principal display panel

MAJOR®

NDC 0904-7481-59

extra strength
acetaminophen liquid

acetaminophen

1,000 mg per 30 mL

pain reliever/fever reducer

cherry flavored

- dye free
- contains no aspirin

ages 12 years and over

Rev. 10/25

F-045-19 REV A

8 FL OZ (237 mL)

**TAMPER EVIDENT: DO NOT USE IF PRINTED
NECK WRAP IS BROKEN OR MISSING**

Distributed by:

MAJOR® PHARMACEUTICALS

Indianapolis, IN 46268

(800) 616-2471

www.major-rugby.com

Rev. 10/25 M-17 Re-order No. 701396

50844 REV0224A04519

3 09047 48159 0

Distributed by:
MAJOR® PHARMACEUTICALS
 Indianapolis, IN 46268
 (800) 616-2471
 www.major-rugby.com
 Rev. 10/25 M-17 Re-order No. 701396

**TAMPER EVIDENT: DO NOT USE IF PRINTED
 NECK WRAP IS BROKEN OR MISSING**

Drug Facts

Active ingredient (in each 30 mL) **Purpose**
 Acetaminophen 1,000 mgPain reliever/fever reducer

Uses ■ temporarily relieves minor aches and pains due to:
 ■ headache ■ muscular aches ■ backache ■ minor pain from arthritis
 ■ toothache ■ the common cold ■ premenstrual and menstrual cramps
 ■ temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take
 ■ more than 4,000 mg of acetaminophen in 24 hours
 ■ with other drugs containing acetaminophen

No print/No varnish
 Lot & Exp date

B-045-19
 REVA

**PEEL HERE
 FOR COMPLETE
 DRUG FACTS**

Drug Facts (continued)

■ 3 or more alcoholic drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions.
 Symptoms may include: ■ blisters ■ rash ■ skin reddening
 If a skin reaction occurs, stop use and seek medical help right away.

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if
 ■ pain gets worse or lasts more than 10 days
 ■ fever gets worse or lasts more than 3 days
 ■ redness or swelling is present
 ■ any new symptoms appear

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

HINGE

MAJOR® NDC 0904-7481-59

**extra strength
 acetaminophen liquid**

**acetaminophen
 1,000 mg per 30 mL**
 pain reliever/fever reducer

- dye free
- contains no aspirin

ages 12 years and over

8 FL OZ (237 mL)



cherry flavored

Rev. 10/25
 F-045-19 REV A

Drug Facts (continued)

Directions ■ do not take more than directed
 ■ mL = milliliter
 ■ only use the dose cup provided
 ■ adults and children 12 years and over
 ■ take 30 mL every 6 hours while symptoms last
 ■ do not take more than 90 mL in 24 hours, unless directed by a doctor
 ■ do not take for more than 10 days unless directed by a doctor
 ■ children under 12 years: do not use

Other information ■ each 30 mL contains: sodium 11 mg
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
 ■ use by expiration date on package

Inactive ingredients anhydrous citric acid, flavor, glycerin, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sodium saccharin, sucralose

Questions or comments? 1-800-426-9391

50844 REV0224A04519

HINGE

Major 44-045

ACETAMINOPHEN

acetaminophen solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-7481
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Base of

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	1000 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-7481-59	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/15/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/15/2021	

Labeler - Major Pharmaceuticals (191427277)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(0904-7481) , pack(0904-7481)