# ALLERGY MULTI-SYMPTOM- acetaminophen, phenylephrine hcl, chlorpheniramine maleate tablet

#### ARMY AND AIR FORCE EXCHANGE SERVICE

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Exchange Select 44-559

## Active ingredients (in each gelcap)

Acetaminophen 325 mg Chlorpheniramine maleate 2 mg Phenylephrine HCl 5 mg

#### **Purpose**

Pain reliever Antihistamine Nasal decongestant

#### Uses

- temporarily relieves these symptoms of hay fever or other upper respiratory allergies:
  - sinus congestion and pressure
  - nasal congestion
  - runny nose and sneezing
  - headache
  - minor aches and pains
- temporarily relieves these additional symptoms of hay fever
  - itching of the nose or throat
  - itchy, watery eyes
- helps clear nasal passages
- helps decongest sinus openings and passages

#### **Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 12 gelcaps in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after taking the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

# Ask a doctor before use if you have

liver disease

- diabetes
- heart disease
- high blood pressure
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

### Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

#### When using this product

- do not exceed recommended dosage
- excitability may occur, especially in children
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- drowsiness may occur

# Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

#### If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### Directions

- do not take more than directed (see overdose warning)
- adults and children 12 years and over
  - take 2 gelcaps every 4 hours
  - do not take more than 12 gelcaps in 24 hours
- children under 12 years: do not use this adult product in children under 12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage

# Other information

- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- contains FD&C yellow #5 (tartrazine) as a color additive

### **Inactive ingredients**

croscarmellose sodium, crospovidone, FD&C red #3, FD&C red #40, FD&C yellow #5, FD&C yellow #6, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, silica gel, stearic acid, titanium dioxide

#### Questions or comments?

1-800-426-9391

#### Principal display panel

exchange[select<sup>TM</sup>

Compare To The Active Ingredients of Tylenol® Allergy Multi-Symptom\*

## **May Cause Drowsiness**

# Pseudoephedrine Free

#### ALLERGY MULTI-SYMPTOM

#### Acetaminophen - Pain reliever

Chlorpheniramine maleate - Antihistamine Phenylephrine HCl - Nasal decongestant

Relieves;
Headache
Sinus Pressure
Nasal Congestion
Runny Nose/Sneezing
Itchy, Watery Eyes

Rapid Release

#### 24 Gelcaps


\*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Tylenol $^{\$}$  Allergy Multi-Symptom. 50844 REV0812B55908

#### "SATISFACTION GUARANTEED OR YOUR MONEY BACK"

Manufactured For Your Military Exchanges Distributed by: LNK International, Inc.

Hauppauge, NY 11788

# TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



this product

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### Ask a doctor before use if you have

- liver disease diabetes
- high blood pressure
- thyroid disease ■ trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or
- chronic bronchitis ■ glaucoma

# Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms

#### Directions do not take more than directed (see overdose warning)

- adults and children 12 years and over
- take 2 gelcaps every 4 hours
- do not take more than 12 gelcaps in 24 hours
- children under 12 years: do not use this adult product in children under 12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage

#### Other information

■ see end flap for expiration date and lot number

B-0066E-559-08-R REV0812B55908 8

SES

#### Drug Facts (continued)

■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ contains FD&C Yellow #5 (tartrazine) as a color additive

Inactive ingredients croscarmellose sodium, crospovidone, FD&C red #3, FD&C red #40, FD&C

#### Drug Facts (continued)

yellow #5, FD&C yellow #6, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol shellac glaze, silica gel, stearic acid, titanium dioxide 🐞

quəlity vəlue

SATISFACTION GUARANTEED OR YOUR MONEY BACK"

Manufactured For Your Military Exchanges

Distributed by: LNK International, Inc.

Hauppauge, NY 11788

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORM, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

ylenol® Allergy Multi-Symptom. 50844

This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark ylenol® Allergy Multi-Symptom. 50844 REV0812855908

24 Gelcaps

# esseleR bidsR

· Itchy, Watery Eyes • Runny Nose/Sneezing Nasal Congestion • Sinus Pressure • нездасре Relieves:

Phenylephine HCI - Nasal decongestant Chlorpheniramine maleate - Antihistamine Acetaminophen - Pain reliever

# 0 $\infty$ 20 0 4 6 Ó 2 4

lo print area

Questions or comments? 1-800-426-9391

Drug Facts (continued

# **MOTAMY2-ITIUM** TEBCK

Pseudoephedrine Free May Cause Drowsiness

\*motqmy&-itluM ygsellA elonelyT The Active Ingredients of Compare To

exchange select

Drug Facts

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

Active ingredients (in each gelcap) Purpose Acetaminophen 325 mg. . . . . . Pain reliever

Chlorpheniramine maleate 2 mg. . . . . Antihistamine ulanhrina HCI 5 ma Nacal decor

# Drug Facts (continued)

■ temporarily relieves these symptoms of hay fever or other upper respiratory allergies:

- sinus congestion and pressure
- nasal congestion
   runny nose and sneezing

TM in long is set as 3nt

# Exchange Select 44-559

# ALLERGY MULTI-SYMPTOM

acetaminophen, phenylephrine hcl, chlorpheniramine maleate tablet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55301-559	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)	ACETAMINOPHEN	325 mg		
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg		
<b>PHENYLEPHRINE HYDRO CHLO RIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg		

Inactive Ingredients	
Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSOFERRIC OXIDE (UNII: XM0 M8 7F357)	
FERRIC OXIDE YELLOW (UNII: EX438 O2MRT)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	
GELATIN (UNII: 2G86QN327L)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U)	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics				
Color	YELLOW, RED	Score	no score	
Shape	OVAL	Size	19 mm	
Flavor		Imprint Code	L;9	
Contains				

Pa	ckaging			
#	Item Code	Package Description	Marketing Start Date	<b>Marketing End Date</b>

1 NDC:55301-559-08	2 in 1 CARTON	03/27/2008	08/17/2020		
1	12 in 1 BLISTER PACK; Type 0: Not a Combination Produc	t			
Marketing Information					
Marketing Information					
Marketing Catego	ory Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC MONOGRAPH FI	NAL part341	03/27/2008	08/17/2020		

# **Labeler -** ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(55301-559)

Establishment				
Name	Address	ID/FEI	Business Operations	
LNK International, Inc.		832867837	PACK(55301-559)	

Revised: 11/2017 ARMY AND AIR FORCE EXCHANGE SERVICE