

**M-DRYL- diphenhydramine hydrochloride liquid
Bryant Ranch Prepack**

M-Dryl

M-Dryl

Diphenhydramine Hydrochloride Oral Solution

Antihistamine

Cherry Flavor

RELIEVES

- Sneezing
- Itchy, Watery Eyes
- Runny Nose
- Itchy Throat due to Allergies

DO NOT USE IF TAMPER EVIDENT SEAL

UNDER CAP IS BROKEN OR MISSING

Alcohol Free

Each 5 mL (1 teaspoonful) contains:

Diphenhydramine HCl 12.5 mg

Drug Facts

Active ingredient

(in each 5 mL = 1 tsp)

Diphenhydramine HCl 12.5 mg

Purpose

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4 to 6 hours
- use an accurate measuring device to administer this Medication

children under 2 years do not

use

children 2 to 5 years

children 6 years to under 12

years

adults and children 12 years and

over

do not use

ask a doctor

5 mL (1 tsp) to 10 mL (2 tsp); not more than 60 mL

(12 tsp) in 24 hours

10 mL (2 tsp) to 20 mL (4 tsp); not more than 120 mL

(24 tsp) in 24 hours

Other information

- **each tsp contains:** sodium 5 mg
- store at 15° to 30°C (59° to 86°F)

protect from freezing

Inactive ingredients

Cherry Flavor, Citric Acid Anhydrous, FD&C red No. 40, Glycerin, Masking Agent, Propylene Glycol, Purified water, Sodium Benzoate, Sodium Citrate, Sodium Saccharin, Sorbitol Solution.

Questions?

Serious side effects associated with use of this product may be reported to this number. Call 1-877-250-3427 Mon. - Fri. (8 a.m. to 5 p.m. CST).

HOW SUPPLIED

M-Dryl

Diphenhydramine Hydrochloride Oral Solution

NDC: 72162-1674-4: 473 mL in a BOTTLE

NDC: 72162-1674-2: 120 mL in a BOTTLE

Repackaged/Relabeled by:

Bryant Ranch Prepack, Inc.

Burbank, CA 91504

M-Dryl Oral Liquid 12.5 MG/5ML



Drug Facts	
Active ingredient (in each 5 mL = 1 tsp)	Purpose
Diphenhydramine HCl 12.5 mg	Antihistamine
Uses	
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: *sneezing *runny nose *itchy, watery eyes *itching of the nose or throat.	
Warnings	
Do not use *to make a child sleepy *with any other product containing diphenhydramine, even one used on skin. Ask a doctor before use if you have *glaucoma *trouble urinating due to an enlarged prostate gland *a breathing problem such as emphysema or chronic bronchitis. Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers. When using this product *marked drowsiness may occur *avoid alcoholic drinks *alcohol, sedatives, and tranquilizers may increase drowsiness *be careful when driving a motor vehicle or operating machinery *excitability may occur, especially in children. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
Other information	
*each tsp contains: sodium 5 mg. *store at 15° to 30°C (59° to 86°F). *Do not use if tamper evident seal under cap is broken or missing. *Alcohol Free. *Protect from freezing.	
Directions	
*take every 4 to 6 hours. *use an accurate measuring device to administer this Medication.	
Inactive Ingredients	
Cherry Flavor, Citric Acid Anhydrous, FD&C red No. 40, Glycerin, Masking Agent, Propylene Glycol, Purified water, Sodium Benzoate, Sodium Citrate, Sodium Saccharin, Sorbitol Solution.	

NDC 72162-1674-4

**M-Dryl
Diphenhydramine
Hydrochloride
Oral Solution**

12.5 mg/5 mL



Relabeled by:
Bryant Ranch Prepack, Inc.
Burbank, CA 91504 USA

16 fl. oz. (473 mL)

Manufactured by:
Method Pharmaceuticals,
LLC



M-DRYL

diphenhydramine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72162-1674(NDC:58657-528)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72162-1674-4	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/05/2023	
2	NDC:72162-1674-2	120 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/05/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/01/2019	

Labeler - Bryant Ranch Prepack (171714327)**Registrant** - Bryant Ranch Prepack (171714327)**Establishment**

Name	Address	ID/FEI	Business Operations
Bryant Ranch Prepack		171714327	REPACK(72162-1674) , RELABEL(72162-1674)

