

**SOLIDAGO COMPOSITUM - solidago virgaurea flowering top and baptisia tinctoria root and berberis vulgaris root bark and equisetum hyemale and silver nitrate and lytta vesicatoria and capsicum and cupric sulfate and clerodendranthus spicatus leaf and chondrodendron tomentosum root and smilax regelii root and turpentine oil and apis mellifera venom and agathosma betulina leaf and human coxsackievirus a and mercuric chloride and sus scrofa urinary bladder and calcium sulfide and sodium pyruvate solution**

**Heel Inc**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **Solidago Compositum 2.2ml Oral Vial**

### **ACTIVE INGREDIENTS**

**Active ingredients:** Each 2.2 ml contains: Solidago virgaurea 3X, Baptisia tinctoria 4X, Berberis vulgaris 4X, Equisetum hyemale 4X, Argentum nitricum 6X, Cantharis 6X, Capsicum annum 6X, Cuprum sulphuricum 6X, Orthosiphon stamineus 6X, Pareira brava 6X, Sarsaparilla 6X, Terebinthina 6X, Apis venenum purum 8X, Barosoma 8X, Coxsackie virus-A9 8X, Mercurius corrosivus 8X, Vesica urinaria suis 8X, Hepar sulphuris calcareum 10X, Natrum pyruvicum 10X, Pyelon suis 10X, Ureter suis 10X, Urethra suis 10X, Colibacillinum 13X, Arsenicum album 28X 22 mcl each.

### **PURPOSE**

Minor urinary discomfort, Pain and burning upon urination, Urinary urgency

### **KEEP OUT OF REACH OF CHILDREN**

**Keep this and all medicines out of the reach of children.**

### **INDICATIONS AND USAGE**

**Indications:** For the temporary relief of:

- Minor urinary discomfort
- Pain and burning upon urination
- Urinary urgency.

### **WARNINGS**

**Warnings:** If symptoms persist or worsen, a health care professional should be consulted. As with any drug, if you are pregnant or nursing a baby, seek the advise of a health care professional before using this product.

### **DOSAGE AND ADMINISTRATION**

**Dosage:** Adults and children above 6 years: In general 1 vial 1 - 3 times daily, or as directed by a physician. Children up to 6 years: 1/2 the adult dosage. Discard unused solution.

### **INACTIVE INGREDIENTS**

**Inactive ingredients:** Isotonic sodium chloride solution



Homeopathic Medicine

NDC 50114-0110-8

**SOLIDAGO COMPOSITUM®**

**INDICATIONS:** For the temporary relief of minor urinary discomfort, pain and burning upon urination, and urinary urgency.

**Ingredients:** Each 2.2 ml contains: Solidago virgaurea 3X, Baptisia tinctoria 4X, Berberis vulgaris 4X, Equisetum hyemale 4X, Argentum nitricum 6X, Cantharis 6X, Capsicum anuum 6X, Cuprum sulphuricum 6X, Orthosiphon stamineus 6X, Pareira brava 6X, Sarsaparilla 6X, Taraxacum 6X, Apis venenum purum 8X, Barosoma 8X, Coxsackie virus-A9 8X, Mercurius corrosivus 8X, Vesica urinariae sua 8X, Hepar sulphuris calcareum 10X, Natrum pyruvicum 10X, Pylon sua 10X, Ureter sua 10X, Urethra sua 10X, Colibacillum 13X, Arsenicum album 28X 22 mci each in an isotonic sodium chloride solution base.

NOT FOR INJECTION

**CONTENTS:** 10 oral vials of 2.2 ml each

-Heel



Lot #  
Exp.

**Dosage:** Adults and children above 6 years: In general 1 vial 1-3 times daily, or as directed by a physician. Children up to 6 years: 1/2 the adult dosage. Discard unused solution.

**Instructions for use:** Please read enclosed package insert.

**Warnings:** If symptoms persist or worsen, a health care professional should be consulted. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product.

**Keep this and all medicines out of the reach of children.**

**Not for injection - for oral administration only.**

Made in Germany

Manufactured for and distributed by:

Heel Inc.  
Albuquerque, NM 87123  
USA  
www.heelusa.com  
1.800.920.9203

-Heel

## SOLIDAGO COMPOSITUM

solidago virgaurea flowering top and baptisia tinctoria root and berberis vulgaris root bark and equisetum hyemale and silver nitrate and lytta vesicatoria and capsicum and cupric sulfate and clerodendranthus spicatus leaf and chondrodendron tomentosum root and smilax regelii root and turpentine oil and apis mellifera venom and agathosma betulina leaf and human coxsackievirus a and mercuric chloride and sus scrofa urinary bladder and calcium sulfide and sodium pyruvate solution

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50 114-0 110
Route of Administration	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>SOLIDAGO VIRGAUREA FLOWERING TOP</b> (UNII: 5405K23S50) (SOLIDAGO VIRGAUREA FLOWERING TOP - UNII:5405K23S50)	SOLIDAGO VIRGAUREA FLOWERING TOP	3 [hp_X] in 2.2 mL
<b>BAPTISIA TINCTORIA ROOT</b> (UNII: 5EF0HWI5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HWI5WU)	BAPTISIA TINCTORIA ROOT	4 [hp_X] in 2.2 mL
<b>BERBERIS VULGARIS ROOT BARK</b> (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	4 [hp_X] in 2.2 mL
<b>EQUISETUM HYEMALE</b> (UNII: 59677RXH25) (EQUISETUM HYEMALE - UNII:59677RXH25)	EQUISETUM HYEMALE	4 [hp_X] in 2.2 mL
<b>SILVER NITRATE</b> (UNII: 95IT3W8JZE) (NITRATE ION - UNII:T93E9Y2844)	SILVER NITRATE	6 [hp_X] in 2.2 mL
<b>LYTTA VESICATORIA</b> (UNII: 3Q034RO3BT) (LYTTA VESICATORIA - UNII:3Q034RO3BT)	LYTTA VESICATORIA	6 [hp_X] in 2.2 mL
<b>CAPSICUM</b> (UNII: 00UK7646FG) (CAPSICUM - UNII:00UK7646FG)	CAPSICUM	6 [hp_X] in 2.2 mL
<b>CUPRIC SULFATE</b> (UNII: LRX7AJ16DT) (CUPRIC CATION - UNII:8CBV67279L, SULFATE ION - UNII:7IS9N8KPMG)	CUPRIC SULFATE	6 [hp_X] in 2.2 mL
<b>CLERODENDRANTHUS SPICATUS LEAF</b> (UNII: DSS8V86H3Y) (CLERODENDRANTHUS SPICATUS LEAF - UNII:DSS8V86H3Y)	CLERODENDRANTHUS SPICATUS LEAF	6 [hp_X] in 2.2 mL
<b>CHONDRODENDRON TOMENTOSUM ROOT</b> (UNII: 395A3P448Z) (CHONDRODENDRON TOMENTOSUM ROOT - UNII:395A3P448Z)	CHONDRODENDRON TOMENTOSUM ROOT	6 [hp_X] in 2.2 mL
<b>SMILAX REGELII ROOT</b> (UNII: 2H1576D5WG) (SMILAX REGELII ROOT - UNII:2H1576D5WG)	SMILAX REGELII ROOT	6 [hp_X] in 2.2 mL
<b>TURPENTINE OIL</b> (UNII: C5H0QJ6V7F) (TURPENTINE OIL - UNII:C5H0QJ6V7F)	TURPENTINE OIL	6 [hp_X] in 2.2 mL
<b>APIS MELLIFERA VENOM</b> (UNII: 76013O881M) (APIS MELLIFERA VENOM - UNII:76013O881M)	APIS MELLIFERA VENOM	8 [hp_X] in 2.2 mL
<b>AGATHOSMA BETULINA LEAF</b> (UNII: 369DDH39Z0) (AGATHOSMA BETULINA LEAF - UNII:369DDH39Z0)	AGATHOSMA BETULINA LEAF	8 [hp_X] in 2.2 mL
<b>HUMAN COXSACKIEVIRUS A</b> (UNII: 6F61V9UVRC) (HUMAN COXSACKIEVIRUS A - UNII:6F61V9UVRC)	HUMAN COXSACKIEVIRUS A	8 [hp_X] in 2.2 mL
<b>MERCURIC CHLORIDE</b> (UNII: 53GH7MZT1R) (MERCURIC CATION - UNII:ED30FJ8Y42)	MERCURIC CHLORIDE	8 [hp_X] in 2.2 mL
<b>SUS SCROFA URINARY BLADDER</b> (UNII: 3G7U72W8DA) (SUS SCROFA URINARY BLADDER - UNII:3G7U72W8DA)	SUS SCROFA URINARY BLADDER	8 [hp_X] in 2.2 mL
<b>CALCIUM SULFIDE</b> (UNII: 1MBW07J51Q) (CALCIUM CATION - UNII:2M83C4R6ZB, SULFIDE ION - UNII:G15J91XETI)	CALCIUM SULFIDE	10 [hp_X] in 2.2 mL
<b>SODIUM PYRUVATE</b> (UNII: POD38AIF08) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM PYRUVATE	10 [hp_X] in 2.2 mL
<b>SUS SCROFA RENAL PELVIS</b> (UNII: CH3YJ6606V) (SUS SCROFA RENAL PELVIS - UNII:CH3YJ6606V)	SUS SCROFA RENAL PELVIS	10 [hp_X] in 2.2 mL
<b>SUS SCROFA URETER</b> (UNII: 7PGE2DJ8QM) (SUS SCROFA URETER - UNII:7PGE2DJ8QM)	SUS SCROFA URETER	10 [hp_X] in 2.2 mL
<b>SUS SCROFA URETHRA</b> (UNII: 799ZL63XM1) (SUS SCROFA URETHRA - UNII:799ZL63XM1)	SUS SCROFA URETHRA	10 [hp_X] in 2.2 mL
<b>ESCHERICHIA COLI</b> (UNII: 514B9K0L10) (ESCHERICHIA COLI - UNII:514B9K0L10)	ESCHERICHIA COLI	13 [hp_X] in 2.2 mL
<b>ARSENIC TRIOXIDE</b> (UNII: S7V92P67HO) (ARSENIC TRIOXIDE - UNII:S7V92P67HO)	ARSENIC TRIOXIDE	28 [hp_X] in 2.2 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50 114-0110-6	10 in 1 CARTON		
1		2.2 mL in 1 VIAL		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/31/1993	

**Labeler** - Heel Inc (102783016)

Revised: 5/2012

Heel Inc