

**LITTLE REMEDIES CHILDRENS FEVER PAIN RELIEVER- acetaminophen liquid
Medtech Products Inc.**

Little Remedies Childrens Fever Pain Reliever

Drug Facts

Active Ingredient

**(in each 5 mL teaspoon)
Acetaminophen 160mg**

Purpose

Pain Reliever/Fever Reducer

Uses

Temporarily:

- reduces fever
- relieves minor aches and pains which may be associated with the common cold, flu, headache, sore throat or toothache.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen.

Ask a doctor before use

if your child has liver disease.

Ask a doctor or pharmacist before use

if your child is taking the blood thinning drug warfarin.

Do not use:

- with any other products containing acetaminophen, (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

Sore Throat Warning: if sore throat is severe, persists for more than 2 days, or is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a

doctor promptly.

When using this product,

DO NOT EXCEED RECOMMENDED DOSAGE: taking more than the recommended dose (overdose) may not provide more relief and may cause liver damage.

Stop use and ask a doctor if:

- new symptoms occur
- fever gets worse or lasts more than 3 days
- pain gets worse or lasts more than 5 days
- redness or swelling is present. These could be signs of a serious condition.

Keep out of reach of children.

Overdose Warning:

Taking more than the recommended dose (overdose) can cause serious liver damage. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). **Prompt medical attention is critical even if you do not notice any signs of symptoms.**

Directions

This product does not contain directions or complete warnings for adult use.

- Do not give more than directed (see overdose warning).
- Shake well before using.
- Find the right dose on the chart below. (If possible, use weight to determine dosing; otherwise, use age.)
- Invert bottle and gently squeeze liquid into AccuSafe™ dosing cup to the appropriate amount for your child's weight and/or age.
- Only use with enclosed AccuSafe™ dosing cup.
- If needed, repeat dose every 4 hours while symptoms last.
- Do not give more than 5 days in any 24-hour period (see overdose warning).
- Do not give more than 5 days unless directed by a doctor.
- Replace cap tightly to maintain child resistance.

Weight (lb)	Age (yr)	Dose
Under 24	Under 2	Ask a doctor
24-35	2 - Under 4	1 tsp or 5mL
36-47	4 - Under 6	1 ½ tsp or 7.5mL
48-59	6 - under 9	2 tsp or 10 mL
60-71	9 - under 11	2 ½ tsp or 12.5mL
72-95	11 - under 12	3 tsp or 15mL

Other Information

- Store at 20-25°C (68-77°F)

- AccuSafe™ Dosing cup enclosed.
- **Tamper Evident:** DO NOT USE if printed shrink band on bottle is broken or missing.
- Check expiration date on bottle or box before using.

Inactive Ingredients:

Citric Acid, Glycerin, High Fructose Corn Syrup, Natural Flavors, Polyethylene Glycol, Propylene Glycol, Purified Water, Sodium Benzoate, Sucralose, Xanthan Gum

Questions?

For further information you may contact us at: **1-800-7-LITTLE** Mon. – Fri. 8:00 a.m. to 8:00 p.m. EST, or visit us at www.LittleRemedies.com.

PRINCIPAL DISPLAY PANEL

Little Remedies®
 CHILDREN'S FEVER + PAIN RELIEVER
 Acetaminophen
 NATURAL CHERRY FLAVOR
 4 FL OZ (118 mL)

Drug Facts

Active ingredient (in each 5 mL) **Purpose**
 Acetaminophen 160 mg...Pain reliever / Fever reducer

Uses Temporarily: ■ reduces fever ■ relieves minor aches and pains which may be associated with the common cold, flu, headache, sore throat or toothache.

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes ■ more than 5 doses in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen.

Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash. If skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, or is accompanied or followed by fever, headache, rash, nausea or vomiting, consult a doctor promptly.

Do not use
 ■ with any other products containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if the child has liver disease.
Ask a doctor or pharmacist before use if the child is taking the blood thinning drug warfarin.

When using this product do not exceed recommended dosage (see overdose warning).

Stop use and ask a doctor if ■ new symptoms occur ■ fever gets worse or lasts more than 3 days ■ pain gets worse or lasts more than 5 days ■ redness or swelling is present. These could be signs of a serious condition.

Keep out of reach of children.
Overdose Warning: Taking more than the recommended dose (overdose) can cause serious liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical even if you do not notice any signs or symptoms.

Directions
 This product does not contain directions or complete warnings for adult use.
 ■ Do not give more than directed (see overdose warning).
 ■ Shake well before using.
 ■ Find the right dose on the chart below. (If possible, use weight to determine dosing; otherwise, use age.)
 ■ Pour liquid into AccuSafe® dosing cup to the

Drug Facts (continued)

appropriate amount for your child's weight and/or age.
 ■ Only use with enclosed AccuSafe® dosing cup.
 ■ If needed, repeat dose every 4 hours while symptoms last.
 ■ Do not give more than 5 times in any 24-hour period (see overdose warning).
 ■ Do not give for more than 5 days unless directed by a doctor.
 ■ Replace cap tightly to maintain child resistance.

Weight (lbs)	Age (yrs)	Dose
Under 24	under 2	Ask a doctor
24 - 35	2 - under 4	5 mL
36 - 47	4 - under 6	7.5 mL
48 - 59	6 - under 9	10 mL
60 - 71	9 - under 11	12.5 mL
72 - 95	11 - under 12	15 mL

Other information
 ■ store at 20°-25°C (68°-77°F)
 ■ AccuSafe® dosing cup enclosed
 ■ check expiration date on bottle or box before using.

Inactive ingredients
 citric acid, glycerin, natural cherry flavor, potassium sorbate, povidone, propylene glycol, purified water, sodium citrate, sucralose, sucrose, xanthan gum

Questions? 1-800-754-8853
 Mon.-Fri., 8 am to 8 pm EST LittleRemedies.com.

This Little Remedies® Product uses our AccuSafe® System to ensure safe and accurate dosing and minimize the risk of accidental ingestion

For accurate dosing, only use the enclosed AccuSafe® dosing cup and follow all dosing instructions

Tamper Evident: Do not use if printed shrink band on bottle is broken or missing

Proof of Purchase

EFFECTIVE FOR FEVERS AGES 2-11

Everything they need.
Nothing they don't.®

CHILDREN'S
FEVER + PAIN RELIEVER

CHILDREN'S
FEVER + PAIN RELIEVER

Acetaminophen
160mg / 5mL

Paraben, Dye and Gluten Free

natural cherry flavor

4 FL OZ (118 mL)

No Artificial Flavors
No Artificial Colors or Dyes
No Aspirin or Ibuprofen
No High Fructose Corn Syrup

"The Little Remedies Fever Reducer was a godsend when my little one got his first fever."
 Martha - Grand Rapids, MI

We value your opinion:
 Visit LittleRemedies.com/Products to review any one of our products!

LittleRemedies.com

©2015 Distributed by Medtech Products Inc., Tarrytown, NY 10591, a Prestige Brands Company
 Made in USA LR093107

PRINCIPAL DISPLAY PANEL

Little Remedies®
 CHILDREN'S FEVER + PAIN RELIEVER
 Acetaminophen
 NATURAL GRAPE FLAVOR
 4 FL OZ (118 mL)

Drug Facts

Active ingredient (in each 5 mL) Purpose
 Acetaminophen 160 mg... Pain reliever / Fever reducer

Uses Temporarily: ■ reduces fever ■ relieves minor aches and pains which may be associated with the common cold, flu, headache, sore throat or toothache.

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes ■ more than 5 doses in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen.
Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include ■ skin reddening ■ blisters ■ rash. If skin reaction occurs, stop use and seek medical help right away.
Sore throat warning: If sore throat is severe, persists for more than 2 days, or is accompanied or followed by fever, headache, rash, nausea or vomiting, consult a doctor promptly.

Do not use
 ■ with any other products containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if the child has liver disease.
Ask a doctor or pharmacist before use if the child is taking the blood thinning drug warfarin.

When using this product do not exceed recommended dosage (see overdose warning).
Stop use and ask a doctor if ■ new symptoms occur ■ fever gets worse or lasts more than 3 days ■ pain gets worse or lasts more than 5 days ■ redness or swelling is present. These could be signs of a serious condition.

Keep out of reach of children.
Overdose Warning: Taking more than the recommended dose (overdose) can cause serious liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical even if you do not notice any signs or symptoms.

Directions
 This product does not contain directions or complete warnings for adult use.
 ■ Do not give more than directed (see overdose warning).
 ■ Shake well before using.
 ■ Find the right dose on the chart below. If possible, use weight to determine dosing; otherwise, use age.
 ■ Pour liquid into AccuSafe® dosing cup to the

Drug Facts (continued)

appropriate amount for your child's weight and/or age.
 ■ Only use with enclosed AccuSafe® dosing cup.
 ■ If needed, repeat dose every 4 hours while symptoms last.
 ■ Do not give more than 5 times in any 24-hour period (see overdose warning).
 ■ Do not give for more than 5 days unless directed by a doctor.
 ■ Replace cap tightly to maintain child resistance.

Weight (lbs)	Age (yrs)	Dose
Under 24	under 2	Ask a doctor
24 - 35	2 - under 4	5 mL
36 - 47	4 - under 6	7.5 mL
48 - 59	6 - under 9	10 mL
60 - 71	9 - under 11	12.5 mL
72 - 95	11 - under 12	15 mL

Other information
 ■ store at 20°-25°C (68°-77°F)
 ■ AccuSafe® dosing cup enclosed
 ■ check expiration date on bottle or box before using.

Inactive ingredients
 citric acid, glycerin, natural grape flavor, potassium sorbate, povidone, propylene glycol, purified water, sodium citrate, sucralose, sucrose, xanthan gum

Questions? 1-800-754-8853
 Mon-Fri, 9 am to 8 pm EST LittleRemedies.com.



This Little Remedies® Product uses our AccuSafe® System to ensure safe and accurate dosing and minimize the risk of accidental ingestion.

For accurate dosing, only use the enclosed AccuSafe® dosing cup and follow all dosing instructions.

Tamper Evident: Do not use if printed shrink band on bottle is broken or missing



7 56184 10178 0

EFFECTIVE FOR FEVERS AGES 2-11

EFFECTIVE FOR FEVERS AGES 2-11



Everything they need.
Nothing they don't®



CHILDREN'S
FEVER + PAIN RELIEVER



CHILDREN'S
FEVER + PAIN RELIEVER

Acetaminophen
160mg / 5mL

Paraben, Dye and Gluten Free

natural grape flavor
4 FL OZ (118 mL)

No Artificial Flavors
 No Artificial Colors or Dyes
 No Aspirin or Ibuprofen
 No High Fructose Corn Syrup

"The Little Remedies Fever Reducer was a godsend when my little one got his first fever."
Martha - Grand Rapids, MI

We value your opinion:
Visit LittleRemedies.com/Products to review any one of our products!

LittleRemedies.com 

©2015 Distributed by Meditech Products Inc., Tarrytown, NY 10591, a Prestige Brands Company
Made in USA LR102106

LITTLE REMEDIES CHILDRENS FEVER PAIN RELIEVER

acetaminophen liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63029-602
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63029-602-02	1 in 1 CARTON	09/01/2010	06/30/2021
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	09/01/2010	06/30/2021

LITTLE REMEDIES CHILDRENS FEVER PAIN RELIEVER

acetaminophen liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63029-603
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63029-603-02	1 in 1 CARTON	09/01/2010	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	09/01/2010	

Labeler - Medtech Products Inc. (122715688)

Revised: 1/2025

Medtech Products Inc.