

BLISTEX IVAREST POISON IVY ITCH- zinc acetate and pramoxine hydrochloride spray

Blistex Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Blistex Ivarest® Poison Ivy Itch Spray

Drug Facts

Active ingredients	Purpose
Pramoxine HCl 1.0% (w/w)	External Analgesic
Zinc Acetate 0.12 % (w/w)	Skin Protectant

Uses

- for the temporary relief of pain and itching associated with poison ivy, poison oak, poison sumac, insect bites or minor skin irritations.
- dries the oozing and weeping of poison:
 - ivy
 - oak
 - sumac

Warnings

For external use only

Do not use

- on large areas of the body

When using this product

- do not get into eyes

Stop use and ask a doctor if

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- do not use more often than directed.
- as soon as possible after exposure, wash affected area with soap and water. Gently pat dry.

- apply Ivarest Poison Ivy Itch Spray liberally.
- wash hands after use.
- adults and children 2 years and older: apply to affected area not more than 3 to 4 times daily.
- children under 2 years of age: consult a doctor.

Inactive ingredients

glycerin, PEG-40 hydrogenated castor oil, phenoxyethanol, propylene glycol, purified water, SD alcohol 38-B, sodium citrate

PRINCIPAL DISPLAY PANEL - 100 mL Bottle Carton

Quick Relief Spray

MAXIMUM STRENGTH

IVAREST®

EXTERNAL ANALGESIC/SKIN PROTECTANT

POISON IVY

ITCH SPRAY

Also Great For

Insect Bites!

No Rub,

No Mess

Stays Where You Spray It

To Protect Affected Area

Soothes

Skin Fast

Relieves Itch and Pain,

Comforts Irritated Skin

Poison Ivy, Oak & Sumac,

Insect Bites, Minor Skin Irritations

Net 3.4 fl oz. (100 mL)

MAXIMUM STRENGTH
IVAREST.

No Rub, No Mess
Quick Relief Spray

MAXIMUM STRENGTH
IVAREST.

Quick Relief Spray

- 1 Analgesic**
Soothes skin fast
Relieves itch and pain
- 2 Skin Protectant**
Helps to dry the oozing and weeping of poison plant reactions

No rub, no mess application... stays where you spray it

©2016 Blistex Inc. P.O. Box 5382
Oak Brook, IL 60522-5382
C03 01 03
Carton is 100% Recyclable.

SATISFACTION GUARANTEED
Blistex

MAXIMUM STRENGTH
IVAREST.

EXTERNAL ANALGESIC/SKIN PROTECTANT

**POISON IVY
ITCH SPRAY**

Also Great For
Insect Bites!

No Rub,
No Mess

Stays Where You Spray It
To Protect Affected Area

Soothes
Skin Fast

Relieves Itch and Pain,
Comforts Irritated Skin

Poison Ivy, Oak & Sumac,
Insect Bites, Minor Skin Irritations

Net 3.4 fl oz. (100 mL)

MAXIMUM STRENGTH
IVAREST.

Effectively stops itching caused by:

- Poison Ivy, oak & sumac
- Insect bites
- Minor skin irritations

Protects irritated skin

Cools and comforts on contact

Goes on clear and colorless... won't stain fabric



MAXIMUM STRENGTH
IVAREST.

Soothes the Itch
and comforts skin fast

- 1 Analgesic** Soothes skin fast
Relieves Itch and pain
- 2 Skin Protectant** Helps to dry the oozing and weeping of poison plant reactions

Drug Facts

Active Ingredients	Purpose
Pramoxine HCl 1.0% (w/w)	External Analgesic
Zinc Acetate 0.12% (w/w)	Skin Protectant

Uses

- for the temporary relief of pain and itching associated with poison ivy, poison oak, poison sumac, insect bites or minor skin irritations.
- dries the oozing and weeping of poison: • ivy • oak • sumac

Warnings

For external use only

Do not use • on large areas of the body

When using this product • do not get into eyes

Stop use and ask a doctor if • condition worsens • symptoms last more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- do not use more often than directed.
- as soon as possible after exposure, wash affected area with soap and water. Gently pat dry.
- apply Ivarest Poison Ivy Itch Spray liberally.
- wash hands after use.
- adults and children 2 years and older: apply to affected area not more than 3 to 4 times daily.
- children under 2 years of age: consult a doctor.

Inactive Ingredients

glycerin, PEG-40 hydrogenated castor oil, phenoxyethanol, propylene glycol, purified water, SD alcohol 38-B, sodium citrate

IVAREST.
MAXIMUM STRENGTH
POISON IVY
ITCH SPRAY

BLISTEX IVAREST POISON IVY ITCH

zinc acetate and pramoxine hydrochloride spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10157-2100
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Zinc Acetate (UNII: FM5526K07A) (ZINC CATION - UNII:13S1S8SF37)	Zinc Acetate	0.12 g in 100 mL
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	1 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
Propylene Glycol (UNII: 6DC9Q167V3)	
Glycerin (UNII: PDC6A3C0OX)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10157-2100-1	100 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	02/02/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part347	02/02/2015	

Labeler - Blistex Inc. (005126354)

Establishment

Name	Address	ID/FEI	Business Operations
Blistex Inc.		005126354	MANUFACTURE(10157-2100)

