

**MUCUS RELIEF- guaifenesin 200 mg tablet**  
**Richmond Pharmaceuticals, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Guaifenesin Caplets, 200 mg**

**Active ingredient (in each tablet)**

Guaifenesin 200 mg

**Purpose**

Expectorant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive to rid the bronchial passageway of bothersome mucus and make cough more productive

**Warnings**

**ask a doctor before use if you have**

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough accompanied by excessive phlegm (mucus)

**KEEP OUT OF REACH OF CHILDREN**

In case of overdose, get medical help or contact a Poison Control Center right away.

**IN CASE OF PREGNANCY OR BREAST FEEDING SECTION**

ask a health professional before use

**stop use and ask a doctor**

if cough lasts more than 7 days, comes back, or is accompanied by fever, rash or persistent headache. These could be signs of serious illness

**Directions:**

- **adults and children 12 years of age and over:** take 1 to 2 tablets every 4 hours with a full glass of water while symptoms persist. Do not exceed 6 doses in 24 hours.
- **children under 12 years:** do not use

**OTHER INFORMATION**

- store at 15°-30°C (59°-86°F)
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**Inactive ingredients**

colloidal silicon dioxide, FD&C RED#40(Al-lake), magnesium stearate, maltodextrin, microcrystalline

cellulose, stearic acid, sodium starch glycolate

## Questions or Comments

call 804-270-4498, 8.30 am-4.30 pm ET, Monday - Friday

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Guaifenesin 200 mg...Expectorant

NDC- 54738-980-01... 100 CAPLETS

<p>NDC 54738-980-01</p> <h1>GUAIFENESIN</h1> <p><b>200 mg</b></p> <p>Expectorant</p> <p><b>100 TABLETS</b></p> <hr/> <p>Richmond Pharmaceuticals, Inc.</p>	<p><b>Drug Facts</b></p> <table border="1"><tr><td><b>Active ingredient Purpose</b> (in each tablet)</td><td>Expectorant</td></tr><tr><td>Guaifenesin 200 mg</td><td></td></tr></table> <p><b>Uses</b> helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive</p> <p><b>Warnings</b> Ask a doctor before use if you have</p> <ul style="list-style-type: none"><li>■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema</li><li>■ cough accompanied by too much phlegm (mucus)</li></ul> <p>Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious illness. →</p> <p><b>Drug Facts</b> (continued on back of label)</p> <p>TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING</p> <p>Distributed By: Richmond Pharmaceuticals, Inc. Richmond, VA 23233 USA</p>	<b>Active ingredient Purpose</b> (in each tablet)	Expectorant	Guaifenesin 200 mg		<p>LR1215</p> <p>0 54738 98001 1</p> <p>NO UV AREA</p> <p>PHILLIP HEINE IF OR UNDER DRUG FACTS</p>
	<b>Active ingredient Purpose</b> (in each tablet)	Expectorant				
Guaifenesin 200 mg						
<p><b>Drug Facts</b> (continued)</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"><li>■ do not take more than 6 doses in any 24-hour period</li><li>■ this product is not intended for use in children under 12 years of age</li><li>■ adults &amp; children 12 years and over: 1 to 2 tablets every 4 hours</li><li>■ children under 12 years: do not use</li></ul> <p><b>Other information</b></p> <ul style="list-style-type: none"><li>■ store at 15°-30°C (59°-86°F)</li></ul> <p><b>Inactive ingredients</b></p> <p>colloidal silicon dioxide, FD&amp;C red #40 (Al-lake), magnesium stearate, maltodextrin, microcrystalline cellulose, povidone, stearic acid</p> <p><b>Questions or comments?</b></p> <p>call 804-270-4498, 8:30 am - 4:30 pm ET, Monday - Friday</p>						

FRONT

<p><b>Drug Facts</b> (continued)</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"><li>■ do not take more than 6 doses in any 24-hour period</li><li>■ this product is not intended for use in children under 12 years of age</li><li>■ adults &amp; children 12 years and over: 1 to 2 tablets every 4 hours</li><li>■ children under 12 years: do not use</li></ul> <p><b>Other information</b></p> <ul style="list-style-type: none"><li>■ store at 15°-30°C (59°-86°F)</li></ul> <p><b>Inactive ingredients</b></p> <p>colloidal silicon dioxide, FD&amp;C red #40 (Al-lake), magnesium stearate, maltodextrin, microcrystalline cellulose, povidone, stearic acid</p> <p><b>Questions or comments?</b></p> <p>call 804-270-4498, 8:30 am - 4:30 pm ET, Monday - Friday</p>
---

## MUCUS RELIEF

guaifenesin 200 mg tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:54738-980
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg

### Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
POVIDONE (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	AP;151
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54738-980-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2016	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	03/01/2016	

**Labeler** - Richmond Pharmaceuticals, Inc. (043569607)

**Registrant** - Advance Pharmaceutical Inc. (078301063)

### Establishment

Name	Address	ID/FEI	Business Operations
Advance Pharmaceutical Inc.		078301063	manufacture(54738-980)