

CIVANT 50 SUNSCREEN BROAD SPECTRUM SPF 50- octocrylene, zinc oxide lotion
Civant LLC

Civant 50 Sunscreen Broad Spectrum SPF 50

Drug Facts

Active ingredients

Octocrylene 7.5%
Zinc Oxide 10%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- **For external use only**

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

- If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- Apply liberally 15 minutes before sun exposure and as needed
- Children under 6 months of age: ask a doctor
- Reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying

- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Other information

- Protect this product from excessive heat and direct sun.

Inactive ingredients

Aloe Barbadensis Leaf Juice, Butyloctyl Salicylate, C13-14 Isoalkane, Camellia Sinensis Leaf Extract, Capryloyl Glycerin/Sebacic Acid Copolymer, Cyclopentasiloxane, Ethylhexylglycerin, Glycerin, Hydrogenated Polyisobutene, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Isohexadecane, Lactic Acid, Laureth-7, Methyl Dihydroabietate, Niacinamide, Octyldodecanol, Phenoxyethanol, Polyacrylamide, Polyacrylate-13, Polyisobutene, Polysorbate 20, Polysorbate 60, Sodium Hyaluronate, Tocopheryl Acetate, Water (Aqua)

Questions?

(888) 324-8268

Package Labeling:

Drug Facts	
Active ingredients	Purpose
Octocrylene 7.5% Zinc Oxide 10%	Sunscreen
Uses	
<ul style="list-style-type: none"> • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 	
Warnings	
<ul style="list-style-type: none"> • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away 	
Directions	
<ul style="list-style-type: none"> • Apply liberally 15 minutes before sun exposure and as needed • Children under 6 months of age: ask a doctor • Reapply: <ul style="list-style-type: none"> • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses 	
Other information	
<ul style="list-style-type: none"> • Protect this product from excessive heat and direct sun. 	
Inactive ingredients	
Aloe Barbadosis Leaf Juice, Butyloctyl Salicylate, C13-14 Isoalkane, Camellia Sinensis Leaf Extract, Capryloyl Glycerin/Sebacic Acid Copolymer, Cyclopentasiloxane, Ethylhexylglycerin, Glycerin, Hydrogenated Polyisobutene, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Isohexadecane, Lactic Acid, Laureth-7, Methyl Dihydroabietate, Niacinamide, Octyldodecanol, Phenoxyethanol, Polyacrylamide, Polyacrylate-13, Polyisobutene, Polysorbate 20, Polysorbate 60, Sodium Hyaluronate, Tocopheryl Acetate, Water (Aqua)	
Questions? (888) 324-8268	

No oxybenzone, parabens, mineral oil, petrolatum, sulfates or phthalates.



No Animal Testing. Made in the USA.
Distributed by Civant LLC
Irvine, CA 92618

www.civant.com

civant

50
SUNSCREEN
broad spectrum SPF 50

uva + uvb protection
water resistant (80min)
fragrance free
oxybenzone free

3.2 fl oz / 94 ml



civant

50
SUNSCREEN

broad spectrum SPF 50

uva + uvb protection
water resistant (80min)
fragrance free
oxybenzone free

3.2 fl oz / 94 ml

Drug Facts

Active ingredients

Octocrylene 7.5%
Zinc Oxide 10%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove
- **Stop use and ask a doctor** if rash occurs
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- Apply liberally 15 minutes before sun exposure and as needed
- Children under 6 months of age: ask a doctor
- Reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Other information

- Protect this product from excessive heat and direct sun.

Inactive ingredients

Aloe Barbadensis Leaf Juice, Butyloctyl Salicylate, C13-14 Isoalkane, Camellia Sinensis Leaf Extract, Capryloyl Glycerin/Sebacic Acid Copolymer, Cyclopentasiloxane, Ethylhexylglycerin, Glycerin, Hydrogenated Polyisobutene, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Isohexadecane, Lactic Acid, Laureth-7, Methyl Dihydroabietate, Niacinamide, Octyldodecanol, Phenoxyethanol, Polyacrylamide, Polyacrylate-13, Polyisobutene, Polysorbate 20, Polysorbate 60, Sodium Hyaluronate, Tocopheryl Acetate, Water (Aqua)

Questions? (888) 324-8268



No Animal Testing. Made in the USA.
Distr. by Civant LLC, Irvine, CA 92618

www.civant.com

CIVANT 50 SUNSCREEN BROAD SPECTRUM SPF 50

octocrylene, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87478-907
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	75 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	100 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF JUICE (UNII: RUE8E6T4NB)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
LACTIC ACID (UNII: 33X04XA5AT)	
NIACINAMIDE (UNII: 25X51I8RD4)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYACRYLATE-13 (UNII: FS2D4T67EA)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87478-907-00	1 in 1 BOX	02/12/2026	
1		94 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/12/2026	

Labeler - Civant LLC (118972931)

Registrant - Pure Source, LLC (080354456)