# SALICYLIC ACID- one step corn remover patch VALU MERCHANDISERS, CO

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Best Choice One Step Corn Removers**

#### **Active** ingredient

Salicylic Acid 40%w/w

#### **Purpose**

Corn Remover

#### $\Box Use$

• For the removal of corns

#### **Warnings**

For external use only.

#### Do not use

- if you are diabetic
- have poor blood circulation
- on irritated skin or any area that is infected or reddened

#### Keep out of reach of children

If sallowed, get medical help or contact a Poison Control Center right away.

#### If discomfort persists

see your doctor or podiatrist.

#### Directions

- wash affected area, may soak corn in warm water for 5 minutes
- dry area thoroughly
- remove bandage strips by peeling backing off at slit
- adhere medicated bandage directly over corn
- after 48 hours remove medicated bandage strip
- repeat this procedure every 48 hours as needed (until corn is removed) for up to 14 days.

#### **Other Information**

store between 590 and 86 °F (15 ° and 30 °C)

#### **Inactive ingredients**

acrylic adhesive, brown iron oxide, polyethylene foam

#### Questions?

Call 1-866-964-0939

#### **Principal Display Panel**

**Best Choice** 

**One-Step Clear Medicated** 

#### **Corn Removers**

Salicylic Acid

- All in one design, cushions, conceals and protects
- All day protection
- Comforting cushions

### **6 Medicated Clear Bandages**



## SALICYLIC ACID

one step corn remover patch

| Pro | duct | Info | rmation      |
|-----|------|------|--------------|
| FIU | uucı |      | i illa livii |

Route of Administration TOPICAL

## Active Ingredient/Active Moiety

| reave ingreatementative violety |  |                   |            |
|---------------------------------|--|-------------------|------------|
|                                 | Ingredient Name  | Basis of Strength | Strength   |
|                                 | SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) | SALICYLIC ACID    | 40 mg in 6 |

## **Inactive Ingredients**

| mactive ingredients                          |          |  |
|--|----------|--|
| Ingredient Name                              | Strength |  |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7) |          |  |
| BROWN IRON OXIDE (UNII: 1N0 32N7MFO)         |          |  |

## **Packaging**

| ı | # Item Code        |   |            | Marketing End Date |
|---|--------------------|---|------------|--------------------|
| ı | 1 NDC:63941-547-06 | 6 in 1 PACKAGE; Type 0: Not a Combination Product | 12/11/2017 |                    |

## **Marketing Information**

| Wal Keting Illio    | Hurketing into mutton                    |                      |                    |  |
|---------------------|--|----------------------|--------------------|--|
| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |  |
| OTC monograph final | part358F                                 | 12/11/2017           |                    |  |
|                     |  |                      |                    |  |

## Labeler - VALU MERCHANDISERS, CO (868703513)

Revised: 11/2019 VALU MERCHANDISERS, CO