DIPHENHYDRAMINE HCL- diphenhydramine hcl liquid ATLANTIC BIOLOGICALS CORP.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Major 44-015-DSP

Active ingredient (in each teaspoonful (5 mL))

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- excitability may occur, especially in children
- marked drowsiness may occur
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 6 doses in 24 hours
- mL = milliliter; FL OZ = fluid ounce
- find right dose on chart below
- take every 4 to 6 hours, or as directed by a doctor

| Age | Dose |
|---------------------------|---|
| | 2 - 4 teaspoonsful (25 mg to 50 mg) |
| children 6 to 11 years | 1 - 2 teaspoonsful (12.5 mg to 25 mg) |
| children / to 5 Vears | do not use unless directed by a doctor |
| children under 2 years | do not use |

Other information

- each teaspoonful (5 mL) contains: sodium 5 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

anhydrous citric acid, D&C red #33, FD&C red #40, flavors, glycerin, high fructose corn syrup, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucrose

Questions or comments? (800) 616-2471

Principal Display Panel

NDC 17856-6985-01

Diphenhydramine HCl Oral Solution

Antihistamine

12.5 mg/5 mL

Institutional Dispensing only

Cherry Flavored Alcohol Free

17856-6985-01

Diphenhydramine HCL Oral Solution



12.5 mg /5 mL Delivers 5 mL

See package insert for Indications and dosage schedule

Store at 25°C (77°F); excursions permitted to 15 to 30°C (59 to 86°F)

Cherry Flavor KEEP OUT OF THE REACH OF CHILDREN



17856-6985-01

Dosage: 5 mL

Diphenhydramine HCL Oral Solution

Qty: 72 Cups

GTIN: 00117856698517

S/N: 01371601 Exp: 10/20/21

Lot: 013716

OTC

Packaged by: Unit Dose Solutions Morrisville, NC 27560 Distributed by: AtlanticBiologicals Corp, Minmi Fl 33179

Rev.09/19

Call to Reorder: 800.509.7592

NDC 17856-6985-02

Diphenhydramine HCl Oral Solution

Antihistamine

25 mg/5 mL

Institutional Dispensing only

Cherry Flavored Alcohol Free

17856-6985-02 Diphenhydramine HCL Oral Solution



25 mg / 10 mL Delivers 10 mL

See package insert for indications and dosage schedule

Store at 25°C (77°F); excursions permitted to 15 to 30°C (59 to 86°F) Cherry Flavor

KEEP OUT OF THE REACH OF CHILDREN



17856-6985-02

Dosage: 10 mL

Diphenhydramine HCL Oral

Solution

Qty: 72 cups

GTIN: 00117856698524

S/N: 01371701 Exp: 10/20/21 Lot: 013717

OTC

Packaged by Unit Dose Solutions Morrisville, NC 27560

Distributed by: AtlanticSiologicals Corp. Miami Fl 33179

Rev.09/19

Call to Reorder: 800.509.7592

DIPHENHYDRAMINE HCL

diphenhydramine hcl liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:17856-6985(NDC:0904-6985)

Route of Administration ORAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|----------------------------------|--------------------|
| | DIPHENHYDRAMINE HYDROCHLORIDE | 12.5 mg in 5 mL |

| Inactive Ingredients | | |
|--|----------|--|
| Ingredient Name | Strength | |
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | | |
| D&C RED NO. 33 (UNII: 9DBA0SBB0L) | | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | | |

| GLYCERIN (UNII: PDC6A3C0OX) | |
|--|--|
| HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S) | |
| WATER (UNII: 059QF0KO0R) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K) | |
| SUCROSE (UNII: C151H8M554) | |

| Product Characteristics | | | |
|-------------------------|--------|--------------|--|
| Color | red | Score | |
| Shape | | Size | |
| Flavor | CHERRY | Imprint Code | |
| Contains | | | |

| P | Packaging | | | |
|---|----------------------|--|-------------------------|-----------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:17856- 6985-1 | 72 in 1 BOX, UNIT-DOSE | 04/21/2021 | |
| 1 | | 5 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product | | |
| 2 | NDC:17856- 6985-2 | 72 in 1 BOX, UNIT-DOSE | 04/21/2021 | |
| 2 | | 10 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product | | |

| Marketing Information | | | |
|---|---------|-------------------------|-----------------------|
| Marketing Application Number or Monograph Category Citation | | Marketing Start Date | Marketing End Date |
| OTC monograph final | part341 | 08/27/2019 | |
| | | | |

Labeler - ATLANTIC BIOLOGICALS CORP. (047437707)

| Establishment | | | | |
|----------------------------|---------|-----------|---|--|
| Name | Address | ID/FEI | Business Operations | |
| ATLANTIC BIOLOGICALS CORP. | | 047437707 | repack(17856-6985), relabel(17856-6985) | |

Revised: 4/2021 ATLANTIC BIOLOGICALS CORP.