

ALLERGY RELIEF-D 24 HOUR 24 HOUR- loratadine and pseudoephedrine sulfate tablet, extended release

Actavis Pharma, Inc.

Loratadine and Pseudoephedrine Sulfate Extended-Release Tablets

Drug Facts

Active ingredients (in each tablet)

Loratadine, USP 10 mg

Pseudoephedrine sulfate, USP 240 mg

Purposes

Antihistamine

Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - sneezing
 - itchy, watery eyes
 - runny nose
 - itching of the nose or throat
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever
- nervousness, dizziness or sleeplessness occurs

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not divide, crush, chew or dissolve the tablet

adults and children 12 years and over	1 tablet daily with a full glass of water; not more than 1 tablet in 24 hours
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- safety sealed: do not use if blister unit is open or torn
- store between 20° to 25°C (68° to 77°F)
- protect from light and store in a dry place

Inactive ingredients

black iron oxide, candelilla wax powder, colloidal silicon dioxide, glyceryl monostearate, hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, polysorbate 80, propylene glycol, sodium lauryl sulfate, talc and titanium dioxide

Questions?

1-888-838-2872 between 9 am and 5 pm ET, Monday – Friday.

Principal Display Panel

Actavis™

NDC 52544-239-12

**Compare to the active ingredients
in Claritin-D® 24 Hour†**

Non-Drowsy*

Allergy Relief-D

Loratadine, USP 10 mg/Pseudoephedrine Sulfate, USP 240 mg

Extended-Release Tablets

Antihistamine/Nasal Decongestant

24 Hour Relief of:

- Nasal & Sinus Congestion Due to Colds or Allergies
- Sneezing
- Runny Nose
- Itchy, Watery Eyes

- Itchy Throat or Nose Due to Allergies

*When taken as directed. See Drug Facts Panel.

Indoor & Outdoor Allergies
 Allergy & Congestion
 15 Extended-Release Tablets

Questions? 1-888-8-382-872 between 9 am and 5 pm ET, Monday – Friday.

Inactive ingredients black iron oxide, candellila wax powder, colloidal silicon dioxide, glyceryl monostearate, hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, polyisobutyl acrylate, polypropylene glycol, sodium lauryl sulfate, talc and titanium dioxide

Drug Facts (continued)

<p>Other Information</p> <ul style="list-style-type: none"> ■ safely sealed; do not use if blister unit is open or torn ■ store between 20° to 25°C (68° to 77°F) ■ protect from light and store in a dry place <p>Directions</p> <ul style="list-style-type: none"> ■ do not divide, crush, chew or dissolve the tablet ■ adults and children 12 years and over: 1 tablet daily with a full glass of water, not more than 1 tablet in 24 hours ■ children under 12 years of age: ask a doctor ■ ask a doctor if you have any other medical conditions, are taking other prescription drugs, or are pregnant or breastfeeding <p>Warnings</p> <ul style="list-style-type: none"> ■ Do not use if you have ever had an allergic reaction to this product or any of its ingredients ■ You are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or other conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. ■ Ask a doctor before use if you have heart disease, high blood pressure, thyroid disease, or diabetes 	<p>Drug Facts</p> <p>Active ingredients (in each tablet) Loratadine, USP 10 mg Antihistamine Pseudoephedrine sulfate, USP 240 mg ... Nasal decongestant</p> <p>Purposes</p> <ul style="list-style-type: none"> ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies ■ sneezing ■ itchy watery eyes ■ runny nose ■ itching of the nose or throat ■ temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies ■ temporarily relieves sinus congestion and pressure ■ temporarily relieves stuffiness of nasal passages ■ temporarily relieves sinus congestion and pressure ■ temporarily relieves stuffiness of nasal passages ■ temporarily relieves sinus congestion and pressure ■ temporarily relieves sinus congestion and pressure ■ temporarily relieves sinus congestion and pressure ■ temporarily relieves sinus congestion and pressure <p>Uses</p> <ul style="list-style-type: none"> ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies ■ sneezing ■ itchy watery eyes ■ runny nose ■ itching of the nose or throat ■ temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies ■ temporarily relieves sinus congestion and pressure ■ temporarily relieves sinus congestion and pressure ■ temporarily relieves sinus congestion and pressure ■ temporarily relieves sinus congestion and pressure ■ temporarily relieves sinus congestion and pressure ■ temporarily relieves sinus congestion and pressure <p>Warnings</p> <ul style="list-style-type: none"> ■ Do not use if you have ever had an allergic reaction to this product or any of its ingredients ■ You are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or other conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. ■ Ask a doctor before use if you have heart disease, high blood pressure, thyroid disease, or diabetes ■ Ask a doctor before use if you have heart disease, high blood pressure, thyroid disease, or diabetes
---	--

Drug Facts (continued)

- trouble swallowing due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.
- When using this product do not take more than directed. Taking more than directed may cause drowsiness.
- Stop use and ask a doctor if:
 - an allergic reaction to this product occurs. Seek medical help right away.
 - symptoms do not improve within 7 days or are accompanied by a fever
 - nervousness, dizziness or sleepiness occurs
 - If pregnant or breastfeeding, ask a health professional before use.
 - Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

- trouble swallowing due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.
- When using this product do not take more than directed. Taking more than directed may cause drowsiness.
- Stop use and ask a doctor if:
 - an allergic reaction to this product occurs. Seek medical help right away.
 - symptoms do not improve within 7 days or are accompanied by a fever
 - nervousness, dizziness or sleepiness occurs
 - If pregnant or breastfeeding, ask a health professional before use.
 - Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

*This product is not affiliated with, manufactured by, or produced by the makers or owners of Claritin-D®.

Made in USA
 Distributed by:
 Actavis Pharms, Inc.
 Parsippany, NJ 07054 USA
 2390715 230326-1 R1017



3 52544 23912 6

NDC 52544-239-12
 Compare to the active ingredients
 in Claritin-D® 24 Hour*

Actavis

*Non-Drowsy**

Allergy Relief-D

Loratadine, USP 10 mg / Pseudoephedrine Sulfate, USP 240 mg
 Extended-Release Tablets
 Antihistamine/Nasal Decongestant

24 Hour Relief of:

- Nasal & Sinus Congestion Due to Colds or Allergies
- Sneezing • Runny Nose • Itchy, Watery Eyes
- Itchy Throat or Nose Due to Allergies



Actual Size

*When taken as directed. See Drug Facts Panel.



ALLERGY RELIEF-D 24 HOUR 24 HOUR

loratadine and pseudoephedrine sulfate tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52544-239
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	10 mg
PSEUDOEPHEDRINE SULFATE (UNII: Y9DL7QPE6B) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE SULFATE	240 mg

Inactive Ingredients

Ingredient Name	Strength
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
CANDELILLA WAX (UNII: WL0328HX19)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
HYPROMELLOSE 2910 (3 MP.A.S) (UNII: 0VUT3PMY82)	
HYPROMELLOSE 2910 (6 MP.A.S) (UNII: 0WZ8WG20P6)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POLYETHYLENE GLYCOL 8000 (UNII: Q662QK8M3B)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	18mm

Flavor		Imprint Code	Andrx;605	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52544-239-12	3 in 1 CARTON	06/14/2018	
1		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA075706	06/14/2018		

Labeler - Actavis Pharma, Inc. (119723554)

Revised: 11/2019

Actavis Pharma, Inc.