

**MANGO BAY SPF 30- avobenzene, homosalate, octisalate, octocrylene lotion
Inspec Solutions LLC.**

Mango Bay SPF 30 Sunscreen Lotion

Active ingredients

Avobenzene 3.0%

Homosalate 15.0%

Octisalate 5.0%

Octocrylene 10.0%

Uses

- Helps prevent sunburn, higher SPF gives more sunburn protection
- retains SPF after XX minutes of activity in the water or sweating
- provides moderate protection against sunburn
- if used as directed with other sun protection measures (see Directions),

Decreases the risk of skin cancer and early skin aging caused by the sun

WARNINGS

For external use only.

Highly Flammable: Do not apply or use product near heat, flame, or while smoking.

When using this product:

- keep out of eyes. Rinse with water to remove.
- Keep away from face to avoid breathing it.
- Do not puncture or incinerate, Contents under pressure
- Do not store at temperature above 120°F

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

When using this product:

- keep out of eyes. Rinse with water to remove.
- Keep away from face to avoid breathing it.
- Do not puncture or incinerate, Contents under pressure
- Do not store at temperature above 120°F

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Behenyl Alcohol

BHT

Butyloctyl Salicylate

Caprylyl Methicone

Dimethicone

Dimethyl Capramide

Disodium EDTA

Ethylhexyl Stearate

Ethylhexylglycerin

Glyceryl Stearate

Hydrated Silica

PEG-100 Stearate

Phenoxyethanol

Polyester-8

Sodium Polyacrylate

Styrene/ Acrylate Copolymer

Trideceth-6

Trimethylsiloxysilicate

VP/Hexadecene Copolymer

Water

Xanthan Gum

DIRECTIONS

- Apply liberally 15 minutes before sun exposure.

- Reapply:

after 80 minutes of swimming or sweating

immediately after towel drying

at least every 2 hours

- Hold container 4 to 6 inches from the skin to apply.
- Do not spray directly into face. Spray on hands then apply to face.
- Do not apply in windy conditions.
- Use in a well-ventilated area.
- For sunscreen use
- apply to all areas of the skin exposed to the sun.
- Reapply as needed or after towel drying, swimming, or sweating.

Sunscreen

- Helps prevent sunburn

- Higher SPF gives more sunburn
- If used as directed with other sun protection measures (see DIRECTIONS), decreases the risk of skin cancer and early skin aging caused by the sun.

Do not use on damaged or broken skin.

Stop use and ask a doctor with rash occurs.

Protect this product container from excessive heat and direct sun. May stain some fabrics.

Questions or Comments?

1.833.679.3717 OR hey@mangobaytradingcompany.com

MANGO BAY TRADING CO.
MANGO-COCONUT FUSION
30 SPF
REEF PROTECTION FORMULA
SUNSCREEN LOTION
UVA/UVB PROTECTION BROAD SPECTRUM SPF 30
6 FL OZ (177mL)
WATER RESISTANT (80 MINUTES)
OXYBENZONE ± OCTINOXATE FREE

Mango Bay Trading Company's Sunscreen Formula is for both when you work OR play out in the sun. Our unique Mango-Coconut Fusion scent will have you feeling like you're in an exotic location whether you're on a tropical beach or in your own backyard. For tanning, relaxing, or sport. If you're outside ... find your place by the Bay.

Active Ingredients	Purpose
Azobenzene 3%	Sunscreen
Homosalate 10%	Sunscreen
Octocrylene 6%	Sunscreen

Uses

- Helps prevent sunburn
- Higher SPF gives more sunburn protection
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes-rinse with water to remove. Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally to cool, dry skin 15 minutes before sun exposure.
- Reapply:
 - after 80 minutes of swimming or sweating.
 - immediately after towel drying.
 - at least every 2 hours.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 am-2 pm.
 - wear long-sleeved shirts, pants, hats, and sunglasses.
 - Children under 6 months: Ask a doctor.

Other Information Protect this product container from excessive heat and direct sun. May stain some fabrics.

Inactive Ingredients
Aluminum Starch Octylsuccinate, Benzyl Alcohol, Butylacetyl Salicylate, Carbomer, Dimethicone, Disodium EDTA, Fragrance, Methylparaben, Polyglyceryl-3 Distearate, Propylparaben, Sorbitan Isostearate, Sorbitol, Stearic Acid, Tocopherol, Triethylmelamine, VP/Eicosene Copolymer, Water.

Questions or Comments?
1.833.679.3717 OR hey@mangobaytradingcompany.com

No Parabens • No Gluten • No Animal Testing
Non Nano • PABA-Free • Vegan

©2019 Mango Bay Trading Company LLC • Largo, FL
Mango Bay Trading Co. is a Registered Trademark
www.mangobaytradingcompany.com
Made in the USA

6 82863 71916 1

OVERLAP - NO VARNISH AREA

MANGO BAY SPF 30

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72667-039
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
TOCOPHEROL (UNII: R0ZB2556P8)	
MAGNESIUM DISODIUM EDTA (UNII: NDT563S5VZ)	
WATER (UNII: 059QF0KO0R)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
POLYGLYCERYL-3 DISTEARATE (UNII: ZI1LK470XV)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
FRAGRANCE 13576 (UNII: 5EM498GW35)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
SORBITOL (UNII: 506T60A25R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TROLAMINE (UNII: 9O3K93S3TK)	
VINYLPYRROLIDONE/EICOSENE COPOLYMER (UNII: 035MV9S1C3)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72667-039-01	177 mL in 1 TUBE; Type 0: Not a Combination Product	06/26/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/26/2022	

Labeler - Inspec Solutions LLC. (081030372)**Establishment**

Name	Address	ID/FEI	Business Operations
Inspec Solutions LLC.		081030372	manufacture(72667-039)

Revised: 5/2025

Inspec Solutions LLC.