

MEDPRIDE- zinc oxide ointment
Shield Line LLC

MedPride Zinc oxide 20%

Active Ingredient

Zinc Oxide 20% w/w

Purpose

Skin Protectant

Uses

■ helps treat and prevent diaper rash ■ dries the oozing and weeping of ■ poison ivy
■ poison oak ■ poison sumac

Warnings

For external use only

When using this product

- do not get into eyes
- do not use over large areas of the body

Stop use and ask a doctor if

■ the condition worsens ■ symptoms last more than 7 days or clear up and occur again in a few days ■ if you are allergic to any of these ingredients

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

■ for diaper rash ■ change wet and soiled diapers promptly ■ cleanse the diaper area and allow to dry ■ apply ointment liberally with each diaper change, especially at bedtime or anytime when exposure to wet diapers may be prolonged ■ for poison ivy, oak sumac ■ apply ointment liberally as often as needed

Other Information

■ store at 59-86F (15-30C)

Inactive Ingredients

cetostearyl alcohol, cetomacrogol 1000, lanolin, light liquid paraffin, white soft paraffin

Package Label

MedPRIDE
Zinc Oxide Ointment
SKIN PROTECTANT
Net Wt. 1 oz [28.3g]
ZnO 20%
Reorder No: MPR-30403

MedPRIDE
Zinc Oxide Ointment
SKIN PROTECTANT
Net Wt. 1 oz [28.3g]
PARABEN FREE
ADVANCED FORMULATION
ZnO 20%
Reorder No: MPR-30403

MedPRIDE
Zinc Oxide Ointment
SKIN PROTECTANT
Net Wt. 1 oz [28.3g]
PARABEN FREE
ADVANCED FORMULATION
ZnO 20%
Reorder No: MPR-30403

Drug Facts

Active ingredient Zinc Oxide (20%w/w)	Purpose Skin Protectant
Uses	helps treat and prevent diaper rash dries the oozing and weeping of poison ivy poison oak spoon sumac
Warnings: For external use only	
When using this product	
do not get into eyes do not use over large areas of the body	
Stop use and ask a doctor if	
the condition worsens symptoms last more than 7 days or clear up and occur again in a few days if you are allergic to any of these ingredients	
Keep out of reach of children	
If swallowed, get medical help or contact a Poison Control Center right away	
Directions	
for diaper rash change wet and soiled diapers promptly cleanse the diaper area and allow to dry apply ointment liberally to each diaper change, especially at bedtime or any time when exposure to wet diapers may be prolonged for poison ivy, oak, sumac apply liberally as often as needed	
Other information	
store at room temperature 15°-30°C (59°-86°F) avoid excessive heat and humidity	
Inactive ingredients	
Cetostearyl Alcohol, Ceteth-20, Lanolin, Light Liquid Paraffin, White Soft Paraffin	

HP/Drugs/09/182
Reorder No: MPR-30403
Manufactured for: Shield Line LLC
Hackensack, NJ 07601 USA
Toll Free: 800 277 6533
www.shieldline.com
Made in India
5241030403 3
10-30403MP-02

MEDPRIDE

zinc oxide ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52410-3040
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	20 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
LANOLIN (UNII: 7EV65EAW6H)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETETH-20 (UNII: I835H2IHHX)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52410-3040-3	28 g in 1 TUBE; Type 0: Not a Combination Product	05/23/2013	
2	NDC:52410-3040-4	56 g in 1 TUBE; Type 0: Not a Combination Product	05/23/2013	
3	NDC:52410-3040-5	425 g in 1 JAR; Type 0: Not a Combination Product	05/23/2013	
4	NDC:52410-3040-6	453 g in 1 JAR; Type 0: Not a Combination Product	09/30/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	05/23/2013	

Labeler - Shield Line LLC (078518916)

Revised: 11/2023

Shield Line LLC