CLEARARC- stannous fluoride gel gel Den-Mat Holdings, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active ingredient

Stannous Fluoride 0.4% (0.12% w/v fluoride ion)

Purpose

Anticavity

Uses

Aids in the prevention of dental cavities.

Warnings

This is an anticavity fluoride preventive treatment gel, not a toothpaste. Read directions carefully before using.

Using this product may produce surface staining of the teeth. Adequate tooth brushing may prevent stains which are not harmful or permanent and may be removed by a dentist.

Keep out of reach of children section

Keep out of reach of children. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 6 years and older: Use once daily after brushing.
- Apply a thin line of gel to each custom tray. Place firmly over teeth. After wearing trays for 1 minute, remove and spit out any remaining gel. Do not swallow. Do not eat or drink for 30 minutes.
- Instruct children under 12, in the use of this product (to minimize swallowing). Supervise children as necessary until capable of using without supervision.
- Children under 6, consult a dentist or doctor.

Other Information

For your protection, do not use if the tip under the cap is cut or tampered.

Inactive Ingredients

Ascorbc Acid, Carbomer, Citric Acid, Flavor, Glycerin, Triethanolamine

Questions or Comments?


877-9-CLEARARC

Principal Display Panel

ClearArc® Clinical Strength Cavity Protection Gel Formulated with Stannous Fluoride Mint Flavor NET WT. 4 OZ. (113.4 G)

Labeling

Dental Tech 3oz Overlap - not through crimp





CLEARARC							
stannous fluoride gel gel							
Product Information							
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:59883-405			
Route of Administration	TOPICAL						
A stine la una dis st/A stine	Malata						
Active Ingredient/Active Moiety							
Ingre		Basis of Strength		Strength			
STANNOUS FLUORIDE (UNII: 3FTF UNII:Q80VPU4080)		FLUORIDE ION		0.969 mg in 1 g			
Inactive Ingredients							
		Strength					

TR	OLAMINE (UNII: 9	9O3K93S3TK)						
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)								
ASCORBIC ACID (UNII: PQ6CK8PD0R)								
GL	YCERIN (UNII: PD	C6A3C0OX)						
CA	RBOMER 934 (U	NII: Z135WT9208)					
Pr	oduct Chara	cteristics						
Color				Score				
Shape			Size					
Flavor			MINT	Imprint Code				
Contains								
Pa	ackaging							
#	ltem Code	Pack	Package Description		Marketing Start Date	Marketing End Date		
	NDC:59883-405- 04	113.4 g in 1 TUB Product	E; Type 0: Not a 0	Combination (07/07/2022			
R/	arkating	nformatio						
Μ	arketing							
M	arketing Marketing Category		DN on Number or I Citation	Monograph	Marketing Start Date	Marketing End Date		

Labeler - Den-Mat Holdings, LLC (809857704)

Establishment						
Name	Address	ID/FEI	Business Operations			
Dental Technologies, Inc		148312838	manufacture(59883-405) , pack(59883-405) , label(59883-405)			

Revised: 6/2022

Den-Mat Holdings, LLC