

EXTRA STRENGTH MAPAP- acetaminophen tablet
Preferred Pharmaceuticals, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Mapap (Acetaminophen) Extra Strength Tablets

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 500 mg

Purposes

Pain Reliever/Fever Reducer

Uses

- for the temporary relief of minor aches and pains due to:
- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In the case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than the directed (see overdose warning) adults and children 12 years and over:**
- take 2 tablets every 6 hours while symptoms last.
- do not take more than 6 tablets in 24 hours unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor

children under 12 years: ask a doctor

Other information

- Store at room temperature

Inactive ingredients Povidone, pregelatinized starch, sodium starch glycolate, stearic acid.

Questions or comments? Call (800) 616-2471

Distributed By: MAJOR® PHARMACEUTICALS

17177 N. Laurel Park Drive, Suite 233, Livonia, MI 48152 USA

Do not use if carton is open, or if imprinted safety seal under cap is broken or missing

Repackaged By: Preferred Pharmaceuticals Inc.

MAJOR®

NDC 68788-9394

See New Warnings Information and Directions

EXTRA STRENGTH

Mapap TABLETS

ASPIRIN FREE

STRONG PAIN AND FEVER RELIEF

500 MG EACH

Repackaged By: Preferred Pharmaceuticals Inc.

Extra Strength Acetaminophen

500mg

Generic for Tylenol

Each tablet contains: Acetaminophen 500mg

Pkg Size: Exp Date:

Lot#:

Batch#:

Ins:

Mfg: Major Pharm.; Livonia, MI

Prod#:

Warning

Liver Warning: this product contains acetaminophen. The maximum daily dose of this product is 6 tablets (3,000mg). Severe liver damage may occur if you take more than 3,000mg of acetaminophen in 24 hours; with other drugs containing acetaminophen; 3 or more alcoholic drinks every day while using this product. Ask a doctor before use if you have liver disease or are taking the blood thinning drug warfarin. Do not use with any other drug containing acetaminophen. Store at room temperature. Keep out of the reach of children. Tablet is round, white, scored and imprinted with GPI/A5.



Directions English

Take ___ tablet(s)
every ___ hours.



Instrucciones Espanol:

Toma ___ tableta(s)
cada ___ horas.

Extra Strength Acetaminophen 500

mg

Qty: Ins:

Lot#: Bat#:

Prod# (NDC):

Extra Strength Acetaminophen 500

mg

Qty: Ins:

Lot#: Bat#:

Prod# (NDC):

Extra Strength Acetaminophen 500

mg

Qty: Ins:

Insurance NDC:

Lot#: Bat#:

Extra Strength Acetaminophen 500

mg

Qty: Ins:

Lot#: Bat#:

Prod# (NDC):

Log

Chart

Billing

Patient

EXTRA STRENGTH MAPAP

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68788-9394(NDC:0904-1988)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	WHITE	Score	2 pieces
Shape	ROUND (round flat faced beveled edge)	Size	12mm
Flavor		Imprint Code	GPI;A5
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-9394-2	20 in 1 BOTTLE; Type 0: Not a Combination Product	06/24/2014	
2	NDC:68788-9394-3	30 in 1 BOTTLE; Type 0: Not a Combination Product	06/24/2014	
3	NDC:68788-9394-4	45 in 1 BOTTLE; Type 0: Not a Combination Product	06/24/2014	

4	NDC:68788-9394-5	50 in 1 BOTTLE; Type 0: Not a Combination Product	06/24/2014	
5	NDC:68788-9394-1	100 in 1 BOTTLE; Type 0: Not a Combination Product	06/24/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	06/24/2014	

Labeler - Preferred Pharmaceuticals, Inc. (791119022)

Registrant - Preferred Pharmaceuticals, Inc. (791119022)

Establishment

Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals, Inc.		791119022	REPACK(68788-9394)

Revised: 5/2020

Preferred Pharmaceuticals, Inc.