# INTESTINOMICINA- loperamide hci, simethicone capsule Procaps S.A. de C.V.

-----

Intestinomicina AD+ (Deactivated)

## **Drug Facts**

## Active ingredients (in each caplet) & Purposes

.

Active ingredients (in each caplet)	Purposes
Loperamide HCl 2 mg	Anti-diarrheal
Simethicone 125 mg	Anti-gas

#### Uses

Relieves symptoms of diarrhea plus bloating, pressure and cramps, commonly referred to as gas.

# Warnings

**Allergy alert:** Do not use if you have ever had a rash or other allergic reaction to loperamide HCl

Heart alert: Taking more than directed can cause serious heart problems or death

#### Do not use

- if you have bloody or black stool
- if you have difficulty swallowing

# Ask a doctor before use if you have

- fever
- mucus in the stool
- a history of liver disease
- a history of abdominal heart rythm

# Ask a doctor or pharmacist before use if you are

• taking a prescription drug. Loperamide interact with certain prescriptions drugs.

#### When using this product

tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

#### Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.
- you have difficulty swallowing the caplet

#### If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#### **Directions**

- drink plenty of clear fluids to help prevent dehydration caused by diarrhea
- take only on an empty stomach (1 hour before or 2 hours after a meal)
- take with a full (8 oz.) glass of water
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.

adults and children 12 years and over	2 caplets after the first loose stool; 1 caplet after each subsequent loose stool; but no more than 4 caplets in 24 hours
children 9-11 years (60-95 lbs)	1 caplet after the first loose stool; ½ caplet after each subsequent loose stool; but no more than 3 caplets in 24 hours
children 6-8 years (48-59 lbs)	1 caplet after the first loose stool; ½ caplet after each subsequent loose stool; but no more than 2 caplets in 24 hours
children 2-5 years (34 to 47 lbs)	ask a doctor
children under 2 years (up to 33 lbs)	do not use

#### Other information

- each caplet contains: calcium 180 mg, sodium 3 mg
- store between 20 °-25 °C (68 °-77 °F). Protect from light.
- do not use if printed blister unit is broken or torn


# Inactive ingredients

acesulfame potassium, colloidol silicone dioxide, croscarmellose sodium, dibasic calcium phosphate, flavor, microcrystalline cellulose, stearic acid

#### Questions or comments?

call **1-754-260-6474** (Monday - Friday 8 am - 4 pm)

# Package/Label Principal Display Panel



# **INTESTINOMICINA**

loperamide hci, simethicone capsule

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76864-100	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg	
DIMETHICONE (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10)	DIMETHICONE	125 mg	

Inactive Ingredients				
Ingredient Name	Strength			
SILICON DIOXIDE (UNII: ETJ7Z 6XBU4)				
ACESULFAME POTASSIUM (UNII: 230V73Q5G9)				
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)				
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)				
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
STEARIC ACID (UNII: 4ELV7Z65AP)				

Product Characteristics			
Color	white	Score	2 pieces

Shape	CAPSULE	Size	16mm
Flavor	CARAMEL ((Caramel Vanilla))	Imprint Code	2;63
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:76864-100- 12	12 in 1 CARTON	07/08/2022	11/30/2024		
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product				

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA214541	07/04/2018	11/30/2024

# **Labeler -** Procaps S.A. de C.V. (851259341)

Revised: 1/2024 Procaps S.A. de C.V.